



6860 SW 81st Street Miami, Florida 33143  
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

A-35538-B 5304


ID: 3687064-A-35538 Page: 1 Test Date: Tuesday, February 6, 2024 DOB: Tuesday, October 17, 2023 Age: 3.7 months Report: Tuesday, February 6, 2024

Page 1

| Num | Filename  | Int   | Ear | Stim. Type        | Swps/Art | Rate | Mode | PP Amp | SNR  | RN    | Gain | Filters    |
|-----|-----------|-------|-----|-------------------|----------|------|------|--------|------|-------|------|------------|
| 1   | 58RA85A.1 | 85SPL | R   | HFSM IHS5156_6kHz | 256/34   | 42.6 | Altr | 4.52   | 9.12 | 0.277 | 100  | 100-3000Hz |
| 2   | 58RA80A.1 | 80SPL | R   | HFSM IHS5156_6kHz | 256/29   | 42.6 | Altr | 3.92   | 7.62 | 0.296 | 100  | 100-3000Hz |
| 3   | 58RA75A.1 | 75SPL | R   | HFSM IHS5156_6kHz | 256/28   | 42.6 | Altr | 3.35   | 4.22 | 0.450 | 100  | 100-3000Hz |
| 4   | 58RA70A.1 | 70SPL | R   | HFSM IHS5156_6kHz | 256/29   | 42.6 | Altr | 2.95   | 3.47 | 0.486 | 100  | 100-3000Hz |
| 5   | 58RA65A.1 | 65SPL | R   | HFSM IHS5156_6kHz | 256/32   | 42.6 | Altr | 2.80   | 5.26 | 0.297 | 100  | 100-3000Hz |
| 6   | 58RA60A.1 | 60SPL | R   | HFSM IHS5156_6kHz | 256/29   | 42.6 | Altr | 2.63   | 3.36 | 0.433 | 100  | 100-3000Hz |
| 7   | 58RA55A.1 | 55SPL | R   | HFSM IHS5156_6kHz | 256/29   | 42.6 | Altr | 2.24   | 4.01 | 0.325 | 100  | 100-3000Hz |
| 8   | 58RA50A.1 | 50SPL | R   | HFSM IHS5156_6kHz | 256/28   | 42.6 | Altr | 1.71   | 2.69 | 0.317 | 100  | 100-3000Hz |
| 9   | 58RA45A.1 | 45SPL | R   | HFSM IHS5156_6kHz | 256/29   | 42.6 | Altr | 1.59   | 1.83 | 0.280 | 100  | 100-3000Hz |
| 10  | 58RA40A.1 | 40SPL | R   | HFSM IHS5156_6kHz | 256/27   | 42.6 | Altr | 1.58   | 1.04 | 0.475 | 100  | 100-3000Hz |
| 11  | 58RA35A.1 | 35SPL | R   | HFSM IHS5156_6kHz | 256/28   | 42.6 | Altr | 2.08   | 1.39 | 0.323 | 100  | 100-3000Hz |
| 12  | 58RA30A.1 | 30SPL | R   | HFSM IHS5156_6kHz | 256/27   | 42.6 | Altr | 1.57   | 2.63 | 0.221 | 100  | 100-3000Hz |
| 13  | 58RA25A.1 | 25SPL | R   | HFSM IHS5156_6kHz | 256/26   | 42.6 | Altr | 1.81   | 1.25 | 0.564 | 100  | 100-3000Hz |
| 14  | 58RA20A.1 | 20SPL | R   | HFSM IHS5156_6kHz | 256/26   | 42.6 | Altr | 2.04   | 1.62 | 0.327 | 100  | 100-3000Hz |
| 15  | 58RA15A.1 | 15SPL | R   | HFSM IHS5156_6kHz | 256/25   | 42.6 | Altr | 1.73   | 0.83 | 0.450 | 100  | 100-3000Hz |
| 16  | 58RA10A.1 | 10SPL | R   | HFSM IHS5156_6kHz | 256/28   | 42.6 | Altr | 1.11   | 0.65 | 0.402 | 100  | 100-3000Hz |
| 17  | 58RA5A.1  | 5SPL  | R   | HFSM IHS5156_6kHz | 256/29   | 42.6 | Altr | 1.82   | 0.70 | 0.453 | 100  | 100-3000Hz |
| 18  | 58RA0A.1  | 0SPL  | R   | HFSM IHS5156_6kHz | 256/27   | 42.6 | Altr | 1.20   | 0.36 | 0.501 | 100  | 100-3000Hz |

System SNR & RN Region: 4.00 - 9.00 ms \*indicates different region used

| Num | Int | Ear | Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio) |
|-----|-----|-----|---|
| 1   | 85  | R   |   |
| 2   | 80  | R   |   |
| 3   | 75  | R   |   |
| 4   | 70  | R   |   |
| 5   | 65  | R   |   |
| 6   | 60  | R   |   |
| 7   | 55  | R   |   |
| 8   | 50  | R   |   |
| 9   | 45  | R   |   |
| 10  | 40  | R   |   |
| 11  | 35  | R   |   |
| 12  | 30  | R   |   |
| 13  | 25  | R   |   |
| 14  | 20  | R   |   |
| 15  | 15  | R   |   |
| 16  | 10  | R   |   |
| 17  | 5   | R   |   |
| 18  | 0   | R   |   |





6860 SW 81st Street Miami, Florida 33143  
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

A-35538-B 5304


ID: 3687064-A-35538 Page: 2 Test Date: Tuesday, February 6, 2024 DOB: Tuesday, October 17, 2023 Age: 3.7 months Report: Tuesday, February 6, 2024

Page 2

| Num | Filename  | Int   | Ear | Stim. Type        | Swps/Art | Rate | Mode | PP Amp | SNR  | RN    | Gain | Filters    |
|-----|-----------|-------|-----|-------------------|----------|------|------|--------|------|-------|------|------------|
| 1   | 58RA85A.2 | 85SPL | R   | HFSM IHS5156_12kH | 256/23   | 42.6 | Altr | 3.50   | 2.91 | 0.657 | 100  | 100-3000Hz |
| 2   | 58RA80A.2 | 80SPL | R   | HFSM IHS5156_12kH | 256/34   | 42.6 | Altr | 3.16   | 1.97 | 0.897 | 100  | 100-3000Hz |
| 3   | 58RA75A.2 | 75SPL | R   | HFSM IHS5156_12kH | 256/34   | 42.6 | Altr | 2.99   | 4.36 | 0.401 | 100  | 100-3000Hz |
| 4   | 58RA70A.2 | 70SPL | R   | HFSM IHS5156_12kH | 256/45   | 42.6 | Altr | 2.40   | 2.89 | 0.536 | 100  | 100-3000Hz |
| 5   | 58RA65A.2 | 65SPL | R   | HFSM IHS5156_12kH | 256/9    | 42.6 | Altr | 5.68   | 6.07 | 0.293 | 100  | 100-3000Hz |
| 6   | 58RA60A.2 | 60SPL | R   | HFSM IHS5156_12kH | 256/31   | 42.6 | Altr | 1.72   | 1.24 | 0.544 | 100  | 100-3000Hz |
| 7   | 58RA55A.2 | 55SPL | R   | HFSM IHS5156_12kH | 256/29   | 42.6 | Altr | 1.43   | 1.47 | 0.392 | 100  | 100-3000Hz |
| 8   | 58RA50A.2 | 50SPL | R   | HFSM IHS5156_12kH | 256/26   | 42.6 | Altr | 1.81   | 1.22 | 0.338 | 100  | 100-3000Hz |
| 9   | 58RA45A.2 | 45SPL | R   | HFSM IHS5156_12kH | 256/31   | 42.6 | Altr | 1.75   | 0.72 | 0.671 | 100  | 100-3000Hz |
| 10  | 58RA40A.2 | 40SPL | R   | HFSM IHS5156_12kH | 256/28   | 42.6 | Altr | 1.89   | 0.50 | 0.913 | 100  | 100-3000Hz |
| 11  | 58RA35A.2 | 35SPL | R   | HFSM IHS5156_12kH | 256/32   | 42.6 | Altr | 1.48   | 0.54 | 0.876 | 100  | 100-3000Hz |
| 12  | 58RA30A.2 | 30SPL | R   | HFSM IHS5156_12kH | 256/30   | 42.6 | Altr | 1.71   | 0.42 | 0.373 | 100  | 100-3000Hz |
| 13  | 58RA25A.2 | 25SPL | R   | HFSM IHS5156_12kH | 256/30   | 42.6 | Altr | 1.81   | 1.20 | 0.323 | 100  | 100-3000Hz |
| 14  | 58RA20A.2 | 20SPL | R   | HFSM IHS5156_12kH | 256/31   | 42.6 | Altr | 2.01   | 0.45 | 0.629 | 100  | 100-3000Hz |
| 15  | 58RA15A.2 | 15SPL | R   | HFSM IHS5156_12kH | 256/32   | 42.6 | Altr | 1.90   | 0.57 | 0.417 | 100  | 100-3000Hz |
| 16  | 58RA10A.2 | 10SPL | R   | HFSM IHS5156_12kH | 256/29   | 42.6 | Altr | 1.47   | 0.96 | 0.332 | 100  | 100-3000Hz |
| 17  | 58RA5A.2  | 5SPL  | R   | HFSM IHS5156_12kH | 256/30   | 42.6 | Altr | 1.78   | 0.76 | 0.571 | 100  | 100-3000Hz |
| 18  | 58RA0A.2  | 0SPL  | R   | HFSM IHS5156_12kH | 256/32   | 42.6 | Altr | 1.79   | 0.34 | 0.750 | 100  | 100-3000Hz |

System SNR & RN Region: 4.00 - 9.00 ms \*indicates different region used

| Num | Int | Ear | Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio) |
|-----|-----|-----|---|
| 1   | 85  | R   |   |
| 2   | 80  | R   |   |
| 3   | 75  | R   |   |
| 4   | 70  | R   |   |
| 5   | 65  | R   |   |
| 6   | 60  | R   |   |
| 7   | 55  | R   |   |
| 8   | 50  | R   |   |
| 9   | 45  | R   |   |
| 10  | 40  | R   |   |
| 11  | 35  | R   |   |
| 12  | 30  | R   |   |
| 13  | 25  | R   |   |
| 14  | 20  | R   |   |
| 15  | 15  | R   |   |
| 16  | 10  | R   |   |
| 17  | 5   | R   |   |
| 18  | 0   | R   |   |





6860 SW 81st Street Miami, Florida 33143  
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

A-35538-B 5304


ID: 3687064-A-35538 Page: 3 Test Date: Tuesday, February 6, 2024 DOB: Tuesday, October 17, 2023 Age: 3.7 months Report: Tuesday, February 6, 2024

Page 3

| Num | Filename  | Int   | Ear | Stim. Type        | Swps/Art | Rate | Mode | PP Amp | SNR  | RN    | Gain | Filters    |
|-----|-----------|-------|-----|-------------------|----------|------|------|--------|------|-------|------|------------|
| 1   | 58RA85A.3 | 85SPL | R   | HFSM IHS7558_18kH | 256/30   | 42.6 | Altr | 2.40   | 4.69 | 0.269 | 100  | 100-1500Hz |
| 2   | 58RA80A.3 | 80SPL | R   | HFSM IHS7558_18kH | 256/32   | 42.6 | Altr | 2.32   | 4.63 | 0.281 | 100  | 100-1500Hz |
| 3   | 58RA75A.3 | 75SPL | R   | HFSM IHS7558_18kH | 256/33   | 42.6 | Altr | 2.05   | 5.30 | 0.220 | 100  | 100-1500Hz |
| 4   | 58RA70A.3 | 70SPL | R   | HFSM IHS7558_18kH | 256/27   | 42.6 | Altr | 2.37   | 0.87 | 1.193 | 100  | 100-1500Hz |
| 5   | 58RA65A.3 | 65SPL | R   | HFSM IHS7558_18kH | 256/29   | 42.6 | Altr | 1.93   | 2.78 | 0.340 | 100  | 100-1500Hz |
| 6   | 58RA60A.3 | 60SPL | R   | HFSM IHS7558_18kH | 256/31   | 42.6 | Altr | 2.05   | 3.29 | 0.309 | 100  | 100-1500Hz |
| 7   | 58RA55A.3 | 55SPL | R   | HFSM IHS7558_18kH | 256/34   | 42.6 | Altr | 1.80   | 1.40 | 0.733 | 100  | 100-1500Hz |
| 8   | 58RA50A.3 | 50SPL | R   | HFSM IHS7558_18kH | 256/31   | 42.6 | Altr | 1.92   | 0.89 | 1.064 | 100  | 100-1500Hz |
| 9   | 58RA45A.3 | 45SPL | R   | HFSM IHS7558_18kH | 256/32   | 42.6 | Altr | 1.61   | 0.81 | 0.997 | 100  | 100-1500Hz |
| 10  | 58RA40A.3 | 40SPL | R   | HFSM IHS7558_18kH | 256/32   | 42.6 | Altr | 1.87   | 3.93 | 0.169 | 100  | 100-1500Hz |
| 11  | 58RA35A.3 | 35SPL | R   | HFSM IHS7558_18kH | 256/31   | 42.6 | Altr | 1.89   | 0.79 | 0.654 | 100  | 100-1500Hz |
| 12  | 58RA30A.3 | 30SPL | R   | HFSM IHS7558_18kH | 256/36   | 42.6 | Altr | 1.37   | 1.45 | 0.323 | 100  | 100-1500Hz |
| 13  | 58RA25A.3 | 25SPL | R   | HFSM IHS7558_18kH | 256/21   | 42.6 | Altr | 2.71   | 1.24 | 0.274 | 100  | 100-1500Hz |
| 14  | 58RA20A.3 | 20SPL | R   | HFSM IHS7558_18kH | 256/27   | 42.6 | Altr | 1.87   | 1.23 | 0.169 | 100  | 100-1500Hz |
| 15  | 58RA15A.3 | 15SPL | R   | HFSM IHS7558_18kH | 256/34   | 42.6 | Altr | 1.20   | 0.90 | 0.297 | 100  | 100-1500Hz |
| 16  | 58RA10A.3 | 10SPL | R   | HFSM IHS7558_18kH | 256/32   | 42.6 | Altr | 1.57   | 1.26 | 0.217 | 100  | 100-1500Hz |
| 17  | 58RA5A.3  | 5SPL  | R   | HFSM IHS7558_18kH | 256/32   | 42.6 | Altr | 1.19   | 0.89 | 0.297 | 100  | 100-1500Hz |
| 18  | 58RA0A.3  | 0SPL  | R   | HFSM IHS7558_18kH | 256/34   | 42.6 | Altr | 1.70   | 1.39 | 0.213 | 100  | 100-1500Hz |

System SNR & RN Region: 4.00 - 9.00 ms \*indicates different region used

| Num | Int | Ear | Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio) |
|-----|-----|-----|---|
| 1   | 85  | R   |   |
| 2   | 80  | R   |   |
| 3   | 75  | R   |   |
| 4   | 70  | R   |   |
| 5   | 65  | R   |   |
| 6   | 60  | R   |   |
| 7   | 55  | R   |   |
| 8   | 50  | R   |   |
| 9   | 45  | R   |   |
| 10  | 40  | R   |   |
| 11  | 35  | R   |   |
| 12  | 30  | R   |   |
| 13  | 25  | R   |   |
| 14  | 20  | R   |   |
| 15  | 15  | R   |   |
| 16  | 10  | R   |   |
| 17  | 5   | R   |   |
| 18  | 0   | R   |   |





6860 SW 81st Street Miami, Florida 33143  
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

A-35538-B 5304


ID: 3687064-A-35538 Page: 4 Test Date: Tuesday, February 6, 2024 DOB: Tuesday, October 17, 2023 Age: 3.7 months Report: Tuesday, February 6, 2024

Page 4

| Num | Filename  | Int   | Ear | Stim. Type        | Swps/Art | Rate | Mode | PP Amp | SNR  | RN    | Gain | Filters    |
|-----|-----------|-------|-----|-------------------|----------|------|------|--------|------|-------|------|------------|
| 1   | 58RA85A.4 | 85SPL | R   | HFSM IHS7558_24kH | 256/29   | 42.6 | Altr | 2.86   | 4.45 | 0.391 | 100  | 100-1500Hz |
| 2   | 58RA80A.4 | 80SPL | R   | HFSM IHS7558_24kH | 256/34   | 42.6 | Altr | 2.72   | 5.22 | 0.287 | 100  | 100-1500Hz |
| 3   | 58RA75A.4 | 75SPL | R   | HFSM IHS7558_24kH | 256/32   | 42.6 | Altr | 2.77   | 4.84 | 0.317 | 100  | 100-1500Hz |
| 4   | 58RA70A.4 | 70SPL | R   | HFSM IHS7558_24kH | 256/32   | 42.6 | Altr | 2.43   | 6.64 | 0.226 | 100  | 100-1500Hz |
| 5   | 58RA65A.4 | 65SPL | R   | HFSM IHS7558_24kH | 256/32   | 42.6 | Altr | 2.15   | 5.11 | 0.247 | 100  | 100-1500Hz |
| 6   | 58RA60A.4 | 60SPL | R   | HFSM IHS7558_24kH | 256/34   | 42.6 | Altr | 2.21   | 3.41 | 0.386 | 100  | 100-1500Hz |
| 7   | 58RA55A.4 | 55SPL | R   | HFSM IHS7558_24kH | 256/30   | 42.6 | Altr | 2.18   | 4.52 | 0.264 | 100  | 100-1500Hz |
| 8   | 58RA50A.4 | 50SPL | R   | HFSM IHS7558_24kH | 256/31   | 42.6 | Altr | 2.12   | 3.89 | 0.329 | 100  | 100-1500Hz |
| 9   | 58RA45A.4 | 45SPL | R   | HFSM IHS7558_24kH | 256/30   | 42.6 | Altr | 1.65   | 4.03 | 0.242 | 100  | 100-1500Hz |
| 10  | 58RA40A.4 | 40SPL | R   | HFSM IHS7558_24kH | 256/30   | 42.6 | Altr | 1.86   | 3.14 | 0.248 | 100  | 100-1500Hz |
| 11  | 58RA35A.4 | 35SPL | R   | HFSM IHS7558_24kH | 256/31   | 42.6 | Altr | 2.08   | 1.77 | 0.316 | 100  | 100-1500Hz |
| 12  | 58RA30A.4 | 30SPL | R   | HFSM IHS7558_24kH | 256/32   | 42.6 | Altr | 1.56   | 1.83 | 0.198 | 100  | 100-1500Hz |
| 13  | 58RA25A.4 | 25SPL | R   | HFSM IHS7558_24kH | 256/30   | 42.6 | Altr | 1.93   | 0.90 | 0.487 | 100  | 100-1500Hz |
| 14  | 58RA20A.4 | 20SPL | R   | HFSM IHS7558_24kH | 256/30   | 42.6 | Altr | 1.64   | 1.30 | 0.279 | 100  | 100-1500Hz |
| 15  | 58RA15A.4 | 15SPL | R   | HFSM IHS7558_24kH | 256/32   | 42.6 | Altr | 1.60   | 1.48 | 0.208 | 100  | 100-1500Hz |
| 16  | 58RA10A.4 | 10SPL | R   | HFSM IHS7558_24kH | 256/31   | 42.6 | Altr | 2.15   | 1.72 | 0.188 | 100  | 100-1500Hz |
| 17  | 58RA5A.4  | 5SPL  | R   | HFSM IHS7558_24kH | 256/31   | 42.6 | Altr | 1.24   | 1.21 | 0.267 | 100  | 100-1500Hz |
| 18  | 58RA0A.4  | 0SPL  | R   | HFSM IHS7558_24kH | 256/34   | 42.6 | Altr | 1.06   | 1.03 | 0.259 | 100  | 100-1500Hz |

System SNR & RN Region: 4.00 - 9.00 ms \*indicates different region used

| Num | Int | Ear | Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio) |
|-----|-----|-----|---|
| 1   | 85  | R   |   |
| 2   | 80  | R   |   |
| 3   | 75  | R   |   |
| 4   | 70  | R   |   |
| 5   | 65  | R   |   |
| 6   | 60  | R   |   |
| 7   | 55  | R   |   |
| 8   | 50  | R   |   |
| 9   | 45  | R   |   |
| 10  | 40  | R   |   |
| 11  | 35  | R   |   |
| 12  | 30  | R   |   |
| 13  | 25  | R   |   |
| 14  | 20  | R   |   |
| 15  | 15  | R   |   |
| 16  | 10  | R   |   |
| 17  | 5   | R   |   |
| 18  | 0   | R   |   |



|     | 0         | 1     | 2   | 3                  | 4        | 5    | 6    | 7      | 8    | 9     | 10   | 11         | 12 ms |
|-----|-----------|-------|-----|--------------------|----------|------|------|--------|------|-------|------|------------|-------|
| Num | Filename  | Int   | Ear | Stim. Type         | Swps/Art | Rate | Mode | PP Amp | SNR  | RN    | Gain | Filters    |       |
| 1   | 58RA85A.5 | 85SPL | R   | HFStm IHS7558_30kH | 256/29   | 42.6 | Altr | 2.62   | 5.84 | 0.253 | 100  | 100-1500Hz |       |
| 2   | 58RA80A.5 | 80SPL | R   | HFStm IHS7558_30kH | 256/30   | 42.6 | Altr | 1.95   | 4.97 | 0.205 | 100  | 100-1500Hz |       |
| 3   | 58RA75A.5 | 75SPL | R   | HFStm IHS7558_30kH | 256/32   | 42.6 | Altr | 1.40   | 1.30 | 0.567 | 100  | 100-1500Hz |       |
| 4   | 58RA70A.5 | 70SPL | R   | HFStm IHS7558_30kH | 256/31   | 42.6 | Altr | 1.80   | 1.38 | 0.512 | 100  | 100-1500Hz |       |
| 5   | 58RA65A.5 | 65SPL | R   | HFStm IHS7558_30kH | 256/34   | 42.6 | Altr | 1.93   | 1.41 | 0.405 | 100  | 100-1500Hz |       |
| 6   | 58RA60A.5 | 60SPL | R   | HFStm IHS7558_30kH | 256/34   | 42.6 | Altr | 1.10   | 0.88 | 0.312 | 100  | 100-1500Hz |       |
| 7   | 58RA55A.5 | 55SPL | R   | HFStm IHS7558_30kH | 256/28   | 42.6 | Altr | 1.69   | 0.85 | 0.276 | 100  | 100-1500Hz |       |
| 8   | 58RA50A.5 | 50SPL | R   | HFStm IHS7558_30kH | 256/34   | 42.6 | Altr | 1.28   | 0.55 | 0.587 | 100  | 100-1500Hz |       |
| 9   | 58RA45A.5 | 45SPL | R   | HFStm IHS7558_30kH | 256/30   | 42.6 | Altr | 1.58   | 1.26 | 0.287 | 100  | 100-1500Hz |       |
| 10  | 58RA40A.5 | 40SPL | R   | HFStm IHS7558_30kH | 256/31   | 42.6 | Altr | 1.97   | 0.34 | 0.984 | 100  | 100-1500Hz |       |
| 11  | 58RA35A.5 | 35SPL | R   | HFStm IHS7558_30kH | 256/32   | 42.6 | Altr | 2.51   | 0.34 | 1.097 | 100  | 100-1500Hz |       |
| 12  | 58RA30A.5 | 30SPL | R   | HFStm IHS7558_30kH | 256/31   | 42.6 | Altr | 1.71   | 1.31 | 0.453 | 100  | 100-1500Hz |       |
| 13  | 58RA25A.5 | 25SPL | R   | HFStm IHS7558_30kH | 256/33   | 42.6 | Altr | 2.13   | 1.16 | 0.467 | 100  | 100-1500Hz |       |
| 14  | 58RA20A.5 | 20SPL | R   | HFStm IHS7558_30kH | 256/32   | 42.6 | Altr | 2.06   | 0.18 | 0.912 | 100  | 100-1500Hz |       |

SNR & RN: 4.00 - 9.00 ms Fmp:5.00 ms \*-Indicates different region or point used

| Num | Int | Ear | Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio) |
|-----|-----|-----|---|
| 1   | 85  | R   |   |
| 2   | 80  | R   |   |
| 3   | 75  | R   |   |
| 4   | 70  | R   |   |
| 5   | 65  | R   |   |
| 6   | 60  | R   |   |
| 7   | 55  | R   |   |
| 8   | 50  | R   |   |
| 9   | 45  | R   |   |
| 10  | 40  | R   |   |
| 11  | 35  | R   |   |
| 12  | 30  | R   |   |
| 13  | 25  | R   |   |
| 14  | 20  | R   |   |