



6860 SW 81st Street Miami, Florida 33143  
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

A-34045-L 5304


ID: 3681028-A-34045 Page: 1 Test Date: Friday, January 26, 2024 DOB: Tuesday, October 3, 2023 Age: 3.9 months Report: Friday, January 26, 2024

Page 1

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR	RN	Gain	Filters
1	05RA85A.1	85SPL	R	HFSM IHS5156_6kHz	256/2	42.6	Altr	1.86	1.02	1.051	100	100-3000Hz
2	05RA80A.1	80SPL	R	HFSM IHS5156_6kHz	256/1	42.6	Altr	1.48	1.28	0.626	100	100-3000Hz
3	05RA75A.1	75SPL	R	HFSM IHS5156_6kHz	256/1	42.6	Altr	1.35	0.49	1.536	100	100-3000Hz
4	05RA70A.1	70SPL	R	HFSM IHS5156_6kHz	256/5	42.6	Altr	0.83	0.50	0.992	100	100-3000Hz
5	05RA65A.1	65SPL	R	HFSM IHS5156_6kHz	256/5	42.6	Altr	1.24	0.69	0.959	100	100-3000Hz
6	05RA60A.1	60SPL	R	HFSM IHS5156_6kHz	256/5	42.6	Altr	0.95	0.98	0.468	100	100-3000Hz
7	05RA55A.1	55SPL	R	HFSM IHS5156_6kHz	256/3	42.6	Altr	0.82	0.50	0.651	100	100-3000Hz
8	05RA50A.1	50SPL	R	HFSM IHS5156_6kHz	256/1	42.6	Altr	0.99	0.55	0.936	100	100-3000Hz
9	05RA45A.1	45SPL	R	HFSM IHS5156_6kHz	256/1	42.6	Altr	0.90	0.19	1.096	100	100-3000Hz
10	05RA40A.1	40SPL	R	HFSM IHS5156_6kHz	256/3	42.6	Altr	1.17	1.07	0.507	100	100-3000Hz
11	05RA35A.1	35SPL	R	HFSM IHS5156_6kHz	256/2	42.6	Altr	0.70	0.27	1.300	100	100-3000Hz
12	05RA30A.1	30SPL	R	HFSM IHS5156_6kHz	256/1	42.6	Altr	0.80	0.59	0.657	100	100-3000Hz
13	05RA25A.1	25SPL	R	HFSM IHS5156_6kHz	256/3	42.6	Altr	0.65	0.53	0.576	100	100-3000Hz
14	05RA20A.1	20SPL	R	HFSM IHS5156_6kHz	256/4	42.6	Altr	1.14	0.55	0.857	100	100-3000Hz
15	05RA15A.1	15SPL	R	HFSM IHS5156_6kHz	256/2	42.6	Altr	1.14	0.79	0.815	100	100-3000Hz
16	05RA10A.1	10SPL	R	HFSM IHS5156_6kHz	256/3	42.6	Altr	0.83	0.61	0.560	100	100-3000Hz
17	05RA5A.1	5SPL	R	HFSM IHS5156_6kHz	256/4	42.6	Altr	0.74	0.66	0.509	100	100-3000Hz
18	05RA0A.1	0SPL	R	HFSM IHS5156_6kHz	256/1	42.6	Altr	0.91	0.84	0.411	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms \*indicates different region used

Num	Int	Ear	Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio)
1	85	R	
2	80	R	
3	75	R	
4	70	R	
5	65	R	
6	60	R	
7	55	R	
8	50	R	
9	45	R	
10	40	R	
11	35	R	
12	30	R	
13	25	R	
14	20	R	
15	15	R	
16	10	R	
17	5	R	
18	0	R	





6860 SW 81st Street Miami, Florida 33143  
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

A-34045-L 5304


ID: 3681028-A-34045 Page: 2 Test Date: Friday, January 26, 2024 DOB: Tuesday, October 3, 2023 Age: 3.9 months Report: Friday, January 26, 2024

Page 2

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR	RN	Gain	Filters
1	05RA85A.2	85SPL	R	HFSM IHS5156_12kH	256/2	42.6	Altr	2.19	1.06	0.964	100	100-3000Hz
2	05RA80A.2	80SPL	R	HFSM IHS5156_12kH	256/3	42.6	Altr	1.48	1.29	0.515	100	100-3000Hz
3	05RA75A.2	75SPL	R	HFSM IHS5156_12kH	256/1	42.6	Altr	1.03	0.73	0.650	100	100-3000Hz
4	05RA70A.2	70SPL	R	HFSM IHS5156_12kH	256/1	42.6	Altr	1.62	0.57	1.209	100	100-3000Hz
5	05RA65A.2	65SPL	R	HFSM IHS5156_12kH	256/3	42.6	Altr	0.96	0.33	1.288	100	100-3000Hz
6	05RA60A.2	60SPL	R	HFSM IHS5156_12kH	256/0	42.6	Altr	1.18	0.46	1.156	100	100-3000Hz
7	05RA55A.2	55SPL	R	HFSM IHS5156_12kH	256/1	42.6	Altr	1.07	0.38	1.236	100	100-3000Hz
8	05RA50A.2	50SPL	R	HFSM IHS5156_12kH	256/0	42.6	Altr	0.73	0.95	0.366	100	100-3000Hz
9	05RA45A.2	45SPL	R	HFSM IHS5156_12kH	256/0	42.6	Altr	1.45	1.05	0.548	100	100-3000Hz
10	05RA40A.2	40SPL	R	HFSM IHS5156_12kH	256/0	42.6	Altr	0.88	0.79	0.786	100	100-3000Hz
11	05RA35A.2	35SPL	R	HFSM IHS5156_12kH	256/0	42.6	Altr	0.96	0.34	0.799	100	100-3000Hz
12	05RA30A.2	30SPL	R	HFSM IHS5156_12kH	256/0	42.6	Altr	0.90	0.77	0.460	100	100-3000Hz
13	05RA25A.2	25SPL	R	HFSM IHS5156_12kH	256/0	42.6	Altr	0.73	0.60	0.665	100	100-3000Hz
14	05RA20A.2	20SPL	R	HFSM IHS5156_12kH	256/0	42.6	Altr	0.83	0.89	0.502	100	100-3000Hz
15	05RA15A.2	15SPL	R	HFSM IHS5156_12kH	256/0	42.6	Altr	0.95	0.38	1.086	100	100-3000Hz
16	05RA10A.2	10SPL	R	HFSM IHS5156_12kH	256/0	42.6	Altr	0.74	1.09	0.401	100	100-3000Hz
17	05RA5A.2	5SPL	R	HFSM IHS5156_12kH	256/0	42.6	Altr	0.68	0.19	1.547	100	100-3000Hz
18	05RA0A.2	0SPL	R	HFSM IHS5156_12kH	256/0	42.6	Altr	0.79	0.22	1.197	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms \*indicates different region used

Num	Int	Ear	Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio)
1	85	R	
2	80	R	
3	75	R	
4	70	R	
5	65	R	
6	60	R	
7	55	R	
8	50	R	
9	45	R	
10	40	R	
11	35	R	
12	30	R	
13	25	R	
14	20	R	
15	15	R	
16	10	R	
17	5	R	
18	0	R	





6860 SW 81st Street Miami, Florida 33143  
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

A-34045-L 5304


ID: 3681028-A-34045 Page: 3 Test Date: Friday, January 26, 2024 DOB: Tuesday, October 3, 2023 Age: 3.9 months Report: Friday, January 26, 2024

Page 3

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR	RN	Gain	Filters
1	05RA85A.3	85SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	1.53	2.40	0.389	100	100-1500Hz
2	05RA80A.3	80SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	1.38	0.45	0.654	100	100-1500Hz
3	05RA75A.3	75SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	1.03	0.41	0.603	100	100-1500Hz
4	05RA70A.3	70SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	2.27	1.64	0.653	100	100-1500Hz
5	05RA65A.3	65SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	1.17	1.40	0.477	100	100-1500Hz
6	05RA60A.3	60SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	1.13	0.67	0.818	100	100-1500Hz
7	05RA55A.3	55SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	1.53	1.28	0.769	100	100-1500Hz
8	05RA50A.3	50SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	0.93	0.48	0.486	100	100-1500Hz
9	05RA45A.3	45SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	0.87	1.15	0.455	100	100-1500Hz
10	05RA40A.3	40SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	0.64	1.00	0.294	100	100-1500Hz
11	05RA35A.3	35SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	0.73	0.76	0.418	100	100-1500Hz
12	05RA30A.3	30SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	0.70	0.35	0.477	100	100-1500Hz
13	05RA25A.3	25SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	0.58	0.32	0.762	100	100-1500Hz
14	05RA20A.3	20SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	0.61	0.20	1.110	100	100-1500Hz
15	05RA15A.3	15SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	0.45	0.17	1.282	100	100-1500Hz
16	05RA10A.3	10SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	0.49	0.14	1.512	100	100-1500Hz
17	05RA5A.3	5SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	0.69	0.69	0.497	100	100-1500Hz
18	05RA0A.3	0SPL	R	HFSM IHS7558_18kH	256/0	42.6	Altr	0.86	0.45	1.177	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms \*indicates different region used

Num	Int	Ear	Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio)
1	85	R	
2	80	R	
3	75	R	
4	70	R	
5	65	R	
6	60	R	
7	55	R	
8	50	R	
9	45	R	
10	40	R	
11	35	R	
12	30	R	
13	25	R	
14	20	R	
15	15	R	
16	10	R	
17	5	R	
18	0	R	





6860 SW 81st Street Miami, Florida 33143  
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

A-34045-L 5304


ID: 3681028-A-34045 Page: 4 Test Date: Friday, January 26, 2024 DOB: Tuesday, October 3, 2023 Age: 3.9 months Report: Friday, January 26, 2024

Page 4

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR	RN	Gain	Filters
1	05RA85A.4	85SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	1.89	1.26	0.822	100	100-1500Hz
2	05RA80A.4	80SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	1.58	2.30	0.445	100	100-1500Hz
3	05RA75A.4	75SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	1.57	1.61	0.465	100	100-1500Hz
4	05RA70A.4	70SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	1.05	1.77	0.350	100	100-1500Hz
5	05RA65A.4	65SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	0.97	0.54	0.964	100	100-1500Hz
6	05RA60A.4	60SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	1.47	0.41	1.306	100	100-1500Hz
7	05RA55A.4	55SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	1.24	1.04	0.625	100	100-1500Hz
8	05RA50A.4	50SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	0.94	0.89	0.692	100	100-1500Hz
9	05RA45A.4	45SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	0.68	0.48	0.762	100	100-1500Hz
10	05RA40A.4	40SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	0.65	0.50	0.485	100	100-1500Hz
11	05RA35A.4	35SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	0.49	0.50	0.596	100	100-1500Hz
12	05RA30A.4	30SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	0.52	0.40	0.595	100	100-1500Hz
13	05RA25A.4	25SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	0.42	0.42	0.470	100	100-1500Hz
14	05RA20A.4	20SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	0.62	0.29	1.005	100	100-1500Hz
15	05RA15A.4	15SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	0.66	0.83	0.482	100	100-1500Hz
16	05RA10A.4	10SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	0.76	0.75	0.589	100	100-1500Hz
17	05RA5A.4	5SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	1.49	2.58	0.283	100	100-1500Hz
18	05RA0A.4	0SPL	R	HFSM IHS7558_24kH	256/0	42.6	Altr	2.20	2.77	0.541	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms \*-indicates different region used

Num	Int	Ear	Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio)
1	85	R	
2	80	R	
3	75	R	
4	70	R	
5	65	R	
6	60	R	
7	55	R	
8	50	R	
9	45	R	
10	40	R	
11	35	R	
12	30	R	
13	25	R	
14	20	R	
15	15	R	
16	10	R	
17	5	R	
18	0	R	



Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR	RN	Gain	Filters
1	05RA85A.5	85SPL	R	HFStm IHS7558_30kH	256/0	42.6	Altr	2.29	4.32	0.270	100	100-1500Hz
2	05RA80A.5	80SPL	R	HFStm IHS7558_30kH	256/0	42.6	Altr	0.90	1.12	0.364	100	100-1500Hz
3	05RA75A.5	75SPL	R	HFStm IHS7558_30kH	256/0	42.6	Altr	0.57	0.63	0.512	100	100-1500Hz
4	05RA70A.5	70SPL	R	HFStm IHS7558_30kH	256/0	42.6	Altr	0.72	0.18	0.919	100	100-1500Hz
5	05RA65A.5	65SPL	R	HFStm IHS7558_30kH	256/0	42.6	Altr	0.98	0.99	0.473	100	100-1500Hz
6	05RA60A.5	60SPL	R	HFStm IHS7558_30kH	256/0	42.6	Altr	0.93	0.69	0.864	100	100-1500Hz
7	05RA55A.5	55SPL	R	HFStm IHS7558_30kH	256/0	42.6	Altr	0.53	0.37	0.536	100	100-1500Hz
8	05RA50A.5	50SPL	R	HFStm IHS7558_30kH	256/0	42.6	Altr	0.55	0.25	1.129	100	100-1500Hz
9	05RA45A.5	45SPL	R	HFStm IHS7558_30kH	256/0	42.6	Altr	0.48	0.19	1.036	100	100-1500Hz
10	05RA40A.5	40SPL	R	HFStm IHS7558_30kH	256/0	42.6	Altr	0.57	0.24	0.969	100	100-1500Hz
11	05RA35A.5	35SPL	R	HFStm IHS7558_30kH	256/0	42.6	Altr	0.48	0.64	0.394	100	100-1500Hz
12	05RA30A.5	30SPL	R	HFStm IHS7558_30kH	256/0	42.6	Altr	0.62	0.49	0.549	100	100-1500Hz
13	05RA25A.5	25SPL	R	HFStm IHS7558_30kH	256/0	42.6	Altr	0.53	0.97	0.278	100	100-1500Hz
14	05RA20A.5	20SPL	R	HFStm IHS7558_30kH	256/0	42.6	Altr	0.96	0.72	0.737	100	100-1500Hz

SNR & RN: 4.00 - 9.00 ms Fmp:5.00 ms \*-Indicates different region or point used

Num	Int	Ear	Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio)
1	85	R	
2	80	R	
3	75	R	
4	70	R	
5	65	R	
6	60	R	
7	55	R	
8	50	R	
9	45	R	
10	40	R	
11	35	R	
12	30	R	
13	25	R	
14	20	R	