



6860 SW 81st Street Miami, Florida 33143  
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


D30981-L 34508

ID: 2940211-D30981 Page: 1 Test Date: Oct. 30, 2020 DOB: Jul 07, 2020 Age: 3.7 months Report: Oct. 30, 2020

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.1	85SPL	B	HFSM IHS5156_6kHz	256/24	42.6	Altr	3.94	3.90 0.65	100	100-3000Hz
2	D3BA80B.1	80SPL	B	HFSM IHS5156_6kHz	256/18	42.6	Altr	3.77	3.57 0.66	100	100-3000Hz
3	D3BA75B.1	75SPL	B	HFSM IHS5156_6kHz	256/25	42.6	Altr	3.37	3.22 0.63	100	100-3000Hz
4	D3BA70B.1	70SPL	B	HFSM IHS5156_6kHz	256/27	42.6	Altr	2.95	5.05 0.33	100	100-3000Hz
5	D3BA65B.1	65SPL	B	HFSM IHS5156_6kHz	256/18	42.6	Altr	2.82	3.82 0.46	100	100-3000Hz
6	D3BA60B.1	60SPL	B	HFSM IHS5156_6kHz	256/24	42.6	Altr	2.68	3.01 0.55	100	100-3000Hz
7	D3BA55B.1	55SPL	B	HFSM IHS5156_6kHz	256/22	42.6	Altr	1.41	1.57 0.53	100	100-3000Hz
8	D3BA50B.1	50SPL	B	HFSM IHS5156_6kHz	256/18	42.6	Altr	1.71	0.68 1.04	100	100-3000Hz
9	D3BA45B.1	45SPL	B	HFSM IHS5156_6kHz	256/21	42.6	Altr	1.31	0.94 0.61	100	100-3000Hz
10	D3BA40B.1	40SPL	B	HFSM IHS5156_6kHz	256/24	42.6	Altr	1.13	1.05 0.64	100	100-3000Hz
11	D3BA35B.1	35SPL	B	HFSM IHS5156_6kHz	256/19	42.6	Altr	1.24	1.12 0.39	100	100-3000Hz
12	D3BA30B.1	30SPL	B	HFSM IHS5156_6kHz	256/20	42.6	Altr	1.57	0.58 0.49	100	100-3000Hz
13	D3BA25B.1	25SPL	B	HFSM IHS5156_6kHz	256/16	42.6	Altr	1.59	0.86 0.39	100	100-3000Hz
14	D3BA20B.1	20SPL	B	HFSM IHS5156_6kHz	256/15	42.6	Altr	1.13	0.75 0.65	100	100-3000Hz
15	D3BA15B.1	15SPL	B	HFSM IHS5156_6kHz	256/16	42.6	Altr	1.37	0.45 0.48	100	100-3000Hz
16	D3BA10B.1	10SPL	B	HFSM IHS5156_6kHz	256/19	42.6	Altr	1.03	0.28 0.68	100	100-3000Hz
17	D3BA5B.1	5SPL	B	HFSM IHS5156_6kHz	256/21	42.6	Altr	1.01	0.40 1.08	100	100-3000Hz
18	D3BA0B.1	0SPL	B	HFSM IHS5156_6kHz	256/22	42.6	Altr	1.02	0.23 1.24	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms \*indicates different region used

Num	Int	Ear	Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143  
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


D30981-L 34508

ID: 2940211-D30981 Page: 2 Test Date: Oct. 30, 2020 DOB: Jul 07, 2020 Age: 3.7 months Report: Oct. 30, 2020

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.2	85SPL	B	HFStm IHS5156_12kH	256/23	42.6	Altr	3.87	2.75 0.85	100	100-3000Hz
2	D3BA80B.2	80SPL	B	HFStm IHS5156_12kH	256/13	42.6	Altr	3.14	3.03 0.58	100	100-3000Hz
3	D3BA75B.2	75SPL	B	HFStm IHS5156_12kH	256/18	42.6	Altr	2.72	1.67 0.98	100	100-3000Hz
4	D3BA70B.2	70SPL	B	HFStm IHS5156_12kH	256/18	42.6	Altr	1.95	1.28 0.87	100	100-3000Hz
5	D3BA65B.2	65SPL	B	HFStm IHS5156_12kH	256/17	42.6	Altr	1.74	2.31 0.39	100	100-3000Hz
6	D3BA60B.2	60SPL	B	HFStm IHS5156_12kH	256/21	42.6	Altr	1.52	1.72 0.49	100	100-3000Hz
7	D3BA55B.2	55SPL	B	HFStm IHS5156_12kH	256/16	42.6	Altr	1.15	1.51 0.41	100	100-3000Hz
8	D3BA50B.2	50SPL	B	HFStm IHS5156_12kH	256/15	42.6	Altr	1.87	1.43 0.62	100	100-3000Hz
9	D3BA45B.2	45SPL	B	HFStm IHS5156_12kH	256/19	42.6	Altr	1.32	0.53 1.23	100	100-3000Hz
10	D3BA40B.2	40SPL	B	HFStm IHS5156_12kH	256/19	42.6	Altr	1.08	0.40 0.96	100	100-3000Hz
11	D3BA35B.2	35SPL	B	HFStm IHS5156_12kH	256/22	42.6	Altr	0.81	0.45 0.50	100	100-3000Hz
12	D3BA30B.2	30SPL	B	HFStm IHS5156_12kH	256/22	42.6	Altr	0.75	0.72 0.46	100	100-3000Hz
13	D3BA25B.2	25SPL	B	HFStm IHS5156_12kH	256/18	42.6	Altr	1.09	0.52 0.48	100	100-3000Hz
14	D3BA20B.2	20SPL	B	HFStm IHS5156_12kH	256/17	42.6	Altr	1.65	0.33 0.69	100	100-3000Hz
15	D3BA15B.2	15SPL	B	HFStm IHS5156_12kH	256/17	42.6	Altr	1.06	1.00 0.41	100	100-3000Hz
16	D3BA10B.2	10SPL	B	HFStm IHS5156_12kH	256/21	42.6	Altr	0.99	0.48 0.45	100	100-3000Hz
17	D3BA05B.2	5SPL	B	HFStm IHS5156_12kH	256/18	42.6	Altr	0.98	0.56 0.79	100	100-3000Hz
18	D3BA0B.2	0SPL	B	HFStm IHS5156_12kH	256/12	42.6	Altr	1.23	0.84 0.76	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms \*indicates different region used

Num	Int	Ear	Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143  
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


D30981-L 34508

ID: 2940211-D30981 Page: 3 Test Date: Oct. 30, 2020 DOB: Jul 07, 2020 Age: 3.7 months Report: Oct. 30, 2020

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.3	85SPL	B	HFStm IHS5156_18kH	256/12	42.6	Altr	2.67	2.07 0.80	100	100-1500Hz
2	D3BA80B.3	80SPL	B	HFStm IHS5156_18kH	256/11	42.6	Altr	2.29	1.98 0.70	100	100-1500Hz
3	D3BA75B.3	75SPL	B	HFStm IHS5156_18kH	256/15	42.6	Altr	1.88	2.37 0.41	100	100-1500Hz
4	D3BA70B.3	70SPL	B	HFStm IHS5156_18kH	256/14	42.6	Altr	2.56	2.13 0.73	100	100-1500Hz
5	D3BA65B.3	65SPL	B	HFStm IHS5156_18kH	256/11	42.6	Altr	1.50	1.60 0.62	100	100-1500Hz
6	D3BA60B.3	60SPL	B	HFStm IHS5156_18kH	256/15	42.6	Altr	1.47	1.57 0.54	100	100-1500Hz
7	D3BA55B.3	55SPL	B	HFStm IHS5156_18kH	256/13	42.6	Altr	1.31	2.07 0.33	100	100-1500Hz
8	D3BA50B.3	50SPL	B	HFStm IHS5156_18kH	256/12	42.6	Altr	1.17	0.34 0.78	100	100-1500Hz
9	D3BA45B.3	45SPL	B	HFStm IHS5156_18kH	256/14	42.6	Altr	0.85	0.37 1.03	100	100-1500Hz
10	D3BA40B.3	40SPL	B	HFStm IHS5156_18kH	256/15	42.6	Altr	0.42	0.26 0.61	100	100-1500Hz
11	D3BA35B.3	35SPL	B	HFStm IHS5156_18kH	256/18	42.6	Altr	0.79	0.23 1.14	100	100-1500Hz
12	D3BA35B.4	35SPL	B	HFStm IHS5156_18kH	256/12	42.6	Altr	0.82	0.62 0.40	100	100-1500Hz
13	D3BA30B.3	30SPL	B	HFStm IHS5156_18kH	256/16	42.6	Altr	0.54	0.27 0.92	100	100-1500Hz
14	D3BA25B.3	25SPL	B	HFStm IHS5156_18kH	256/14	42.6	Altr	0.97	0.52 0.32	100	100-1500Hz
15	D3BA20B.3	20SPL	B	HFStm IHS5156_18kH	256/18	42.6	Altr	0.74	0.63 0.51	100	100-1500Hz
16	D3BA15B.3	15SPL	B	HFStm IHS5156_18kH	256/14	42.6	Altr	0.72	0.31 0.61	100	100-1500Hz
17	D3BA10B.3	10SPL	B	HFStm IHS5156_18kH	256/18	42.6	Altr	0.44	0.36 0.44	100	100-1500Hz
18	D3BA5B.3	5SPL	B	HFStm IHS5156_18kH	256/14	42.6	Altr	0.87	0.58 0.45	100	100-1500Hz
19	D3BA0B.3	0SPL	B	HFStm IHS5156_18kH	256/17	42.6	Altr	0.80	0.40 0.45	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms \*-indicates different region used

Num	Int	Ear	Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	35	B	
13	30	B	
14	25	B	
15	20	B	
16	15	B	
17	10	B	
18	5	B	
19	0	B	





6860 SW 81st Street Miami, Florida 33143  
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


D30981-L 34508

ID: 2940211-D30981 Page: 4 Test Date: Oct. 30, 2020 DOB: Jul 07, 2020 Age: 3.7 months Report: Oct. 30, 2020

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.4	85SPL	B	HFStm IHS5156_24kH	256/15	42.6	Altr	3.16	3.22 0.65	100	100-1500Hz
2	D3BA80B.4	80SPL	B	HFStm IHS5156_24kH	256/17	42.6	Altr	2.86	1.99 0.92	100	100-1500Hz
3	D3BA75B.4	75SPL	B	HFStm IHS5156_24kH	256/16	42.6	Altr	2.17	4.89 0.29	100	100-1500Hz
4	D3BA70B.4	70SPL	B	HFStm IHS5156_24kH	256/16	42.6	Altr	2.63	2.51 0.66	100	100-1500Hz
5	D3BA65B.4	65SPL	B	HFStm IHS5156_24kH	256/17	42.6	Altr	1.51	2.35 0.39	100	100-1500Hz
6	D3BA60B.4	60SPL	B	HFStm IHS5156_24kH	256/18	42.6	Altr	1.50	1.03 0.81	100	100-1500Hz
7	D3BA55B.4	55SPL	B	HFStm IHS5156_24kH	256/15	42.6	Altr	1.29	1.58 0.44	100	100-1500Hz
8	D3BA50B.4	50SPL	B	HFStm IHS5156_24kH	256/18	42.6	Altr	1.36	1.80 0.48	100	100-1500Hz
9	D3BA45B.4	45SPL	B	HFStm IHS5156_24kH	256/18	42.6	Altr	0.98	0.63 0.37	100	100-1500Hz
10	D3BA40B.4	40SPL	B	HFStm IHS5156_24kH	256/20	42.6	Altr	0.62	0.57 0.47	100	100-1500Hz
11	D3BA35B.5	35SPL	B	HFStm IHS5156_24kH	256/20	42.6	Altr	0.65	0.38 0.49	100	100-1500Hz
12	D3BA30B.4	30SPL	B	HFStm IHS5156_24kH	256/18	42.6	Altr	0.50	0.35 0.54	100	100-1500Hz
13	D3BA25B.4	25SPL	B	HFStm IHS5156_24kH	256/18	42.6	Altr	0.55	0.55 0.41	100	100-1500Hz
14	D3BA20B.4	20SPL	B	HFStm IHS5156_24kH	256/22	42.6	Altr	0.72	0.46 0.38	100	100-1500Hz
15	D3BA15B.4	15SPL	B	HFStm IHS5156_24kH	256/13	42.6	Altr	0.96	0.28 0.91	100	100-1500Hz
16	D3BA10B.4	10SPL	B	HFStm IHS5156_24kH	256/19	42.6	Altr	0.64	0.64 0.37	100	100-1500Hz
17	D3BA5B.4	5SPL	B	HFStm IHS5156_24kH	256/17	42.6	Altr	1.01	0.82 0.30	100	100-1500Hz
18	D3BA0B.4	0SPL	B	HFStm IHS5156_24kH	256/21	42.6	Altr	1.03	0.52 0.48	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms \*indicates different region used

Num	Int	Ear	Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.5	85SPL	B	HFStm IHS5156_30kHz	256/19	42.6	Altr	2.13	2.63 0.54	100	100-1500Hz
2	D3BA80B.5	80SPL	B	HFStm IHS5156_30kHz	256/16	42.6	Altr	1.41	1.12 0.79	100	100-1500Hz
3	D3BA75B.5	75SPL	B	HFStm IHS5156_30kHz	256/14	42.6	Altr	1.93	2.79 0.43	100	100-1500Hz
4	D3BA70B.5	70SPL	B	HFStm IHS5156_30kHz	256/21	42.6	Altr	1.16	1.08 0.52	100	100-1500Hz
5	D3BA65B.5	65SPL	B	HFStm IHS5156_30kHz	256/19	42.6	Altr	0.95	0.58 0.80	100	100-1500Hz
6	D3BA60B.5	60SPL	B	HFStm IHS5156_30kHz	256/18	42.6	Altr	1.14	0.67 0.46	100	100-1500Hz
7	D3BA55B.5	55SPL	B	HFStm IHS5156_30kHz	256/20	42.6	Altr	0.84	0.27 0.88	100	100-1500Hz
8	D3BA50B.5	50SPL	B	HFStm IHS5156_30kHz	256/19	42.6	Altr	0.62	0.68 0.31	100	100-1500Hz
9	D3BA45B.5	45SPL	B	HFStm IHS5156_30kHz	256/20	42.6	Altr	0.74	0.91 0.34	100	100-1500Hz
10	D3BA40B.5	40SPL	B	HFStm IHS5156_30kHz	256/20	42.6	Altr	0.67	0.31 0.62	100	100-1500Hz
11	D3BA35B.6	35SPL	B	HFStm IHS5156_30kHz	256/19	42.6	Altr	0.74	0.29 0.53	100	100-1500Hz
12	D3BA30B.5	30SPL	B	HFStm IHS5156_30kHz	256/14	42.6	Altr	0.93	0.44 0.51	100	100-1500Hz
13	D3BA25B.5	25SPL	B	HFStm IHS5156_30kHz	256/20	42.6	Altr	0.66	0.29 0.53	100	100-1500Hz
14	D3BA20B.5	20SPL	B	HFStm IHS5156_30kHz	256/22	42.6	Altr	0.64	0.68 0.43	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms \*-indicates different region used

Num	Int	Ear	Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	