




6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J51386-2R1L 26289

ID: 947045-J51386 Page: 1 Test Date: Sep. 14, 2016 DOB: May 23, 2016 Age: 3.6 months Report: Sep. 14, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J51386-2R1L 26289

ID: 947045-J51386 Page: 1 Test Date: Sep. 14, 2016 DOB: May 23, 2016 Age: 3.6 months Report: Sep. 14, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J5BA85B.1	85SPL	B	HFStm	IHS5157_6kHz	512/39	42.6	Altr	3.54	1.51 0.97	100	100-3000Hz
2	J5BA80B.1	80SPL	B	HFStm	IHS5157_6kHz	512/31	42.6	Altr	2.80	2.59 0.56	100	100-3000Hz
3	J5BA75B.1	75SPL	B	HFStm	IHS5157_6kHz	512/34	42.6	Altr	2.43	2.29 0.55	100	100-3000Hz
4	J5BA70B.1	70SPL	B	HFStm	IHS5157_6kHz	512/44	42.6	Altr	1.97	2.51 0.43	100	100-3000Hz
5	J5BA65B.1	65SPL	B	HFStm	IHS5157_6kHz	512/25	42.6	Altr	2.25	4.52 0.20	100	100-3000Hz
6	J5BA60B.1	60SPL	B	HFStm	IHS5157_6kHz	512/31	42.6	Altr	1.27	3.29 0.19	100	100-3000Hz
7	J5BA55B.1	55SPL	B	HFStm	IHS5157_6kHz	512/40	42.6	Altr	1.09	1.97 0.28	100	100-3000Hz
8	J5BA50B.1	50SPL	B	HFStm	IHS5157_6kHz	512/34	42.6	Altr	1.20	1.95 0.25	100	100-3000Hz
9	J5BA45B.1	45SPL	B	HFStm	IHS5157_6kHz	512/32	42.6	Altr	1.12	1.19 0.23	100	100-3000Hz
10	J5BA40B.1	40SPL	B	HFStm	IHS5157_6kHz	512/32	42.6	Altr	0.79	1.31 0.23	100	100-3000Hz
11	J5BA35B.1	35SPL	B	HFStm	IHS5157_6kHz	512/29	42.6	Altr	1.53	0.81 0.38	100	100-3000Hz
12	J5BA30B.1	30SPL	B	HFStm	IHS5157_6kHz	512/36	42.6	Altr	0.93	1.25 0.17	100	100-3000Hz
13	J5BA25B.1	25SPL	B	HFStm	IHS5157_6kHz	512/34	42.6	Altr	1.10	0.94 0.21	100	100-3000Hz
14	J5BA20B.1	20SPL	B	HFStm	IHS5157_6kHz	512/31	42.6	Altr	0.71	0.33 0.29	100	100-3000Hz
15	J5BA15B.1	15SPL	B	HFStm	IHS5157_6kHz	512/35	42.6	Altr	0.82	0.66 0.22	100	100-3000Hz
16	J5BA10B.1	10SPL	B	HFStm	IHS5157_6kHz	512/36	42.6	Altr	1.23	1.15 0.20	100	100-3000Hz
17	J5BA5B.1	5SPL	B	HFStm	IHS5157_6kHz	512/27	42.6	Altr	0.93	0.80 0.25	100	100-3000Hz
18	J5BA0B.1	0SPL	B	HFStm	IHS5157_6kHz	512/28	42.6	Altr	1.16	0.63 0.20	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J51386-2R1L 26289

ID: 947045-J51386 Page: 2 Test Date: Sep. 14, 2016 DOB: May 23, 2016 Age: 3.6 months Report: Sep. 14, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


J51386-2R1L 26289

ID: 947045-J51386 Page: 2 Test Date: Sep. 14, 2016 DOB: May 23, 2016 Age: 3.6 months Report: Sep. 14, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J5BA85B.2	85SPL	B	HFStm	IHS5157_12kH	512/36	42.6	Altr	4.49	7.08 0.19	100	100-3000Hz
2	J5BA80B.2	80SPL	B	HFStm	IHS5157_12kH	512/31	42.6	Altr	3.58	2.42 0.41	100	100-3000Hz
3	J5BA75B.2	75SPL	B	HFStm	IHS5157_12kH	512/32	42.6	Altr	2.64	3.47 0.28	100	100-3000Hz
4	J5BA70B.2	70SPL	B	HFStm	IHS5157_12kH	512/31	42.6	Altr	2.05	2.54 0.32	100	100-3000Hz
5	J5BA65B.2	65SPL	B	HFStm	IHS5157_12kH	512/27	42.6	Altr	1.92	2.70 0.26	100	100-3000Hz
6	J5BA60B.2	60SPL	B	HFStm	IHS5157_12kH	512/28	42.6	Altr	1.36	2.19 0.26	100	100-3000Hz
7	J5BA55B.2	55SPL	B	HFStm	IHS5157_12kH	512/29	42.6	Altr	1.56	2.89 0.19	100	100-3000Hz
8	J5BA50B.2	50SPL	B	HFStm	IHS5157_12kH	512/27	42.6	Altr	1.14	1.85 0.31	100	100-3000Hz
9	J5BA45B.2	45SPL	B	HFStm	IHS5157_12kH	512/29	42.6	Altr	1.23	1.29 0.39	100	100-3000Hz
10	J5BA40B.2	40SPL	B	HFStm	IHS5157_12kH	512/29	42.6	Altr	1.07	1.26 0.34	100	100-3000Hz
11	J5BA35B.2	35SPL	B	HFStm	IHS5157_12kH	512/30	42.6	Altr	0.88	0.55 0.42	100	100-3000Hz
12	J5BA30B.2	30SPL	B	HFStm	IHS5157_12kH	512/29	42.6	Altr	0.57	0.41 0.37	100	100-3000Hz
13	J5BA25B.2	25SPL	B	HFStm	IHS5157_12kH	512/27	42.6	Altr	1.24	0.68 0.32	100	100-3000Hz
14	J5BA20B.2	20SPL	B	HFStm	IHS5157_12kH	512/32	42.6	Altr	0.73	0.42 0.27	100	100-3000Hz
15	J5BA15B.2	15SPL	B	HFStm	IHS5157_12kH	512/31	42.6	Altr	0.97	0.61 0.28	100	100-3000Hz
16	J5BA10B.2	10SPL	B	HFStm	IHS5157_12kH	512/21	42.6	Altr	1.71	0.63 0.25	100	100-3000Hz
17	J5BA5B.2	5SPL	B	HFStm	IHS5157_12kH	512/25	42.6	Altr	1.12	0.44 0.43	100	100-3000Hz
18	J5BA0B.2	0SPL	B	HFStm	IHS5157_12kH	512/29	42.6	Altr	0.63	0.49 0.25	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J51386-2R1L 26289

ID: 947045-J51386 Page: 3 Test Date: Sep. 14, 2016 DOB: May 23, 2016 Age: 3.6 months Report: Sep. 14, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J5BA85B.3	85SPL	B	HFStm	IHS5157_18kH	512/31	42.6	Altr	2.69	2.43 0.45	100	100-1500Hz
2	J5BA80B.3	80SPL	B	HFStm	IHS5157_18kH	512/29	42.6	Altr	2.20	2.81 0.32	100	100-1500Hz
3	J5BA75B.3	75SPL	B	HFStm	IHS5157_18kH	512/29	42.6	Altr	1.88	2.71 0.32	100	100-1500Hz
4	J5BA70B.3	70SPL	B	HFStm	IHS5157_18kH	512/30	42.6	Altr	1.50	2.39 0.27	100	100-1500Hz
5	J5BA65B.3	65SPL	B	HFStm	IHS5157_18kH	512/28	42.6	Altr	1.36	2.57 0.24	100	100-1500Hz
6	J5BA60B.3	60SPL	B	HFStm	IHS5157_18kH	512/28	42.6	Altr	1.04	1.53 0.31	100	100-1500Hz
7	J5BA55B.3	55SPL	B	HFStm	IHS5157_18kH	512/26	42.6	Altr	1.13	1.08 0.36	100	100-1500Hz
8	J5BA50B.3	50SPL	B	HFStm	IHS5157_18kH	512/34	42.6	Altr	0.62	1.13 0.19	100	100-1500Hz
9	J5BA45B.3	45SPL	B	HFStm	IHS5157_18kH	512/33	42.6	Altr	0.69	0.34 0.36	100	100-1500Hz
10	J5BA40B.3	40SPL	B	HFStm	IHS5157_18kH	512/29	42.6	Altr	0.73	0.17 0.37	100	100-1500Hz
11	J5BA35B.3	35SPL	B	HFStm	IHS5157_18kH	512/31	42.6	Altr	0.61	0.52 0.23	100	100-1500Hz
12	J5BA30B.3	30SPL	B	HFStm	IHS5157_18kH	512/31	42.6	Altr	0.61	0.51 0.27	100	100-1500Hz
13	J5BA25B.3	25SPL	B	HFStm	IHS5157_18kH	512/21	42.6	Altr	0.63	0.17 0.40	100	100-1500Hz
14	J5BA20B.3	20SPL	B	HFStm	IHS5157_18kH	512/22	42.6	Altr	0.75	0.48 0.26	100	100-1500Hz
15	J5BA15B.3	15SPL	B	HFStm	IHS5157_18kH	512/29	42.6	Altr	0.35	0.29 0.26	100	100-1500Hz
16	J5BA10B.3	10SPL	B	HFStm	IHS5157_18kH	512/34	42.6	Altr	0.55	0.30 0.43	100	100-1500Hz
17	J5BA5B.3	5SPL	B	HFStm	IHS5157_18kH	512/27	42.6	Altr	0.67	0.72 0.19	100	100-1500Hz
18	J5BA0B.3	0SPL	B	HFStm	IHS5157_18kH	512/28	42.6	Altr	0.63	0.79 0.26	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J51386-2R1L 26289

ID: 947045-J51386 Page: 4 Test Date: Sep. 14, 2016 DOB: May 23, 2016 Age: 3.6 months Report: Sep. 14, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J51386-2R1L 26289

ID: 947045-J51386 Page: 4 Test Date: Sep. 14, 2016 DOB: May 23, 2016 Age: 3.6 months Report: Sep. 14, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J5BA85B.4	85SPL	B	HFStm	IHS5157_24kH	512/37	42.6	Altr	2.73	2.98 0.35	100	100-1500Hz
2	J5BA80B.4	80SPL	B	HFStm	IHS5157_24kH	512/29	42.6	Altr	2.08	3.11 0.32	100	100-1500Hz
3	J5BA75B.4	75SPL	B	HFStm	IHS5157_24kH	512/29	42.6	Altr	1.76	4.63 0.19	100	100-1500Hz
4	J5BA70B.4	70SPL	B	HFStm	IHS5157_24kH	512/30	42.6	Altr	1.45	7.09 0.11	100	100-1500Hz
5	J5BA65B.4	65SPL	B	HFStm	IHS5157_24kH	512/35	42.6	Altr	1.28	1.63 0.42	100	100-1500Hz
6	J5BA60B.4	60SPL	B	HFStm	IHS5157_24kH	512/29	42.6	Altr	1.18	2.44 0.26	100	100-1500Hz
7	J5BA55B.4	55SPL	B	HFStm	IHS5157_24kH	512/33	42.6	Altr	1.02	2.27 0.22	100	100-1500Hz
8	J5BA50B.4	50SPL	B	HFStm	IHS5157_24kH	512/29	42.6	Altr	0.88	1.67 0.23	100	100-1500Hz
9	J5BA45B.4	45SPL	B	HFStm	IHS5157_24kH	512/23	42.6	Altr	1.07	2.10 0.20	100	100-1500Hz
10	J5BA40B.4	40SPL	B	HFStm	IHS5157_24kH	512/31	42.6	Altr	0.36	0.32 0.40	100	100-1500Hz
11	J5BA35B.4	35SPL	B	HFStm	IHS5157_24kH	512/31	42.6	Altr	0.46	0.75 0.17	100	100-1500Hz
12	J5BA30B.4	30SPL	B	HFStm	IHS5157_24kH	512/25	42.6	Altr	0.49	0.22 0.30	100	100-1500Hz
13	J5BA25B.4	25SPL	B	HFStm	IHS5157_24kH	512/24	42.6	Altr	0.83	0.50 0.32	100	100-1500Hz
14	J5BA20B.4	20SPL	B	HFStm	IHS5157_24kH	512/27	42.6	Altr	0.59	0.80 0.29	100	100-1500Hz
15	J5BA15B.4	15SPL	B	HFStm	IHS5157_24kH	512/26	42.6	Altr	0.54	0.92 0.35	100	100-1500Hz
16	J5BA10B.4	10SPL	B	HFStm	IHS5157_24kH	512/30	42.6	Altr	0.48	1.03 0.18	100	100-1500Hz
17	J5BA5B.4	5SPL	B	HFStm	IHS5157_24kH	512/27	42.6	Altr	0.38	0.47 0.18	100	100-1500Hz
18	J5BA0B.4	0SPL	B	HFStm	IHS5157_24kH	512/27	42.6	Altr	0.65	0.23 0.32	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J51386-2R1L 26289

ID: 947045-J51386 Page: 5 Test Date: Sep. 14, 2016 DOB: May 23, 2016 Age: 3.6 months Report: Sep. 14, 2016



	0	1	2	3	4	5	6	7	8	9	10	11	12 ms
Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters	
1	J5BA85B.5	85SPL	B	HFStm	IHS5157_30kH	512/27	42.6	Altr	2.10	3.97 0.27	100	100-1500Hz	
2	J5BA80B.5	80SPL	B	HFStm	IHS5157_30kH	512/25	42.6	Altr	1.68	4.74 0.21	100	100-1500Hz	
3	J5BA75B.5	75SPL	B	HFStm	IHS5157_30kH	512/26	42.6	Altr	1.34	3.10 0.27	100	100-1500Hz	
4	J5BA70B.5	70SPL	B	HFStm	IHS5157_30kH	512/28	42.6	Altr	0.99	2.28 0.26	100	100-1500Hz	
5	J5BA65B.5	65SPL	B	HFStm	IHS5157_30kH	512/29	42.6	Altr	0.91	1.41 0.36	100	100-1500Hz	
6	J5BA60B.5	60SPL	B	HFStm	IHS5157_30kH	512/30	42.6	Altr	0.79	0.95 0.35	100	100-1500Hz	
7	J5BA55B.5	55SPL	B	HFStm	IHS5157_30kH	512/25	42.6	Altr	0.60	0.69 0.26	100	100-1500Hz	
8	J5BA50B.5	50SPL	B	HFStm	IHS5157_30kH	512/29	42.6	Altr	0.61	0.81 0.18	100	100-1500Hz	
9	J5BA45B.5	45SPL	B	HFStm	IHS5157_30kH	512/32	42.6	Altr	0.25	0.58 0.11	100	100-1500Hz	
10	J5BA40B.5	40SPL	B	HFStm	IHS5157_30kH	512/27	42.6	Altr	0.60	0.90 0.13	100	100-1500Hz	
11	J5BA35B.5	35SPL	B	HFStm	IHS5157_30kH	512/31	42.6	Altr	0.29	0.29 0.23	100	100-1500Hz	
12	J5BA30B.5	30SPL	B	HFStm	IHS5157_30kH	512/24	42.6	Altr	0.89	0.46 0.27	100	100-1500Hz	
13	J5BA25B.5	25SPL	B	HFStm	IHS5157_30kH	512/29	42.6	Altr	0.50	0.32 0.23	100	100-1500Hz	
14	J5BA20B.5	20SPL	B	HFStm	IHS5157_30kH	512/29	42.6	Altr	0.44	0.43 0.32	100	100-1500Hz	

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	