


N0054B8040 IMPC-84

ID: IMPC_LIFR-TM1B-IC_6_1E Page: 1 Test Date: Jun. 25, 2014 Age: (DOB empty) Report: Jun. 25, 2014



N0054B8040 IMPC-84

ID: IMPC_LIFR-TM1B-IC_6_1E Page: 1 Test Date: Jun. 25, 2014 Age: (DOB empty) Report: Jun. 25, 2014


Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	NIRA0A.1	0SPL	R	SnFld	Click	512/538	42.6	Rare	2.85	0.23 1.63	100	300-1500Hz
2	NIRA5A.1	5SPL	R	SnFld	Click	512/168	42.6	Rare	0.90	0.46 0.61	100	300-1500Hz
3	NIRA10A.1	10SPL	R	SnFld	Click	512/148	42.6	Rare	1.07	0.31 0.86	100	300-1500Hz
4	NIRA15A.1	15SPL	R	SnFld	Click	512/136	42.6	Rare	0.89	0.39 0.63	100	300-1500Hz
5	NIRA20A.1	20SPL	R	SnFld	Click	512/137	42.6	Rare	0.96	0.49 0.48	100	300-1500Hz
6	NIRA25A.1	25SPL	R	SnFld	Click	512/126	42.6	Rare	1.28	0.40 0.58	100	300-1500Hz
7	NIRA30A.1	30SPL	R	SnFld	Click	512/135	42.6	Rare	1.01	0.21 0.60	100	300-1500Hz
8	NIRA35A.1	35SPL	R	SnFld	Click	512/140	42.6	Rare	0.82	0.36 0.62	100	300-1500Hz
9	NIRA40A.1	40SPL	R	SnFld	Click	512/149	42.6	Rare	1.19	0.89 0.36	100	300-1500Hz
10	NIRA45A.1	45SPL	R	SnFld	Click	512/160	42.6	Rare	1.05	1.33 0.32	100	300-1500Hz
11	NIRA50A.1	50SPL	R	SnFld	Click	512/209	42.6	Rare	1.36	1.17 0.45	100	300-1500Hz
12	NIRA55A.1	55SPL	R	SnFld	Click	512/196	42.6	Rare	1.37	1.28 0.48	100	300-1500Hz
13	NIRA60A.1	60SPL	R	SnFld	Click	512/116	42.6	Rare	1.70	0.93 0.61	100	300-1500Hz
14	NIRA65A.1	65SPL	R	SnFld	Click	512/149	42.6	Rare	1.71	0.86 0.73	100	300-1500Hz
15	NIRA70A.1	70SPL	R	SnFld	Click	512/161	42.6	Rare	2.32	1.55 0.48	100	300-1500Hz
16	NIRA75A.1	75SPL	R	SnFld	Click	512/163	42.6	Rare	2.68	1.46 0.47	100	300-1500Hz
17	NIRA80A.1	80SPL	R	SnFld	Click	512/185	42.6	Rare	2.46	1.41 0.52	100	300-1500Hz
18	NIRA85A.1	85SPL	R	SnFld	Click	512/160	42.6	Rare	2.67	1.34 0.50	100	300-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms (*)-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	0	R	
2	5	R	
3	10	R	
4	15	R	
5	20	R	
6	25	R	
7	30	R	
8	35	R	
9	40	R	
10	45	R	
11	50	R	
12	55	R	
13	60	R	
14	65	R	
15	70	R	
16	75	R	
17	80	R	
18	85	R	

N0054B8040 IMPC-84

ID: IMPC_LIFR-TM1B-IC_6_1E Page: 2 Test Date: Jun. 25, 2014 Age: (DOB empty) Report: Jun. 25, 2014



N0054B8040 IMPC-84

ID: IMPC_LIFR-TM1B-IC_6_1E Page: 2 Test Date: Jun. 25, 2014 Age: (DOB empty) Report: Jun. 25, 2014


Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	NIRA0A.2	0SPL	R	SnFld 6000Hz(9)	512/195	42.6	Rare	1.12	0.38 1.00	100	300-1500Hz
2	NIRA5A.2	5SPL	R	SnFld 6000Hz(9)	512/154	42.6	Rare	0.82	0.29 0.81	100	300-1500Hz
3	NIRA10A.2	10SPL	R	SnFld 6000Hz(9)	512/143	42.6	Rare	0.92	0.33 0.74	100	300-1500Hz
4	NIRA15A.2	15SPL	R	SnFld 6000Hz(9)	512/133	42.6	Rare	0.87	0.55 0.48	100	300-1500Hz
5	NIRA20A.2	20SPL	R	SnFld 6000Hz(9)	512/156	42.6	Rare	0.68	0.39 0.53	100	300-1500Hz
6	NIRA25A.2	25SPL	R	SnFld 6000Hz(9)	512/143	42.6	Rare	0.67	0.33 0.58	100	300-1500Hz
7	NIRA30A.2	30SPL	R	SnFld 6000Hz(9)	512/148	42.6	Rare	0.92	0.36 0.73	100	300-1500Hz
8	NIRA35A.2	35SPL	R	SnFld 6000Hz(9)	512/143	42.6	Rare	1.20	0.39 0.79	100	300-1500Hz
9	NIRA40A.2	40SPL	R	SnFld 6000Hz(9)	512/167	42.6	Rare	0.89	0.29 0.93	100	300-1500Hz
10	NIRA45A.2	45SPL	R	SnFld 6000Hz(9)	512/184	42.6	Rare	1.00	0.29 0.95	100	300-1500Hz
11	NIRA50A.2	50SPL	R	SnFld 6000Hz(9)	512/206	42.6	Rare	0.77	0.70 0.43	100	300-1500Hz
12	NIRA55A.2	55SPL	R	SnFld 6000Hz(9)	512/220	42.6	Rare	1.12	0.90 0.45	100	300-1500Hz
13	NIRA60A.2	60SPL	R	SnFld 6000Hz(9)	512/74	42.6	Rare	0.91	0.56 0.80	100	300-1500Hz
14	NIRA65A.2	65SPL	R	SnFld 6000Hz(9)	512/136	42.6	Rare	1.11	0.68 0.48	100	300-1500Hz
15	NIRA70A.2	70SPL	R	SnFld 6000Hz(9)	512/150	42.6	Rare	0.86	0.95 0.39	100	300-1500Hz
16	NIRA75A.2	75SPL	R	SnFld 6000Hz(9)	512/157	42.6	Rare	1.12	1.12 0.36	100	300-1500Hz
17	NIRA80A.2	80SPL	R	SnFld 6000Hz(9)	512/168	42.6	Rare	1.23	1.27 0.51	100	300-1500Hz
18	NIRA85A.2	85SPL	R	SnFld 6000Hz(9)	512/172	42.6	Rare	1.08	1.14 0.37	100	300-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms (*)-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	0	R	
2	5	R	
3	10	R	
4	15	R	
5	20	R	
6	25	R	
7	30	R	
8	35	R	
9	40	R	
10	45	R	
11	50	R	
12	55	R	
13	60	R	
14	65	R	
15	70	R	
16	75	R	
17	80	R	
18	85	R	

N0054B8040 IMPC-84

ID: IMPC_LIFR-TM1B-IC_6_1E Page: 3 Test Date: Jun. 25, 2014 Age: (DOB empty) Report: Jun. 25, 2014



N0054B8040 IMPC-84

ID: IMPC_LIFR-TM1B-IC_6_1E Page: 3 Test Date: Jun. 25, 2014 Age: (DOB empty) Report: Jun. 25, 2014


Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	NIRA0A.3	0SPL	R	SnFld 12000Hz(9)	512/168	42.6	Rare	0.91	0.28 0.79	100	300-1500Hz
2	NIRA5A.3	5SPL	R	SnFld 12000Hz(9)	512/165	42.6	Rare	1.11	0.37 0.77	100	300-1500Hz
3	NIRA10A.3	10SPL	R	SnFld 12000Hz(9)	512/138	42.6	Rare	0.94	0.57 0.48	100	300-1500Hz
4	NIRA15A.3	15SPL	R	SnFld 12000Hz(9)	512/133	42.6	Rare	1.24	0.39 0.59	100	300-1500Hz
5	NIRA20A.3	20SPL	R	SnFld 12000Hz(9)	512/140	42.6	Rare	0.82	0.78 0.43	100	300-1500Hz
6	NIRA25A.3	25SPL	R	SnFld 12000Hz(9)	512/132	42.6	Rare	1.16	0.75 0.33	100	300-1500Hz
7	NIRA30A.3	30SPL	R	SnFld 12000Hz(9)	512/139	42.6	Rare	0.91	0.28 0.99	100	300-1500Hz
8	NIRA35A.3	35SPL	R	SnFld 12000Hz(9)	512/153	42.6	Rare	0.82	0.84 0.47	100	300-1500Hz
9	NIRA40A.3	40SPL	R	SnFld 12000Hz(9)	512/151	42.6	Rare	0.91	0.39 0.78	100	300-1500Hz
10	NIRA45A.3	45SPL	R	SnFld 12000Hz(9)	512/188	42.6	Rare	0.90	0.40 0.85	100	300-1500Hz
11	NIRA50A.3	50SPL	R	SnFld 12000Hz(9)	512/185	42.6	Rare	0.94	0.59 0.53	100	300-1500Hz
12	NIRA55A.3	55SPL	R	SnFld 12000Hz(9)	512/167	42.6	Rare	1.14	0.71 0.65	100	300-1500Hz
13	NIRA60A.3	60SPL	R	SnFld 12000Hz(9)	512/103	42.6	Rare	1.05	1.31 0.30	100	300-1500Hz
14	NIRA65A.3	65SPL	R	SnFld 12000Hz(9)	512/137	42.6	Rare	1.13	0.62 0.70	100	300-1500Hz
15	NIRA70A.3	70SPL	R	SnFld 12000Hz(9)	512/160	42.6	Rare	1.25	1.38 0.44	100	300-1500Hz
16	NIRA75A.3	75SPL	R	SnFld 12000Hz(9)	512/172	42.6	Rare	1.41	1.43 0.40	100	300-1500Hz
17	NIRA80A.3	80SPL	R	SnFld 12000Hz(9)	512/165	42.6	Rare	1.71	0.88 0.49	100	300-1500Hz
18	NIRA85A.3	85SPL	R	SnFld 12000Hz(9)	512/190	42.6	Rare	2.45	1.37 0.50	100	300-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms (*)-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	0	R	
2	5	R	
3	10	R	
4	15	R	
5	20	R	
6	25	R	
7	30	R	
8	35	R	
9	40	R	
10	45	R	
11	50	R	
12	55	R	
13	60	R	
14	65	R	
15	70	R	
16	75	R	
17	80	R	
18	85	R	

N0054B8040 IMPC-84

ID: IMPC_LIFR-TM1B-IC_6_1E Page: 4 Test Date: Jun. 25, 2014 Age: (DOB empty) Report: Jun. 25, 2014



N0054B8040 IMPC-84

ID: IMPC_LIFR-TM1B-IC_6_1E Page: 4 Test Date: Jun. 25, 2014 Age: (DOB empty) Report: Jun. 25, 2014


Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	NIRA0A.4	0SPL	R	SnFld 18000Hz(9)	512/169	42.6	Rare	1.04	0.65 0.43	100	300-1500Hz
2	NIRA5A.4	5SPL	R	SnFld 18000Hz(9)	512/147	42.6	Rare	1.18	0.45 0.62	100	300-1500Hz
3	NIRA10A.4	10SPL	R	SnFld 18000Hz(9)	512/135	42.6	Rare	1.16	0.68 0.47	100	300-1500Hz
4	NIRA15A.4	15SPL	R	SnFld 18000Hz(9)	512/142	42.6	Rare	0.90	0.24 0.90	100	300-1500Hz
5	NIRA20A.4	20SPL	R	SnFld 18000Hz(9)	512/132	42.6	Rare	1.21	0.47 0.57	100	300-1500Hz
6	NIRA25A.4	25SPL	R	SnFld 18000Hz(9)	512/155	42.6	Rare	1.10	0.77 0.43	100	300-1500Hz
7	NIRA30A.4	30SPL	R	SnFld 18000Hz(9)	512/140	42.6	Rare	0.83	0.72 0.57	100	300-1500Hz
8	NIRA35A.4	35SPL	R	SnFld 18000Hz(9)	512/166	42.6	Rare	1.08	0.44 0.54	100	300-1500Hz
9	NIRA40A.4	40SPL	R	SnFld 18000Hz(9)	512/163	42.6	Rare	1.36	0.73 0.58	100	300-1500Hz
10	NIRA45A.4	45SPL	R	SnFld 18000Hz(9)	512/164	42.6	Rare	1.09	1.22 0.42	100	300-1500Hz
11	NIRA50A.4	50SPL	R	SnFld 18000Hz(9)	512/226	42.6	Rare	1.01	0.68 0.62	100	300-1500Hz
12	NIRA55A.4	55SPL	R	SnFld 18000Hz(9)	512/162	42.6	Rare	1.55	0.77 0.68	100	300-1500Hz
13	NIRA60A.4	60SPL	R	SnFld 18000Hz(9)	512/112	42.6	Rare	1.76	0.93 0.64	100	300-1500Hz
14	NIRA65A.4	65SPL	R	SnFld 18000Hz(9)	512/149	42.6	Rare	1.97	1.38 0.41	100	300-1500Hz
15	NIRA70A.4	70SPL	R	SnFld 18000Hz(9)	512/144	42.6	Rare	2.73	0.69 0.81	100	300-1500Hz
16	NIRA75A.4	75SPL	R	SnFld 18000Hz(9)	512/166	42.6	Rare	2.69	1.77 0.31	100	300-1500Hz
17	NIRA80A.4	80SPL	R	SnFld 18000Hz(9)	512/168	42.6	Rare	2.80	1.22 0.43	100	300-1500Hz
18	NIRA85A.4	85SPL	R	SnFld 18000Hz(9)	512/193	42.6	Rare	2.99	2.06 0.37	100	300-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms (*)-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	0	R	
2	5	R	
3	10	R	
4	15	R	
5	20	R	
6	25	R	
7	30	R	
8	35	R	
9	40	R	
10	45	R	
11	50	R	
12	55	R	
13	60	R	
14	65	R	
15	70	R	
16	75	R	
17	80	R	
18	85	R	

N0054B8040 IMPC-84

ID: IMPC_LIFR-TM1B-IC_6_1E Page: 5 Test Date: Jun. 25, 2014 Age: (DOB empty) Report: Jun. 25, 2014



N0054B8040 IMPC-84

ID: IMPC_LIFR-TM1B-IC_6_1E Page: 5 Test Date: Jun. 25, 2014 Age: (DOB empty) Report: Jun. 25, 2014


Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	NIRA0A.5	0SPL	R	SnFld 24000Hz(9)	512/182	42.6	Rare	1.28	0.39 0.76	100	300-1500Hz
2	NIRA5A.5	5SPL	R	SnFld 24000Hz(9)	512/171	42.6	Rare	0.82	0.31 0.62	100	300-1500Hz
3	NIRA10A.5	10SPL	R	SnFld 24000Hz(9)	512/140	42.6	Rare	0.94	0.47 0.51	100	300-1500Hz
4	NIRA15A.5	15SPL	R	SnFld 24000Hz(9)	512/133	42.6	Rare	0.78	0.43 0.59	100	300-1500Hz
5	NIRA20A.5	20SPL	R	SnFld 24000Hz(9)	512/136	42.6	Rare	0.86	0.45 0.56	100	300-1500Hz
6	NIRA25A.5	25SPL	R	SnFld 24000Hz(9)	512/146	42.6	Rare	0.90	0.50 0.46	100	300-1500Hz
7	NIRA30A.5	30SPL	R	SnFld 24000Hz(9)	512/137	42.6	Rare	1.05	0.77 0.54	100	300-1500Hz
8	NIRA35A.5	35SPL	R	SnFld 24000Hz(9)	512/171	42.6	Rare	0.92	0.49 0.66	100	300-1500Hz
9	NIRA40A.5	40SPL	R	SnFld 24000Hz(9)	512/171	42.6	Rare	1.28	0.61 0.67	100	300-1500Hz
10	NIRA45A.5	45SPL	R	SnFld 24000Hz(9)	512/170	42.6	Rare	1.08	0.83 0.49	100	300-1500Hz
11	NIRA50A.5	50SPL	R	SnFld 24000Hz(9)	512/217	42.6	Rare	0.98	0.95 0.36	100	300-1500Hz
12	NIRA55A.5	55SPL	R	SnFld 24000Hz(9)	512/184	42.6	Rare	1.13	0.98 0.51	100	300-1500Hz
13	NIRA60A.5	60SPL	R	SnFld 24000Hz(9)	512/120	42.6	Rare	1.13	0.42 0.86	100	300-1500Hz
14	NIRA65A.5	65SPL	R	SnFld 24000Hz(9)	512/161	42.6	Rare	1.13	0.86 0.51	100	300-1500Hz
15	NIRA70A.5	70SPL	R	SnFld 24000Hz(9)	512/153	42.6	Rare	1.34	1.02 0.34	100	300-1500Hz
16	NIRA75A.5	75SPL	R	SnFld 24000Hz(9)	512/164	42.6	Rare	1.76	1.03 0.56	100	300-1500Hz
17	NIRA80A.5	80SPL	R	SnFld 24000Hz(9)	512/181	42.6	Rare	1.72	1.38 0.42	100	300-1500Hz
18	NIRA85A.5	85SPL	R	SnFld 24000Hz(9)	512/194	42.6	Rare	2.01	1.56 0.37	100	300-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms (*)-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	0	R	
2	5	R	
3	10	R	
4	15	R	
5	20	R	
6	25	R	
7	30	R	
8	35	R	
9	40	R	
10	45	R	
11	50	R	
12	55	R	
13	60	R	
14	65	R	
15	70	R	
16	75	R	
17	80	R	
18	85	R	

N0054B8040 IMPC-84

ID: IMPC_LIFR-TM1B-IC_6_1E Page: 6 Test Date: Jun. 25, 2014 Age: (DOB empty) Report: Jun. 25, 2014



N0054B8040 IMPC-84

ID: IMPC_LIFR-TM1B-IC_6_1E Page: 6 Test Date: Jun. 25, 2014 Age: (DOB empty) Report: Jun. 25, 2014

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	NIRA0A.6	0SPL	R	SnFld 30000Hz(9)	512/180	42.6	Rare	1.11	0.39 0.73	100	300-1500Hz
2	NIRA5A.6	5SPL	R	SnFld 30000Hz(9)	512/144	42.6	Rare	1.08	0.38 0.85	100	300-1500Hz
3	NIRA10A.6	10SPL	R	SnFld 30000Hz(9)	512/140	42.6	Rare	1.04	0.39 0.62	100	300-1500Hz
4	NIRA15A.6	15SPL	R	SnFld 30000Hz(9)	512/140	42.6	Rare	0.95	0.44 0.57	100	300-1500Hz
5	NIRA20A.6	20SPL	R	SnFld 30000Hz(9)	512/149	42.6	Rare	1.08	0.40 0.60	100	300-1500Hz
6	NIRA25A.6	25SPL	R	SnFld 30000Hz(9)	512/134	42.6	Rare	1.06	0.54 0.42	100	300-1500Hz
7	NIRA30A.6	30SPL	R	SnFld 30000Hz(9)	512/139	42.6	Rare	0.80	0.24 0.78	100	300-1500Hz
8	NIRA35A.6	35SPL	R	SnFld 30000Hz(9)	512/151	42.6	Rare	0.93	0.33 0.97	100	300-1500Hz
9	NIRA40A.6	40SPL	R	SnFld 30000Hz(9)	512/175	42.6	Rare	0.86	0.36 0.69	100	300-1500Hz
10	NIRA45A.6	45SPL	R	SnFld 30000Hz(9)	512/203	42.6	Rare	1.14	0.89 0.38	100	300-1500Hz
11	NIRA50A.6	50SPL	R	SnFld 30000Hz(9)	512/220	42.6	Rare	1.03	0.54 0.46	100	300-1500Hz
12	NIRA55A.6	55SPL	R	SnFld 30000Hz(9)	512/187	42.6	Rare	1.29	0.73 0.60	100	300-1500Hz
13	NIRA60A.6	60SPL	R	SnFld 30000Hz(9)	512/126	42.6	Rare	0.92	0.65 0.47	100	300-1500Hz
14	NIRA65A.6	65SPL	R	SnFld 30000Hz(9)	512/150	42.6	Rare	0.91	1.12 0.32	100	300-1500Hz
15	NIRA70A.6	70SPL	R	SnFld 30000Hz(9)	512/150	42.6	Rare	1.00	0.83 0.51	100	300-1500Hz
16	NIRA75A.6	75SPL	R	SnFld 30000Hz(9)	512/184	42.6	Rare	0.93	0.90 0.47	100	300-1500Hz
17	NIRA80A.6	80SPL	R	SnFld 30000Hz(9)	512/189	42.6	Rare	1.04	1.19 0.46	100	300-1500Hz
18	NIRA85A.6	85SPL	R	SnFld 30000Hz(9)	512/174	42.6	Rare	1.46	0.70 0.68	100	300-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms (*)-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	0	R	
2	5	R	
3	10	R	
4	15	R	
5	20	R	
6	25	R	
7	30	R	
8	35	R	
9	40	R	
10	45	R	
11	50	R	
12	55	R	
13	60	R	
14	65	R	
15	70	R	
16	75	R	
17	80	R	
18	85	R	