




6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J62909-B 26289

ID: 1029349-J62909 Page: 1 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J62909-B 26289

ID: 1029349-J62909 Page: 1 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.1	85SPL	B	HFStm	IHS5156_6kHz	512/25	42.6	Altr	3.10	2.65 0.70	100	100-3000Hz
2	J2BA80B.1	80SPL	B	HFStm	IHS5156_6kHz	512/20	42.6	Altr	3.07	2.21 0.80	100	100-3000Hz
3	J2BA75B.1	75SPL	B	HFStm	IHS5156_6kHz	512/22	42.6	Altr	2.90	2.89 0.55	100	100-3000Hz
4	J2BA70B.1	70SPL	B	HFStm	IHS5156_6kHz	512/18	42.6	Altr	2.58	4.21 0.39	100	100-3000Hz
5	J2BA65B.1	65SPL	B	HFStm	IHS5156_6kHz	512/22	42.6	Altr	2.04	2.61 0.44	100	100-3000Hz
6	J2BA60B.1	60SPL	B	HFStm	IHS5156_6kHz	512/34	42.6	Altr	1.81	2.09 0.42	100	100-3000Hz
7	J2BA55B.1	55SPL	B	HFStm	IHS5156_6kHz	512/22	42.6	Altr	1.72	2.78 0.29	100	100-3000Hz
8	J2BA50B.1	50SPL	B	HFStm	IHS5156_6kHz	512/26	42.6	Altr	1.14	1.57 0.45	100	100-3000Hz
9	J2BA45B.1	45SPL	B	HFStm	IHS5156_6kHz	512/20	42.6	Altr	1.21	2.12 0.28	100	100-3000Hz
10	J2BA40B.1	40SPL	B	HFStm	IHS5156_6kHz	512/24	42.6	Altr	1.06	1.96 0.23	100	100-3000Hz
11	J2BA35B.1	35SPL	B	HFStm	IHS5156_6kHz	512/23	42.6	Altr	1.08	1.51 0.36	100	100-3000Hz
12	J2BA30B.1	30SPL	B	HFStm	IHS5156_6kHz	512/25	42.6	Altr	0.70	0.30 0.97	100	100-3000Hz
13	J2BA25B.1	25SPL	B	HFStm	IHS5156_6kHz	512/25	42.6	Altr	1.04	1.52 0.26	100	100-3000Hz
14	J2BA20B.1	20SPL	B	HFStm	IHS5156_6kHz	512/20	42.6	Altr	0.96	1.75 0.21	100	100-3000Hz
15	J2BA15B.1	15SPL	B	HFStm	IHS5156_6kHz	512/19	42.6	Altr	1.10	0.79 0.47	100	100-3000Hz
16	J2BA10B.1	10SPL	B	HFStm	IHS5156_6kHz	512/26	42.6	Altr	0.83	0.60 0.45	100	100-3000Hz
17	J2BA5B.1	5SPL	B	HFStm	IHS5156_6kHz	512/27	42.6	Altr	0.87	0.65 0.31	100	100-3000Hz
18	J2BA0B.1	0SPL	B	HFStm	IHS5156_6kHz	512/30	42.6	Altr	0.44	0.71 0.31	100	100-3000Hz


System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J62909-B 26289
ID: 1029349-J62909 Page: 2 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J62909-B 26289

ID: 1029349-J62909 Page: 2 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.2	85SPL	B	HFStm	IHS5156_12kH	512/23	42.6	Altr	2.91	2.62 0.60	100	100-3000Hz
2	J2BA80B.2	80SPL	B	HFStm	IHS5156_12kH	512/26	42.6	Altr	2.03	3.33 0.31	100	100-3000Hz
3	J2BA75B.2	75SPL	B	HFStm	IHS5156_12kH	512/24	42.6	Altr	2.20	3.96 0.31	100	100-3000Hz
4	J2BA70B.2	70SPL	B	HFStm	IHS5156_12kH	512/28	42.6	Altr	1.59	1.58 0.52	100	100-3000Hz
5	J2BA65B.2	65SPL	B	HFStm	IHS5156_12kH	512/19	42.6	Altr	1.63	1.89 0.50	100	100-3000Hz
6	J2BA60B.2	60SPL	B	HFStm	IHS5156_12kH	512/26	42.6	Altr	1.30	1.74 0.34	100	100-3000Hz
7	J2BA55B.2	55SPL	B	HFStm	IHS5156_12kH	512/24	42.6	Altr	1.81	2.58 0.33	100	100-3000Hz
8	J2BA50B.2	50SPL	B	HFStm	IHS5156_12kH	512/29	42.6	Altr	1.06	1.91 0.31	100	100-3000Hz
9	J2BA45B.2	45SPL	B	HFStm	IHS5156_12kH	512/25	42.6	Altr	1.22	1.16 0.45	100	100-3000Hz
10	J2BA40B.2	40SPL	B	HFStm	IHS5156_12kH	512/21	42.6	Altr	1.11	1.42 0.31	100	100-3000Hz
11	J2BA35B.2	35SPL	B	HFStm	IHS5156_12kH	512/26	42.6	Altr	1.02	1.41 0.28	100	100-3000Hz
12	J2BA30B.2	30SPL	B	HFStm	IHS5156_12kH	512/20	42.6	Altr	1.21	0.62 0.66	100	100-3000Hz
13	J2BA25B.2	25SPL	B	HFStm	IHS5156_12kH	512/25	42.6	Altr	0.64	1.08 0.28	100	100-3000Hz
14	J2BA20B.2	20SPL	B	HFStm	IHS5156_12kH	512/24	42.6	Altr	0.81	0.54 0.38	100	100-3000Hz
15	J2BA15B.2	15SPL	B	HFStm	IHS5156_12kH	512/26	42.6	Altr	1.07	1.18 0.31	100	100-3000Hz
16	J2BA10B.2	10SPL	B	HFStm	IHS5156_12kH	512/24	42.6	Altr	0.74	0.45 0.49	100	100-3000Hz
17	J2BA5B.2	5SPL	B	HFStm	IHS5156_12kH	512/31	42.6	Altr	0.51	0.29 0.49	100	100-3000Hz
18	J2BA0B.2	0SPL	B	HFStm	IHS5156_12kH	512/22	42.6	Altr	1.06	0.80 0.40	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J62909-B 26289

ID: 1029349-J62909 Page: 3 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J62909-B 26289

ID: 1029349-J62909 Page: 3 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.3	85SPL	B	HFStm	IHS5156_18kH	512/34	42.6	Altr	2.93	5.45 0.26	100	100-1500Hz
2	J2BA80B.3	80SPL	B	HFStm	IHS5156_18kH	512/30	42.6	Altr	2.27	4.39 0.28	100	100-1500Hz
3	J2BA75B.3	75SPL	B	HFStm	IHS5156_18kH	512/17	42.6	Altr	1.86	3.40 0.30	100	100-1500Hz
4	J2BA70B.3	70SPL	B	HFStm	IHS5156_18kH	512/24	42.6	Altr	1.36	2.51 0.31	100	100-1500Hz
5	J2BA65B.3	65SPL	B	HFStm	IHS5156_18kH	512/30	42.6	Altr	1.34	1.23 0.59	100	100-1500Hz
6	J2BA60B.3	60SPL	B	HFStm	IHS5156_18kH	512/32	42.6	Altr	1.30	2.37 0.30	100	100-1500Hz
7	J2BA55B.3	55SPL	B	HFStm	IHS5156_18kH	512/28	42.6	Altr	1.40	1.89 0.44	100	100-1500Hz
8	J2BA50B.3	50SPL	B	HFStm	IHS5156_18kH	512/31	42.6	Altr	1.11	1.15 0.55	100	100-1500Hz
9	J2BA45B.3	45SPL	B	HFStm	IHS5156_18kH	512/26	42.6	Altr	1.11	1.48 0.35	100	100-1500Hz
10	J2BA40B.3	40SPL	B	HFStm	IHS5156_18kH	512/28	42.6	Altr	0.83	0.56 0.63	100	100-1500Hz
11	J2BA35B.3	35SPL	B	HFStm	IHS5156_18kH	512/34	42.6	Altr	0.72	0.43 0.39	100	100-1500Hz
12	J2BA35B.4	35SPL	B	HFStm	IHS5156_18kH	512/28	42.6	Altr	0.75	1.51 0.16	100	100-1500Hz
13	J2BA30B.3	30SPL	B	HFStm	IHS5156_18kH	512/29	42.6	Altr	0.46	0.56 0.32	100	100-1500Hz
14	J2BA25B.3	25SPL	B	HFStm	IHS5156_18kH	512/27	42.6	Altr	0.55	0.62 0.27	100	100-1500Hz
15	J2BA20B.3	20SPL	B	HFStm	IHS5156_18kH	512/29	42.6	Altr	0.66	1.06 0.20	100	100-1500Hz
16	J2BA15B.3	15SPL	B	HFStm	IHS5156_18kH	512/24	42.6	Altr	0.73	0.31 0.56	100	100-1500Hz
17	J2BA10B.3	10SPL	B	HFStm	IHS5156_18kH	512/31	42.6	Altr	0.53	0.25 0.54	100	100-1500Hz
18	J2BA5B.3	5SPL	B	HFStm	IHS5156_18kH	512/26	42.6	Altr	0.69	0.73 0.22	100	100-1500Hz
19	J2BA0B.3	0SPL	B	HFStm	IHS5156_18kH	512/29	42.6	Altr	0.62	0.59 0.40	100	100-1500Hz


System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	35	B	
13	30	B	
14	25	B	
15	20	B	
16	15	B	
17	10	B	
18	5	B	
19	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J62909-B 26289
ID: 1029349-J62909 Page: 4 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J62909-B 26289

ID: 1029349-J62909 Page: 4 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.4	85SPL	B	HFStm	IHS5156_24kH	512/29	42.6	Altr	2.45	2.91 0.33	100	100-1500Hz
2	J2BA80B.4	80SPL	B	HFStm	IHS5156_24kH	512/29	42.6	Altr	2.25	3.64 0.31	100	100-1500Hz
3	J2BA75B.4	75SPL	B	HFStm	IHS5156_24kH	512/33	42.6	Altr	1.94	4.37 0.25	100	100-1500Hz
4	J2BA70B.4	70SPL	B	HFStm	IHS5156_24kH	512/35	42.6	Altr	2.08	5.35 0.21	100	100-1500Hz
5	J2BA65B.4	65SPL	B	HFStm	IHS5156_24kH	512/35	42.6	Altr	1.84	3.22 0.34	100	100-1500Hz
6	J2BA60B.4	60SPL	B	HFStm	IHS5156_24kH	512/26	42.6	Altr	1.68	4.70 0.24	100	100-1500Hz
7	J2BA55B.4	55SPL	B	HFStm	IHS5156_24kH	512/27	42.6	Altr	1.29	3.11 0.27	100	100-1500Hz
8	J2BA50B.4	50SPL	B	HFStm	IHS5156_24kH	512/30	42.6	Altr	1.09	0.75 0.88	100	100-1500Hz
9	J2BA45B.4	45SPL	B	HFStm	IHS5156_24kH	512/38	42.6	Altr	0.92	2.58 0.25	100	100-1500Hz
10	J2BA40B.4	40SPL	B	HFStm	IHS5156_24kH	512/25	42.6	Altr	1.03	1.31 0.30	100	100-1500Hz
11	J2BA35B.5	35SPL	B	HFStm	IHS5156_24kH	512/30	42.6	Altr	1.17	1.55 0.29	100	100-1500Hz
12	J2BA30B.4	30SPL	B	HFStm	IHS5156_24kH	512/32	42.6	Altr	0.81	0.63 0.19	100	100-1500Hz
13	J2BA25B.4	25SPL	B	HFStm	IHS5156_24kH	512/25	42.6	Altr	0.82	0.59 0.17	100	100-1500Hz
14	J2BA20B.4	20SPL	B	HFStm	IHS5156_24kH	512/34	42.6	Altr	0.40	0.16 0.57	100	100-1500Hz
15	J2BA15B.4	15SPL	B	HFStm	IHS5156_24kH	512/33	42.6	Altr	0.43	0.15 0.60	100	100-1500Hz
16	J2BA10B.4	10SPL	B	HFStm	IHS5156_24kH	512/33	42.6	Altr	0.44	0.23 0.52	100	100-1500Hz
17	J2BA5B.4	5SPL	B	HFStm	IHS5156_24kH	512/35	42.6	Altr	0.48	0.14 0.61	100	100-1500Hz
18	J2BA0B.4	0SPL	B	HFStm	IHS5156_24kH	512/33	42.6	Altr	0.64	0.62 0.28	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J62909-B 26289

ID: 1029349-J62909 Page: 5 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016



	0	1	2	3	4	5	6	7	8	9	10	11	12 ms
Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters	
1	J2BA85B.5	85SPL	B	HFStm	IHS5156_30kH	512/33	42.6	Altr	2.41	6.22 0.21	100	100-1500Hz	
2	J2BA80B.5	80SPL	B	HFStm	IHS5156_30kH	512/31	42.6	Altr	2.11	4.44 0.27	100	100-1500Hz	
3	J2BA75B.5	75SPL	B	HFStm	IHS5156_30kH	512/35	42.6	Altr	2.11	4.50 0.27	100	100-1500Hz	
4	J2BA70B.5	70SPL	B	HFStm	IHS5156_30kH	512/31	42.6	Altr	1.66	1.30 0.76	100	100-1500Hz	
5	J2BA65B.5	65SPL	B	HFStm	IHS5156_30kH	512/35	42.6	Altr	1.55	3.37 0.29	100	100-1500Hz	
6	J2BA60B.5	60SPL	B	HFStm	IHS5156_30kH	512/29	42.6	Altr	1.56	7.38 0.14	100	100-1500Hz	
7	J2BA55B.5	55SPL	B	HFStm	IHS5156_30kH	512/34	42.6	Altr	1.06	1.18 0.41	100	100-1500Hz	
8	J2BA50B.5	50SPL	B	HFStm	IHS5156_30kH	512/29	42.6	Altr	0.93	1.49 0.27	100	100-1500Hz	
9	J2BA45B.5	45SPL	B	HFStm	IHS5156_30kH	512/29	42.6	Altr	0.91	1.24 0.30	100	100-1500Hz	
10	J2BA40B.5	40SPL	B	HFStm	IHS5156_30kH	512/31	42.6	Altr	0.64	0.21 0.46	100	100-1500Hz	
11	J2BA35B.6	35SPL	B	HFStm	IHS5156_30kH	512/30	42.6	Altr	1.01	0.94 0.27	100	100-1500Hz	
12	J2BA30B.5	30SPL	B	HFStm	IHS5156_30kH	512/31	42.6	Altr	0.45	0.25 0.48	100	100-1500Hz	
13	J2BA25B.5	25SPL	B	HFStm	IHS5156_30kH	512/32	42.6	Altr	0.60	0.39 0.41	100	100-1500Hz	
14	J2BA20B.5	20SPL	B	HFStm	IHS5156_30kH	512/32	42.6	Altr	0.54	0.17 0.44	100	100-1500Hz	

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	