






6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R54391-2R1L 32826

ID: 2396095-R54391 Page: 1 Test Date: Oct. 03, 2019 DOB: Jun 11, 2019 Age: 3.7 months Report: Oct. 03, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.1	85SPL	B	HFStm	IHS5157_6kHz	256/0	42.6	Altr	3.32	4.09 0.48	100	100-3000Hz
2	R3BA80B.1	80SPL	B	HFStm	IHS5157_6kHz	256/0	42.6	Altr	2.64	2.25 0.57	100	100-3000Hz
3	R3BA75B.1	75SPL	B	HFStm	IHS5157_6kHz	256/0	42.6	Altr	2.59	2.02 0.75	100	100-3000Hz
4	R3BA70B.1	70SPL	B	HFStm	IHS5157_6kHz	256/1	42.6	Altr	2.07	3.18 0.36	100	100-3000Hz
5	R3BA65B.1	65SPL	B	HFStm	IHS5157_6kHz	256/2	42.6	Altr	1.50	1.64 0.46	100	100-3000Hz
6	R3BA60B.1	60SPL	B	HFStm	IHS5157_6kHz	256/0	42.6	Altr	0.84	0.92 0.45	100	100-3000Hz
7	R3BA55B.1	55SPL	B	HFStm	IHS5157_6kHz	256/0	42.6	Altr	0.99	0.51 0.56	100	100-3000Hz
8	R3BA50B.1	50SPL	B	HFStm	IHS5157_6kHz	256/1	42.6	Altr	1.17	0.51 0.73	100	100-3000Hz
9	R3BA45B.1	45SPL	B	HFStm	IHS5157_6kHz	256/1	42.6	Altr	0.80	0.86 0.26	100	100-3000Hz
10	R3BA40B.1	40SPL	B	HFStm	IHS5157_6kHz	256/0	42.6	Altr	1.11	1.24 0.42	100	100-3000Hz
11	R3BA35B.1	35SPL	B	HFStm	IHS5157_6kHz	256/0	42.6	Altr	1.01	0.75 0.59	100	100-3000Hz
12	R3BA30B.1	30SPL	B	HFStm	IHS5157_6kHz	256/1	42.6	Altr	0.78	0.72 0.46	100	100-3000Hz
13	R3BA25B.1	25SPL	B	HFStm	IHS5157_6kHz	256/0	42.6	Altr	0.95	0.87 0.49	100	100-3000Hz
14	R3BA20B.1	20SPL	B	HFStm	IHS5157_6kHz	256/0	42.6	Altr	0.88	0.32 0.85	100	100-3000Hz
15	R3BA15B.1	15SPL	B	HFStm	IHS5157_6kHz	256/1	42.6	Altr	0.82	0.26 1.42	100	100-3000Hz
16	R3BA10B.1	10SPL	B	HFStm	IHS5157_6kHz	256/2	42.6	Altr	0.88	0.65 0.46	100	100-3000Hz
17	R3BA5B.1	5SPL	B	HFStm	IHS5157_6kHz	256/0	42.6	Altr	0.82	0.60 0.53	100	100-3000Hz
18	R3BA0B.1	0SPL	B	HFStm	IHS5157_6kHz	256/0	42.6	Altr	0.95	0.90 0.34	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R54391-2R1L 32826

ID: 2396095-R54391 Page: 2 Test Date: Oct. 03, 2019 DOB: Jun 11, 2019 Age: 3.7 months Report: Oct. 03, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R54391-2R1L 32826

ID: 2396095-R54391 Page: 2 Test Date: Oct. 03, 2019 DOB: Jun 11, 2019 Age: 3.7 months Report: Oct. 03, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.2	85SPL	B	HFStm	IHS5157_12kH	256/1	42.6	Altr	2.33	3.89 0.36	100	100-3000Hz
2	R3BA80B.2	80SPL	B	HFStm	IHS5157_12kH	256/1	42.6	Altr	2.17	1.51 0.69	100	100-3000Hz
3	R3BA75B.2	75SPL	B	HFStm	IHS5157_12kH	256/1	42.6	Altr	1.65	1.12 0.66	100	100-3000Hz
4	R3BA70B.2	70SPL	B	HFStm	IHS5157_12kH	256/0	42.6	Altr	1.39	1.61 0.43	100	100-3000Hz
5	R3BA65B.2	65SPL	B	HFStm	IHS5157_12kH	256/0	42.6	Altr	1.14	1.41 0.47	100	100-3000Hz
6	R3BA60B.2	60SPL	B	HFStm	IHS5157_12kH	256/0	42.6	Altr	0.69	0.36 0.55	100	100-3000Hz
7	R3BA55B.2	55SPL	B	HFStm	IHS5157_12kH	256/0	42.6	Altr	1.04	1.13 0.53	100	100-3000Hz
8	R3BA50B.2	50SPL	B	HFStm	IHS5157_12kH	256/1	42.6	Altr	0.95	0.47 0.45	100	100-3000Hz
9	R3BA45B.2	45SPL	B	HFStm	IHS5157_12kH	256/0	42.6	Altr	0.98	0.55 0.54	100	100-3000Hz
10	R3BA40B.2	40SPL	B	HFStm	IHS5157_12kH	256/1	42.6	Altr	0.89	0.47 0.75	100	100-3000Hz
11	R3BA35B.2	35SPL	B	HFStm	IHS5157_12kH	256/1	42.6	Altr	0.94	0.75 0.54	100	100-3000Hz
12	R3BA30B.2	30SPL	B	HFStm	IHS5157_12kH	256/0	42.6	Altr	0.84	1.85 0.25	100	100-3000Hz
13	R3BA25B.2	25SPL	B	HFStm	IHS5157_12kH	256/0	42.6	Altr	0.80	0.57 0.55	100	100-3000Hz
14	R3BA20B.2	20SPL	B	HFStm	IHS5157_12kH	256/1	42.6	Altr	0.80	0.42 0.74	100	100-3000Hz
15	R3BA15B.2	15SPL	B	HFStm	IHS5157_12kH	256/0	42.6	Altr	0.87	0.41 0.84	100	100-3000Hz
16	R3BA10B.2	10SPL	B	HFStm	IHS5157_12kH	256/0	42.6	Altr	0.83	0.35 0.69	100	100-3000Hz
17	R3BA5B.2	5SPL	B	HFStm	IHS5157_12kH	256/0	42.6	Altr	1.08	1.28 0.42	100	100-3000Hz
18	R3BA0B.2	0SPL	B	HFStm	IHS5157_12kH	256/0	42.6	Altr	0.95	0.63 0.37	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R54391-2R1L 32826

ID: 2396095-R54391 Page: 3 Test Date: Oct. 03, 2019 DOB: Jun 11, 2019 Age: 3.7 months Report: Oct. 03, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R54391-2R1L 32826

ID: 2396095-R54391 Page: 3 Test Date: Oct. 03, 2019 DOB: Jun 11, 2019 Age: 3.7 months Report: Oct. 03, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.3	85SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	2.07	1.64 0.88	100	100-1500Hz
2	R3BA80B.3	80SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	1.51	2.70 0.35	100	100-1500Hz
3	R3BA75B.3	75SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	1.43	0.87 1.00	100	100-1500Hz
4	R3BA70B.3	70SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	1.28	0.77 1.02	100	100-1500Hz
5	R3BA65B.3	65SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	1.46	1.50 0.60	100	100-1500Hz
6	R3BA60B.3	60SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	0.80	1.37 0.36	100	100-1500Hz
7	R3BA55B.3	55SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	0.71	0.92 0.35	100	100-1500Hz
8	R3BA50B.3	50SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	0.72	0.57 0.54	100	100-1500Hz
9	R3BA45B.3	45SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	0.59	0.33 0.50	100	100-1500Hz
10	R3BA40B.3	40SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	0.48	0.41 0.50	100	100-1500Hz
11	R3BA35B.3	35SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	0.61	0.81 0.48	100	100-1500Hz
12	R3BA30B.3	30SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	0.74	0.24 1.24	100	100-1500Hz
13	R3BA25B.3	25SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	1.06	0.48 1.33	100	100-1500Hz
14	R3BA20B.3	20SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	0.49	0.31 0.58	100	100-1500Hz
15	R3BA15B.3	15SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	0.53	0.38 0.59	100	100-1500Hz
16	R3BA10B.3	10SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	0.86	0.63 0.47	100	100-1500Hz
17	R3BA5B.3	5SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	0.67	0.91 0.30	100	100-1500Hz
18	R3BA0B.3	0SPL	B	HFStm	IHS5157_18kH	256/0	42.6	Altr	0.53	0.94 0.32	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R54391-2R1L 32826

ID: 2396095-R54391 Page: 4 Test Date: Oct. 03, 2019 DOB: Jun 11, 2019 Age: 3.7 months Report: Oct. 03, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R54391-2R1L 32826

ID: 2396095-R54391 Page: 4 Test Date: Oct. 03, 2019 DOB: Jun 11, 2019 Age: 3.7 months Report: Oct. 03, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.4	85SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	2.28	3.38 0.50	100	100-1500Hz
2	R3BA80B.4	80SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	1.24	4.55 0.18	100	100-1500Hz
3	R3BA75B.4	75SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	1.73	4.74 0.23	100	100-1500Hz
4	R3BA70B.4	70SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	1.46	1.98 0.38	100	100-1500Hz
5	R3BA65B.4	65SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	1.13	1.04 0.39	100	100-1500Hz
6	R3BA60B.4	60SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	0.86	0.69 0.50	100	100-1500Hz
7	R3BA55B.4	55SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	1.06	1.06 0.35	100	100-1500Hz
8	R3BA50B.4	50SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	0.74	0.94 0.46	100	100-1500Hz
9	R3BA45B.4	45SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	1.09	0.87 0.38	100	100-1500Hz
10	R3BA40B.4	40SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	0.34	0.77 0.23	100	100-1500Hz
11	R3BA35B.4	35SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	0.64	0.49 0.40	100	100-1500Hz
12	R3BA30B.4	30SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	0.63	0.40 0.64	100	100-1500Hz
13	R3BA25B.4	25SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	0.56	0.48 0.65	100	100-1500Hz
14	R3BA20B.4	20SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	0.60	0.17 0.71	100	100-1500Hz
15	R3BA15B.4	15SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	0.88	0.34 0.68	100	100-1500Hz
16	R3BA10B.4	10SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	0.30	0.20 0.93	100	100-1500Hz
17	R3BA5B.4	5SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	0.71	0.52 0.47	100	100-1500Hz
18	R3BA0B.4	0SPL	B	HFStm	IHS5157_24kH	256/0	42.6	Altr	1.34	1.91 0.24	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R54391-2R1L 32826

ID: 2396095-R54391 Page: 5 Test Date: Oct. 03, 2019 DOB: Jun 11, 2019 Age: 3.7 months Report: Oct. 03, 2019



		0	1	2	3	4	5	6	7	8	9	10	11	12 ms
Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters		
1	R3BA85B.5	85SPL	B	HFStm	IHS5157_30kH	256/1	42.6	Altr	1.41	0.64 0.46	100	100-1500Hz		
2	R3BA80B.5	80SPL	B	HFStm	IHS5157_30kH	256/0	42.6	Altr	0.56	0.85 0.27	100	100-1500Hz		
3	R3BA75B.5	75SPL	B	HFStm	IHS5157_30kH	256/0	42.6	Altr	0.79	0.58 0.54	100	100-1500Hz		
4	R3BA70B.5	70SPL	B	HFStm	IHS5157_30kH	256/0	42.6	Altr	0.78	0.45 0.49	100	100-1500Hz		
5	R3BA65B.5	65SPL	B	HFStm	IHS5157_30kH	256/1	42.6	Altr	0.70	0.69 0.55	100	100-1500Hz		
6	R3BA60B.5	60SPL	B	HFStm	IHS5157_30kH	256/0	42.6	Altr	0.64	0.92 0.34	100	100-1500Hz		
7	R3BA55B.5	55SPL	B	HFStm	IHS5157_30kH	256/0	42.6	Altr	0.92	1.59 0.34	100	100-1500Hz		
8	R3BA50B.5	50SPL	B	HFStm	IHS5157_30kH	256/1	42.6	Altr	0.46	0.34 0.69	100	100-1500Hz		
9	R3BA45B.5	45SPL	B	HFStm	IHS5157_30kH	256/0	42.6	Altr	0.63	0.21 0.89	100	100-1500Hz		
10	R3BA40B.5	40SPL	B	HFStm	IHS5157_30kH	256/0	42.6	Altr	0.56	0.71 0.44	100	100-1500Hz		
11	R3BA35B.5	35SPL	B	HFStm	IHS5157_30kH	256/0	42.6	Altr	0.54	0.70 0.29	100	100-1500Hz		
12	R3BA30B.5	30SPL	B	HFStm	IHS5157_30kH	256/0	42.6	Altr	0.57	0.24 0.82	100	100-1500Hz		
13	R3BA25B.5	25SPL	B	HFStm	IHS5157_30kH	256/0	42.6	Altr	0.54	0.26 0.84	100	100-1500Hz		
14	R3BA20B.5	20SPL	B	HFStm	IHS5157_30kH	256/0	42.6	Altr	0.76	1.40 0.38	100	100-1500Hz		

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	