



6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


D30977-2R 34508

ID: 2940083-D30977 Page: 1 Test Date: Oct. 30, 2020 DOB: Jul 07, 2020 Age: 3.7 months Report: Oct. 30, 2020

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.1	85SPL	B	HFSM IHS5157_6kHz	256/15	42.6	Altr	2.31	2.04 0.67	100	100-3000Hz
2	D3BA80B.1	80SPL	B	HFSM IHS5157_6kHz	256/10	42.6	Altr	3.19	2.35 0.59	100	100-3000Hz
3	D3BA75B.1	75SPL	B	HFSM IHS5157_6kHz	256/16	42.6	Altr	2.65	3.36 0.41	100	100-3000Hz
4	D3BA70B.1	70SPL	B	HFSM IHS5157_6kHz	256/15	42.6	Altr	1.83	1.73 0.43	100	100-3000Hz
5	D3BA65B.1	65SPL	B	HFSM IHS5157_6kHz	256/5	42.6	Altr	2.21	1.88 0.42	100	100-3000Hz
6	D3BA60B.1	60SPL	B	HFSM IHS5157_6kHz	256/22	42.6	Altr	1.92	2.29 0.30	100	100-3000Hz
7	D3BA55B.1	55SPL	B	HFSM IHS5157_6kHz	256/13	42.6	Altr	2.26	1.57 0.41	100	100-3000Hz
8	D3BA50B.1	50SPL	B	HFSM IHS5157_6kHz	256/16	42.6	Altr	0.97	0.53 0.75	100	100-3000Hz
9	D3BA45B.1	45SPL	B	HFSM IHS5157_6kHz	256/16	42.6	Altr	1.01	0.93 0.37	100	100-3000Hz
10	D3BA40B.1	40SPL	B	HFSM IHS5157_6kHz	256/17	42.6	Altr	1.32	0.78 0.42	100	100-3000Hz
11	D3BA35B.1	35SPL	B	HFSM IHS5157_6kHz	256/14	42.6	Altr	2.37	0.55 0.75	100	100-3000Hz
12	D3BA30B.1	30SPL	B	HFSM IHS5157_6kHz	256/14	42.6	Altr	1.17	0.54 0.56	100	100-3000Hz
13	D3BA25B.1	25SPL	B	HFSM IHS5157_6kHz	256/17	42.6	Altr	1.01	0.47 0.73	100	100-3000Hz
14	D3BA20B.1	20SPL	B	HFSM IHS5157_6kHz	256/17	42.6	Altr	1.58	0.71 0.59	100	100-3000Hz
15	D3BA15B.1	15SPL	B	HFSM IHS5157_6kHz	256/11	42.6	Altr	2.19	0.58 0.48	100	100-3000Hz
16	D3BA10B.1	10SPL	B	HFSM IHS5157_6kHz	256/14	42.6	Altr	2.19	0.58 0.65	100	100-3000Hz
17	D3BA5B.1	5SPL	B	HFSM IHS5157_6kHz	256/14	42.6	Altr	1.90	0.61 0.57	100	100-3000Hz
18	D3BA0B.1	0SPL	B	HFSM IHS5157_6kHz	256/17	42.6	Altr	1.70	1.21 0.38	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


D30977-2R 34508

ID: 2940083-D30977 Page: 2 Test Date: Oct. 30, 2020 DOB: Jul 07, 2020 Age: 3.7 months Report: Oct. 30, 2020

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.2	85SPL	B	HFStm IHS5157_12kH	256/16	42.6	Altr	2.45	2.82 0.53	100	100-3000Hz
2	D3BA80B.2	80SPL	B	HFStm IHS5157_12kH	256/13	42.6	Altr	3.03	3.84 0.42	100	100-3000Hz
3	D3BA75B.2	75SPL	B	HFStm IHS5157_12kH	256/17	42.6	Altr	2.29	2.10 0.54	100	100-3000Hz
4	D3BA70B.2	70SPL	B	HFStm IHS5157_12kH	256/20	42.6	Altr	1.98	2.09 0.49	100	100-3000Hz
5	D3BA65B.2	65SPL	B	HFStm IHS5157_12kH	256/16	42.6	Altr	2.17	1.54 0.64	100	100-3000Hz
6	D3BA60B.2	60SPL	B	HFStm IHS5157_12kH	256/16	42.6	Altr	1.46	1.22 0.40	100	100-3000Hz
7	D3BA55B.2	55SPL	B	HFStm IHS5157_12kH	256/18	42.6	Altr	1.82	0.88 0.55	100	100-3000Hz
8	D3BA50B.2	50SPL	B	HFStm IHS5157_12kH	256/17	42.6	Altr	1.08	0.87 0.46	100	100-3000Hz
9	D3BA45B.2	45SPL	B	HFStm IHS5157_12kH	256/15	42.6	Altr	0.95	1.06 0.42	100	100-3000Hz
10	D3BA40B.2	40SPL	B	HFStm IHS5157_12kH	256/17	42.6	Altr	2.16	1.04 0.44	100	100-3000Hz
11	D3BA35B.2	35SPL	B	HFStm IHS5157_12kH	256/21	42.6	Altr	1.53	0.52 0.67	100	100-3000Hz
12	D3BA30B.2	30SPL	B	HFStm IHS5157_12kH	256/16	42.6	Altr	1.54	0.45 0.87	100	100-3000Hz
13	D3BA25B.2	25SPL	B	HFStm IHS5157_12kH	256/19	42.6	Altr	1.47	0.87 0.42	100	100-3000Hz
14	D3BA20B.2	20SPL	B	HFStm IHS5157_12kH	256/18	42.6	Altr	1.10	0.40 0.66	100	100-3000Hz
15	D3BA15B.2	15SPL	B	HFStm IHS5157_12kH	256/16	42.6	Altr	1.65	0.57 0.40	100	100-3000Hz
16	D3BA10B.2	10SPL	B	HFStm IHS5157_12kH	256/18	42.6	Altr	1.62	0.91 0.35	100	100-3000Hz
17	D3BA5B.2	5SPL	B	HFStm IHS5157_12kH	256/8	42.6	Altr	2.13	0.16 0.91	100	100-3000Hz
18	D3BA0B.2	0SPL	B	HFStm IHS5157_12kH	256/15	42.6	Altr	2.15	0.61 0.59	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


D30977-2R 34508

ID: 2940083-D30977 Page: 3 Test Date: Oct. 30, 2020 DOB: Jul 07, 2020 Age: 3.7 months Report: Oct. 30, 2020

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.3	85SPL	B	HFStm IHS5157_18kH	256/12	42.6	Altr	2.74	2.74 0.54	100	100-1500Hz
2	D3BA80B.3	80SPL	B	HFStm IHS5157_18kH	256/19	42.6	Altr	2.13	2.41 0.47	100	100-1500Hz
3	D3BA75B.3	75SPL	B	HFStm IHS5157_18kH	256/20	42.6	Altr	2.23	2.42 0.54	100	100-1500Hz
4	D3BA70B.3	70SPL	B	HFStm IHS5157_18kH	256/17	42.6	Altr	1.78	2.18 0.42	100	100-1500Hz
5	D3BA65B.3	65SPL	B	HFStm IHS5157_18kH	256/16	42.6	Altr	1.36	1.80 0.44	100	100-1500Hz
6	D3BA60B.3	60SPL	B	HFStm IHS5157_18kH	256/17	42.6	Altr	1.68	1.40 0.60	100	100-1500Hz
7	D3BA55B.3	55SPL	B	HFStm IHS5157_18kH	256/18	42.6	Altr	1.62	1.57 0.57	100	100-1500Hz
8	D3BA50B.3	50SPL	B	HFStm IHS5157_18kH	256/20	42.6	Altr	1.80	1.48 0.50	100	100-1500Hz
9	D3BA45B.3	45SPL	B	HFStm IHS5157_18kH	256/19	42.6	Altr	1.29	1.56 0.26	100	100-1500Hz
10	D3BA40B.3	40SPL	B	HFStm IHS5157_18kH	256/22	42.6	Altr	0.77	0.49 0.67	100	100-1500Hz
11	D3BA35B.3	35SPL	B	HFStm IHS5157_18kH	256/18	42.6	Altr	0.98	0.42 0.83	100	100-1500Hz
12	D3BA30B.3	30SPL	B	HFStm IHS5157_18kH	256/19	42.6	Altr	0.84	0.71 0.23	100	100-1500Hz
13	D3BA25B.3	25SPL	B	HFStm IHS5157_18kH	256/20	42.6	Altr	0.86	0.50 0.44	100	100-1500Hz
14	D3BA20B.3	20SPL	B	HFStm IHS5157_18kH	256/19	42.6	Altr	0.80	0.81 0.20	100	100-1500Hz
15	D3BA15B.3	15SPL	B	HFStm IHS5157_18kH	256/19	42.6	Altr	0.88	0.39 0.70	100	100-1500Hz
16	D3BA10B.3	10SPL	B	HFStm IHS5157_18kH	256/23	42.6	Altr	0.89	0.38 0.58	100	100-1500Hz
17	D3BA5B.3	5SPL	B	HFStm IHS5157_18kH	256/24	42.6	Altr	0.53	0.23 0.82	100	100-1500Hz
18	D3BA0B.3	0SPL	B	HFStm IHS5157_18kH	256/21	42.6	Altr	1.08	1.38 0.21	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	






6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D30977-2R 34508
 ID: 2940083-D30977 Page: 4 Test Date: Oct. 30, 2020 DOB: Jul 07, 2020 Age: 3.7 months Report: Oct. 30, 2020

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.4	85SPL	B	HFStm IHS5157_24kH	256/22	42.6	Altr	2.39	3.00 0.47	100	100-1500Hz
2	D3BA80B.4	80SPL	B	HFStm IHS5157_24kH	256/16	42.6	Altr	1.77	1.59 0.68	100	100-1500Hz
3	D3BA75B.4	75SPL	B	HFStm IHS5157_24kH	256/19	42.6	Altr	2.05	1.57 0.85	100	100-1500Hz
4	D3BA70B.4	70SPL	B	HFStm IHS5157_24kH	256/20	42.6	Altr	1.33	1.44 0.49	100	100-1500Hz
5	D3BA65B.4	65SPL	B	HFStm IHS5157_24kH	256/20	42.6	Altr	1.54	2.07 0.39	100	100-1500Hz
6	D3BA60B.4	60SPL	B	HFStm IHS5157_24kH	256/12	42.6	Altr	1.41	0.65 0.82	100	100-1500Hz
7	D3BA55B.4	55SPL	B	HFStm IHS5157_24kH	256/23	42.6	Altr	1.29	0.54 0.59	100	100-1500Hz
8	D3BA50B.4	50SPL	B	HFStm IHS5157_24kH	256/19	42.6	Altr	1.27	1.01 0.51	100	100-1500Hz
9	D3BA45B.4	45SPL	B	HFStm IHS5157_24kH	256/21	42.6	Altr	0.90	0.30 0.53	100	100-1500Hz
10	D3BA40B.4	40SPL	B	HFStm IHS5157_24kH	256/20	42.6	Altr	0.97	0.28 0.78	100	100-1500Hz
11	D3BA35B.4	35SPL	B	HFStm IHS5157_24kH	256/19	42.6	Altr	0.92	1.86 0.21	100	100-1500Hz
12	D3BA30B.4	30SPL	B	HFStm IHS5157_24kH	256/20	42.6	Altr	0.66	0.87 0.45	100	100-1500Hz
13	D3BA25B.4	25SPL	B	HFStm IHS5157_24kH	256/17	42.6	Altr	1.15	0.23 0.53	100	100-1500Hz
14	D3BA20B.4	20SPL	B	HFStm IHS5157_24kH	256/21	42.6	Altr	0.80	1.54 0.25	100	100-1500Hz
15	D3BA15B.4	15SPL	B	HFStm IHS5157_24kH	256/25	42.6	Altr	0.98	0.26 0.56	100	100-1500Hz
16	D3BA10B.4	10SPL	B	HFStm IHS5157_24kH	256/19	42.6	Altr	0.97	1.30 0.25	100	100-1500Hz
17	D3BA5B.4	5SPL	B	HFStm IHS5157_24kH	256/20	42.6	Altr	1.02	0.33 0.36	100	100-1500Hz
18	D3BA0B.4	0SPL	B	HFStm IHS5157_24kH	256/20	42.6	Altr	1.01	0.50 0.27	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.5	85SPL	B	HFStm IHS5157_30kH	256/20	42.6	Altr	2.21	2.25 0.41	100	100-1500Hz
2	D3BA80B.5	80SPL	B	HFStm IHS5157_30kH	256/22	42.6	Altr	1.48	2.08 0.29	100	100-1500Hz
3	D3BA75B.5	75SPL	B	HFStm IHS5157_30kH	256/18	42.6	Altr	1.41	0.31 0.96	100	100-1500Hz
4	D3BA70B.5	70SPL	B	HFStm IHS5157_30kH	256/22	42.6	Altr	1.16	0.40 0.52	100	100-1500Hz
5	D3BA65B.5	65SPL	B	HFStm IHS5157_30kH	256/20	42.6	Altr	1.09	0.33 0.41	100	100-1500Hz
6	D3BA60B.5	60SPL	B	HFStm IHS5157_30kH	256/19	42.6	Altr	0.59	0.55 0.38	100	100-1500Hz
7	D3BA55B.5	55SPL	B	HFStm IHS5157_30kH	256/22	42.6	Altr	0.97	0.45 0.77	100	100-1500Hz
8	D3BA50B.5	50SPL	B	HFStm IHS5157_30kH	256/18	42.6	Altr	1.60	1.53 0.32	100	100-1500Hz
9	D3BA45B.5	45SPL	B	HFStm IHS5157_30kH	256/22	42.6	Altr	0.74	0.32 0.72	100	100-1500Hz
10	D3BA40B.5	40SPL	B	HFStm IHS5157_30kH	256/19	42.6	Altr	1.08	0.49 0.36	100	100-1500Hz
11	D3BA35B.5	35SPL	B	HFStm IHS5157_30kH	256/21	42.6	Altr	0.91	0.99 0.53	100	100-1500Hz
12	D3BA30B.5	30SPL	B	HFStm IHS5157_30kH	256/17	42.6	Altr	1.32	0.35 0.42	100	100-1500Hz
13	D3BA25B.5	25SPL	B	HFStm IHS5157_30kH	256/18	42.6	Altr	0.60	0.49 0.32	100	100-1500Hz
14	D3BA20B.5	20SPL	B	HFStm IHS5157_30kH	256/19	42.6	Altr	0.87	1.07 0.40	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	