



6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


J42283-R 26289

ID: 882885-J42283 Page: 1 Test Date: Jul. 19, 2016 DOB: Mar 30, 2016 Age: 3.6 months Report: Jul. 19, 2016

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.1	85SPL	B	HFSM IHS5157_6kHz	512/23	42.6	Altr	2.98	2.39 0.60	100	100-3000Hz
2	J2BA80B.1	80SPL	B	HFSM IHS5157_6kHz	512/21	42.6	Altr	2.78	3.43 0.40	100	100-3000Hz
3	J2BA75B.1	75SPL	B	HFSM IHS5157_6kHz	512/23	42.6	Altr	2.52	3.17 0.40	100	100-3000Hz
4	J2BA70B.1	70SPL	B	HFSM IHS5157_6kHz	512/21	42.6	Altr	2.14	3.10 0.35	100	100-3000Hz
5	J2BA65B.1	65SPL	B	HFSM IHS5157_6kHz	512/29	42.6	Altr	1.87	1.96 0.49	100	100-3000Hz
6	J2BA60B.1	60SPL	B	HFSM IHS5157_6kHz	512/27	42.6	Altr	1.70	3.33 0.29	100	100-3000Hz
7	J2BA55B.1	55SPL	B	HFSM IHS5157_6kHz	512/25	42.6	Altr	1.28	2.18 0.29	100	100-3000Hz
8	J2BA50B.1	50SPL	B	HFSM IHS5157_6kHz	512/28	42.6	Altr	1.26	1.88 0.33	100	100-3000Hz
9	J2BA45B.1	45SPL	B	HFSM IHS5157_6kHz	512/25	42.6	Altr	1.00	1.02 0.47	100	100-3000Hz
10	J2BA40B.1	40SPL	B	HFSM IHS5157_6kHz	512/27	42.6	Altr	0.98	1.09 0.51	100	100-3000Hz
11	J2BA35B.1	35SPL	B	HFSM IHS5157_6kHz	512/16	42.6	Altr	1.19	0.78 0.53	100	100-3000Hz
12	J2BA30B.1	30SPL	B	HFSM IHS5157_6kHz	512/21	42.6	Altr	0.60	0.98 0.19	100	100-3000Hz
13	J2BA25B.1	25SPL	B	HFSM IHS5157_6kHz	512/19	42.6	Altr	0.55	0.49 0.30	100	100-3000Hz
14	J2BA20B.1	20SPL	B	HFSM IHS5157_6kHz	512/25	42.6	Altr	0.71	0.46 0.26	100	100-3000Hz
15	J2BA15B.1	15SPL	B	HFSM IHS5157_6kHz	512/27	42.6	Altr	0.62	1.23 0.17	100	100-3000Hz
16	J2BA10B.1	10SPL	B	HFSM IHS5157_6kHz	512/22	42.6	Altr	1.04	0.37 0.39	100	100-3000Hz
17	J2BA5B.1	5SPL	B	HFSM IHS5157_6kHz	512/23	42.6	Altr	1.15	0.71 0.43	100	100-3000Hz
18	J2BA0B.1	0SPL	B	HFSM IHS5157_6kHz	512/31	42.6	Altr	0.54	0.49 0.30	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


J42283-R 26289

ID: 882885-J42283 Page: 2 Test Date: Jul. 19, 2016 DOB: Mar 30, 2016 Age: 3.6 months Report: Jul. 19, 2016

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.2	85SPL	B	HFSM IHS5157_12kH	512/23	42.6	Altr	5.28	5.08 0.33	100	100-3000Hz
2	J2BA80B.2	80SPL	B	HFSM IHS5157_12kH	512/25	42.6	Altr	5.08	4.57 0.29	100	100-3000Hz
3	J2BA75B.2	75SPL	B	HFSM IHS5157_12kH	512/20	42.6	Altr	3.60	4.45 0.26	100	100-3000Hz
4	J2BA70B.2	70SPL	B	HFSM IHS5157_12kH	512/29	42.6	Altr	2.61	4.73 0.24	100	100-3000Hz
5	J2BA65B.2	65SPL	B	HFSM IHS5157_12kH	512/20	42.6	Altr	2.36	2.22 0.42	100	100-3000Hz
6	J2BA60B.2	60SPL	B	HFSM IHS5157_12kH	512/29	42.6	Altr	1.60	2.61 0.26	100	100-3000Hz
7	J2BA55B.2	55SPL	B	HFSM IHS5157_12kH	512/22	42.6	Altr	1.65	1.73 0.34	100	100-3000Hz
8	J2BA50B.2	50SPL	B	HFSM IHS5157_12kH	512/26	42.6	Altr	1.59	2.26 0.29	100	100-3000Hz
9	J2BA45B.2	45SPL	B	HFSM IHS5157_12kH	512/23	42.6	Altr	1.36	2.80 0.21	100	100-3000Hz
10	J2BA40B.2	40SPL	B	HFSM IHS5157_12kH	512/27	42.6	Altr	1.38	1.69 0.32	100	100-3000Hz
11	J2BA35B.2	35SPL	B	HFSM IHS5157_12kH	512/24	42.6	Altr	0.74	1.21 0.25	100	100-3000Hz
12	J2BA30B.2	30SPL	B	HFSM IHS5157_12kH	512/25	42.6	Altr	0.99	1.07 0.28	100	100-3000Hz
13	J2BA25B.2	25SPL	B	HFSM IHS5157_12kH	512/20	42.6	Altr	1.02	0.88 0.42	100	100-3000Hz
14	J2BA20B.2	20SPL	B	HFSM IHS5157_12kH	512/19	42.6	Altr	1.02	0.86 0.44	100	100-3000Hz
15	J2BA15B.2	15SPL	B	HFSM IHS5157_12kH	512/24	42.6	Altr	1.10	0.60 0.24	100	100-3000Hz
16	J2BA10B.2	10SPL	B	HFSM IHS5157_12kH	512/27	42.6	Altr	0.87	0.59 0.25	100	100-3000Hz
17	J2BA5B.2	5SPL	B	HFSM IHS5157_12kH	512/26	42.6	Altr	0.87	0.97 0.31	100	100-3000Hz
18	J2BA0B.2	0SPL	B	HFSM IHS5157_12kH	512/30	42.6	Altr	0.87	0.48 0.25	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


J42283-R 26289

ID: 882885-J42283 Page: 3 Test Date: Jul. 19, 2016 DOB: Mar 30, 2016 Age: 3.6 months Report: Jul. 19, 2016

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.3	85SPL	B	HFSM IHS5157_18kH	512/23	42.6	Altr	3.11	8.25 0.13	100	100-1500Hz
2	J2BA80B.3	80SPL	B	HFSM IHS5157_18kH	512/29	42.6	Altr	2.65	3.93 0.26	100	100-1500Hz
3	J2BA75B.3	75SPL	B	HFSM IHS5157_18kH	512/31	42.6	Altr	2.10	2.42 0.41	100	100-1500Hz
4	J2BA70B.3	70SPL	B	HFSM IHS5157_18kH	512/28	42.6	Altr	1.67	2.86 0.29	100	100-1500Hz
5	J2BA65B.3	65SPL	B	HFSM IHS5157_18kH	512/29	42.6	Altr	1.55	6.01 0.11	100	100-1500Hz
6	J2BA60B.3	60SPL	B	HFSM IHS5157_18kH	512/26	42.6	Altr	1.47	2.55 0.21	100	100-1500Hz
7	J2BA55B.3	55SPL	B	HFSM IHS5157_18kH	512/31	42.6	Altr	1.39	1.59 0.32	100	100-1500Hz
8	J2BA50B.3	50SPL	B	HFSM IHS5157_18kH	512/37	42.6	Altr	0.87	1.58 0.24	100	100-1500Hz
9	J2BA45B.3	45SPL	B	HFSM IHS5157_18kH	512/26	42.6	Altr	1.13	0.93 0.35	100	100-1500Hz
10	J2BA40B.3	40SPL	B	HFSM IHS5157_18kH	512/33	42.6	Altr	0.56	1.14 0.19	100	100-1500Hz
11	J2BA35B.3	35SPL	B	HFSM IHS5157_18kH	512/29	42.6	Altr	0.57	0.59 0.25	100	100-1500Hz
12	J2BA30B.3	30SPL	B	HFSM IHS5157_18kH	512/37	42.6	Altr	0.34	0.19 0.27	100	100-1500Hz
13	J2BA25B.3	25SPL	B	HFSM IHS5157_18kH	512/34	42.6	Altr	0.61	0.43 0.21	100	100-1500Hz
14	J2BA20B.3	20SPL	B	HFSM IHS5157_18kH	512/36	42.6	Altr	0.47	1.67 0.18	100	100-1500Hz
15	J2BA15B.3	15SPL	B	HFSM IHS5157_18kH	512/32	42.6	Altr	0.55	0.52 0.30	100	100-1500Hz
16	J2BA10B.3	10SPL	B	HFSM IHS5157_18kH	512/24	42.6	Altr	1.07	1.44 0.17	100	100-1500Hz
17	J2BA5B.3	5SPL	B	HFSM IHS5157_18kH	512/33	42.6	Altr	0.94	0.93 0.25	100	100-1500Hz
18	J2BA0B.3	0SPL	B	HFSM IHS5157_18kH	512/24	42.6	Altr	0.68	0.37 0.58	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


J42283-R 26289

ID: 882885-J42283 Page: 4 Test Date: Jul. 19, 2016 DOB: Mar 30, 2016 Age: 3.6 months Report: Jul. 19, 2016

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.4	85SPL	B	HFSM IHS5157_24kH	512/25	42.6	Altr	1.86	3.24 0.28	100	100-1500Hz
2	J2BA80B.4	80SPL	B	HFSM IHS5157_24kH	512/32	42.6	Altr	1.70	2.58 0.33	100	100-1500Hz
3	J2BA75B.4	75SPL	B	HFSM IHS5157_24kH	512/30	42.6	Altr	1.73	8.04 0.11	100	100-1500Hz
4	J2BA70B.4	70SPL	B	HFSM IHS5157_24kH	512/30	42.6	Altr	1.28	1.99 0.31	100	100-1500Hz
5	J2BA65B.4	65SPL	B	HFSM IHS5157_24kH	512/28	42.6	Altr	1.12	1.62 0.27	100	100-1500Hz
6	J2BA60B.4	60SPL	B	HFSM IHS5157_24kH	512/34	42.6	Altr	1.08	2.33 0.22	100	100-1500Hz
7	J2BA55B.4	55SPL	B	HFSM IHS5157_24kH	512/29	42.6	Altr	1.17	2.22 0.25	100	100-1500Hz
8	J2BA50B.4	50SPL	B	HFSM IHS5157_24kH	512/27	42.6	Altr	0.82	2.35 0.16	100	100-1500Hz
9	J2BA45B.4	45SPL	B	HFSM IHS5157_24kH	512/33	42.6	Altr	0.80	1.47 0.23	100	100-1500Hz
10	J2BA40B.4	40SPL	B	HFSM IHS5157_24kH	512/26	42.6	Altr	0.72	1.09 0.20	100	100-1500Hz
11	J2BA35B.4	35SPL	B	HFSM IHS5157_24kH	512/27	42.6	Altr	0.98	0.64 0.28	100	100-1500Hz
12	J2BA30B.4	30SPL	B	HFSM IHS5157_24kH	512/33	42.6	Altr	0.53	0.54 0.42	100	100-1500Hz
13	J2BA25B.4	25SPL	B	HFSM IHS5157_24kH	512/31	42.6	Altr	0.62	0.38 0.52	100	100-1500Hz
14	J2BA20B.4	20SPL	B	HFSM IHS5157_24kH	512/30	42.6	Altr	0.41	0.28 0.23	100	100-1500Hz
15	J2BA15B.4	15SPL	B	HFSM IHS5157_24kH	512/29	42.6	Altr	0.73	0.83 0.20	100	100-1500Hz
16	J2BA10B.4	10SPL	B	HFSM IHS5157_24kH	512/31	42.6	Altr	0.87	0.42 0.19	100	100-1500Hz
17	J2BA5B.4	5SPL	B	HFSM IHS5157_24kH	512/35	42.6	Altr	0.57	0.94 0.17	100	100-1500Hz
18	J2BA0B.4	0SPL	B	HFSM IHS5157_24kH	512/32	42.6	Altr	0.60	0.39 0.34	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.5	85SPL	B	HFStm IHS5157_30kHz	512/34	42.6	Altr	2.05	6.35 0.18	100	100-1500Hz
2	J2BA80B.5	80SPL	B	HFStm IHS5157_30kHz	512/26	42.6	Altr	1.44	2.56 0.22	100	100-1500Hz
3	J2BA75B.5	75SPL	B	HFStm IHS5157_30kHz	512/27	42.6	Altr	1.07	1.81 0.27	100	100-1500Hz
4	J2BA70B.5	70SPL	B	HFStm IHS5157_30kHz	512/34	42.6	Altr	0.88	1.53 0.27	100	100-1500Hz
5	J2BA65B.5	65SPL	B	HFStm IHS5157_30kHz	512/35	42.6	Altr	0.69	1.05 0.19	100	100-1500Hz
6	J2BA60B.5	60SPL	B	HFStm IHS5157_30kHz	512/31	42.6	Altr	0.66	0.51 0.19	100	100-1500Hz
7	J2BA55B.5	55SPL	B	HFStm IHS5157_30kHz	512/36	42.6	Altr	0.80	0.43 0.31	100	100-1500Hz
8	J2BA50B.5	50SPL	B	HFStm IHS5157_30kHz	512/28	42.6	Altr	0.89	1.09 0.25	100	100-1500Hz
9	J2BA45B.5	45SPL	B	HFStm IHS5157_30kHz	512/33	42.6	Altr	0.81	0.79 0.30	100	100-1500Hz
10	J2BA40B.5	40SPL	B	HFStm IHS5157_30kHz	512/23	42.6	Altr	0.73	0.73 0.17	100	100-1500Hz
11	J2BA35B.5	35SPL	B	HFStm IHS5157_30kHz	512/24	42.6	Altr	1.19	0.58 0.39	100	100-1500Hz
12	J2BA30B.5	30SPL	B	HFStm IHS5157_30kHz	512/31	42.6	Altr	0.70	1.37 0.33	100	100-1500Hz
13	J2BA25B.5	25SPL	B	HFStm IHS5157_30kHz	512/29	42.6	Altr	0.69	0.45 0.41	100	100-1500Hz
14	J2BA20B.5	20SPL	B	HFStm IHS5157_30kHz	512/35	42.6	Altr	0.51	0.81 0.18	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	