



6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


D30976-B 34508

ID: 2940052-D30976 Page: 1 Test Date: Oct. 30, 2020 DOB: Jul 07, 2020 Age: 3.7 months Report: Oct. 30, 2020

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.1	85SPL	B	HFSM IHS5156_6kHz	256/18	42.6	Altr	5.02	6.93 0.44	100	100-3000Hz
2	D3BA80B.1	80SPL	B	HFSM IHS5156_6kHz	256/17	42.6	Altr	5.06	6.23 0.46	100	100-3000Hz
3	D3BA75B.1	75SPL	B	HFSM IHS5156_6kHz	256/19	42.6	Altr	4.52	7.16 0.39	100	100-3000Hz
4	D3BA70B.1	70SPL	B	HFSM IHS5156_6kHz	256/21	42.6	Altr	3.73	3.85 0.62	100	100-3000Hz
5	D3BA65B.1	65SPL	B	HFSM IHS5156_6kHz	256/14	42.6	Altr	3.34	5.06 0.39	100	100-3000Hz
6	D3BA60B.1	60SPL	B	HFSM IHS5156_6kHz	256/12	42.6	Altr	2.95	4.31 0.40	100	100-3000Hz
7	D3BA55B.1	55SPL	B	HFSM IHS5156_6kHz	256/19	42.6	Altr	2.98	2.68 0.44	100	100-3000Hz
8	D3BA50B.1	50SPL	B	HFSM IHS5156_6kHz	256/19	42.6	Altr	2.28	1.97 0.51	100	100-3000Hz
9	D3BA45B.1	45SPL	B	HFSM IHS5156_6kHz	256/17	42.6	Altr	2.27	2.09 0.41	100	100-3000Hz
10	D3BA40B.1	40SPL	B	HFSM IHS5156_6kHz	256/21	42.6	Altr	1.27	1.16 0.47	100	100-3000Hz
11	D3BA35B.1	35SPL	B	HFSM IHS5156_6kHz	256/24	42.6	Altr	1.44	0.91 0.46	100	100-3000Hz
12	D3BA30B.1	30SPL	B	HFSM IHS5156_6kHz	256/19	42.6	Altr	1.95	1.60 0.52	100	100-3000Hz
13	D3BA25B.1	25SPL	B	HFSM IHS5156_6kHz	256/16	42.6	Altr	1.40	0.94 0.45	100	100-3000Hz
14	D3BA20B.1	20SPL	B	HFSM IHS5156_6kHz	256/27	42.6	Altr	0.89	0.33 0.60	100	100-3000Hz
15	D3BA15B.1	15SPL	B	HFSM IHS5156_6kHz	256/23	42.6	Altr	0.91	0.53 0.40	100	100-3000Hz
16	D3BA10B.1	10SPL	B	HFSM IHS5156_6kHz	256/22	42.6	Altr	1.61	0.52 0.62	100	100-3000Hz
17	D3BA5B.1	5SPL	B	HFSM IHS5156_6kHz	256/18	42.6	Altr	2.20	0.51 0.62	100	100-3000Hz
18	D3BA0B.1	0SPL	B	HFSM IHS5156_6kHz	256/18	42.6	Altr	2.02	0.31 0.70	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


D30976-B 34508

ID: 2940052-D30976 Page: 2 Test Date: Oct. 30, 2020 DOB: Jul 07, 2020 Age: 3.7 months Report: Oct. 30, 2020

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.2	85SPL	B	HFStm IHS5156_12kH	256/25	42.6	Altr	4.18	7.70 0.33	100	100-3000Hz
2	D3BA80B.2	80SPL	B	HFStm IHS5156_12kH	256/17	42.6	Altr	3.58	5.27 0.41	100	100-3000Hz
3	D3BA75B.2	75SPL	B	HFStm IHS5156_12kH	256/18	42.6	Altr	3.52	5.30 0.33	100	100-3000Hz
4	D3BA70B.2	70SPL	B	HFStm IHS5156_12kH	256/22	42.6	Altr	2.20	3.87 0.32	100	100-3000Hz
5	D3BA65B.2	65SPL	B	HFStm IHS5156_12kH	256/15	42.6	Altr	1.66	1.93 0.51	100	100-3000Hz
6	D3BA60B.2	60SPL	B	HFStm IHS5156_12kH	256/21	42.6	Altr	1.90	2.09 0.44	100	100-3000Hz
7	D3BA55B.2	55SPL	B	HFStm IHS5156_12kH	256/19	42.6	Altr	2.24	2.42 0.41	100	100-3000Hz
8	D3BA50B.2	50SPL	B	HFStm IHS5156_12kH	256/16	42.6	Altr	1.74	1.86 0.32	100	100-3000Hz
9	D3BA45B.2	45SPL	B	HFStm IHS5156_12kH	256/22	42.6	Altr	1.53	0.80 0.52	100	100-3000Hz
10	D3BA40B.2	40SPL	B	HFStm IHS5156_12kH	256/20	42.6	Altr	1.63	0.68 0.82	100	100-3000Hz
11	D3BA35B.2	35SPL	B	HFStm IHS5156_12kH	256/17	42.6	Altr	2.19	1.04 0.56	100	100-3000Hz
12	D3BA30B.2	30SPL	B	HFStm IHS5156_12kH	256/18	42.6	Altr	1.89	0.98 0.72	100	100-3000Hz
13	D3BA25B.2	25SPL	B	HFStm IHS5156_12kH	256/17	42.6	Altr	1.16	0.39 0.75	100	100-3000Hz
14	D3BA20B.2	20SPL	B	HFStm IHS5156_12kH	256/20	42.6	Altr	1.57	0.72 0.64	100	100-3000Hz
15	D3BA15B.2	15SPL	B	HFStm IHS5156_12kH	256/21	42.6	Altr	1.19	0.32 0.75	100	100-3000Hz
16	D3BA10B.2	10SPL	B	HFStm IHS5156_12kH	256/18	42.6	Altr	1.50	0.62 0.35	100	100-3000Hz
17	D3BA5B.2	5SPL	B	HFStm IHS5156_12kH	256/14	42.6	Altr	1.60	0.40 0.70	100	100-3000Hz
18	D3BA0B.2	0SPL	B	HFStm IHS5156_12kH	256/17	42.6	Altr	1.26	0.46 0.47	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


D30976-B 34508

ID: 2940052-D30976 Page: 3 Test Date: Oct. 30, 2020 DOB: Jul 07, 2020 Age: 3.7 months Report: Oct. 30, 2020

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.3	85SPL	B	HFStm IHS5156_18kH	256/15	42.6	Altr	3.16	6.30 0.34	100	100-1500Hz
2	D3BA80B.3	80SPL	B	HFStm IHS5156_18kH	256/23	42.6	Altr	2.71	4.33 0.40	100	100-1500Hz
3	D3BA75B.3	75SPL	B	HFStm IHS5156_18kH	256/20	42.6	Altr	2.51	2.33 0.68	100	100-1500Hz
4	D3BA70B.3	70SPL	B	HFStm IHS5156_18kH	256/24	42.6	Altr	2.43	2.13 0.70	100	100-1500Hz
5	D3BA65B.3	65SPL	B	HFStm IHS5156_18kH	256/21	42.6	Altr	2.02	2.87 0.44	100	100-1500Hz
6	D3BA60B.3	60SPL	B	HFStm IHS5156_18kH	256/20	42.6	Altr	1.72	2.53 0.40	100	100-1500Hz
7	D3BA55B.3	55SPL	B	HFStm IHS5156_18kH	256/21	42.6	Altr	1.68	2.03 0.52	100	100-1500Hz
8	D3BA50B.3	50SPL	B	HFStm IHS5156_18kH	256/18	42.6	Altr	1.73	1.73 0.34	100	100-1500Hz
9	D3BA45B.3	45SPL	B	HFStm IHS5156_18kH	256/24	42.6	Altr	0.91	1.50 0.30	100	100-1500Hz
10	D3BA40B.3	40SPL	B	HFStm IHS5156_18kH	256/10	42.6	Altr	2.24	1.81 0.27	100	100-1500Hz
11	D3BA35B.3	35SPL	B	HFStm IHS5156_18kH	256/20	42.6	Altr	1.17	1.21 0.30	100	100-1500Hz
12	D3BA35B.4	35SPL	B	HFStm IHS5156_18kH	256/12	42.6	Altr	1.43	1.04 0.35	100	100-1500Hz
13	D3BA30B.3	30SPL	B	HFStm IHS5156_18kH	256/21	42.6	Altr	1.24	1.11 0.44	100	100-1500Hz
14	D3BA25B.3	25SPL	B	HFStm IHS5156_18kH	256/10	42.6	Altr	1.14	0.22 0.78	100	100-1500Hz
15	D3BA20B.3	20SPL	B	HFStm IHS5156_18kH	256/28	42.6	Altr	0.87	0.56 0.30	100	100-1500Hz
16	D3BA15B.3	15SPL	B	HFStm IHS5156_18kH	256/12	42.6	Altr	2.02	0.74 0.58	100	100-1500Hz
17	D3BA10B.3	10SPL	B	HFStm IHS5156_18kH	256/13	42.6	Altr	1.02	0.47 0.37	100	100-1500Hz
18	D3BA5B.3	5SPL	B	HFStm IHS5156_18kH	256/21	42.6	Altr	0.89	0.73 0.27	100	100-1500Hz
19	D3BA0B.3	0SPL	B	HFStm IHS5156_18kH	256/18	42.6	Altr	0.90	0.25 0.52	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	35	B	
13	30	B	
14	25	B	
15	20	B	
16	15	B	
17	10	B	
18	5	B	
19	0	B	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


D30976-B 34508

ID: 2940052-D30976 Page: 4 Test Date: Oct. 30, 2020 DOB: Jul 07, 2020 Age: 3.7 months Report: Oct. 30, 2020

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.4	85SPL	B	HFStm IHS5156_24kH	256/21	42.6	Altr	3.84	4.31 0.62	100	100-1500Hz
2	D3BA80B.4	80SPL	B	HFStm IHS5156_24kH	256/25	42.6	Altr	3.11	7.81 0.29	100	100-1500Hz
3	D3BA75B.4	75SPL	B	HFStm IHS5156_24kH	256/22	42.6	Altr	2.51	5.45 0.32	100	100-1500Hz
4	D3BA70B.4	70SPL	B	HFStm IHS5156_24kH	256/24	42.6	Altr	2.57	3.25 0.53	100	100-1500Hz
5	D3BA65B.4	65SPL	B	HFStm IHS5156_24kH	256/18	42.6	Altr	2.26	2.30 0.69	100	100-1500Hz
6	D3BA60B.4	60SPL	B	HFStm IHS5156_24kH	256/20	42.6	Altr	1.80	1.85 0.63	100	100-1500Hz
7	D3BA55B.4	55SPL	B	HFStm IHS5156_24kH	256/23	42.6	Altr	1.51	2.36 0.46	100	100-1500Hz
8	D3BA50B.4	50SPL	B	HFStm IHS5156_24kH	256/25	42.6	Altr	0.99	1.62 0.35	100	100-1500Hz
9	D3BA45B.4	45SPL	B	HFStm IHS5156_24kH	256/20	42.6	Altr	1.26	1.05 0.43	100	100-1500Hz
10	D3BA40B.4	40SPL	B	HFStm IHS5156_24kH	256/20	42.6	Altr	0.86	0.72 0.28	100	100-1500Hz
11	D3BA35B.5	35SPL	B	HFStm IHS5156_24kH	256/21	42.6	Altr	0.78	0.39 0.22	100	100-1500Hz
12	D3BA30B.4	30SPL	B	HFStm IHS5156_24kH	256/19	42.6	Altr	0.91	0.40 0.37	100	100-1500Hz
13	D3BA25B.4	25SPL	B	HFStm IHS5156_24kH	256/19	42.6	Altr	1.12	0.40 0.32	100	100-1500Hz
14	D3BA20B.4	20SPL	B	HFStm IHS5156_24kH	256/15	42.6	Altr	1.06	0.46 0.38	100	100-1500Hz
15	D3BA15B.4	15SPL	B	HFStm IHS5156_24kH	256/18	42.6	Altr	1.21	0.32 0.85	100	100-1500Hz
16	D3BA10B.4	10SPL	B	HFStm IHS5156_24kH	256/21	42.6	Altr	0.70	0.22 0.86	100	100-1500Hz
17	D3BA5B.4	5SPL	B	HFStm IHS5156_24kH	256/22	42.6	Altr	1.17	0.62 0.26	100	100-1500Hz
18	D3BA0B.4	0SPL	B	HFStm IHS5156_24kH	256/17	42.6	Altr	0.78	0.65 0.39	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.5	85SPL	B	HFStm IHS5156_30kH	256/21	42.6	Altr	3.42	7.68 0.29	100	100-1500Hz
2	D3BA80B.5	80SPL	B	HFStm IHS5156_30kH	256/23	42.6	Altr	2.61	7.02 0.24	100	100-1500Hz
3	D3BA75B.5	75SPL	B	HFStm IHS5156_30kH	256/28	42.6	Altr	2.00	2.65 0.44	100	100-1500Hz
4	D3BA70B.5	70SPL	B	HFStm IHS5156_30kH	256/25	42.6	Altr	1.34	1.72 0.43	100	100-1500Hz
5	D3BA65B.5	65SPL	B	HFStm IHS5156_30kH	256/21	42.6	Altr	1.44	1.56 0.42	100	100-1500Hz
6	D3BA60B.5	60SPL	B	HFStm IHS5156_30kH	256/22	42.6	Altr	1.24	1.41 0.39	100	100-1500Hz
7	D3BA55B.5	55SPL	B	HFStm IHS5156_30kH	256/19	42.6	Altr	1.05	0.58 0.40	100	100-1500Hz
8	D3BA50B.5	50SPL	B	HFStm IHS5156_30kH	256/24	42.6	Altr	0.67	0.94 0.42	100	100-1500Hz
9	D3BA45B.5	45SPL	B	HFStm IHS5156_30kH	256/24	42.6	Altr	0.66	0.43 0.49	100	100-1500Hz
10	D3BA40B.5	40SPL	B	HFStm IHS5156_30kH	256/20	42.6	Altr	1.16	1.00 0.23	100	100-1500Hz
11	D3BA35B.6	35SPL	B	HFStm IHS5156_30kH	256/18	42.6	Altr	1.06	0.55 0.37	100	100-1500Hz
12	D3BA30B.5	30SPL	B	HFStm IHS5156_30kH	256/29	42.6	Altr	0.69	0.35 0.72	100	100-1500Hz
13	D3BA25B.5	25SPL	B	HFStm IHS5156_30kH	256/17	42.6	Altr	1.28	0.21 0.94	100	100-1500Hz
14	D3BA20B.5	20SPL	B	HFStm IHS5156_30kH	256/17	42.6	Altr	1.20	0.68 0.27	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	