



6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


J28368-L 5304

ID: 757745-J28368 Page: 1 Test Date: Apr. 12, 2016 DOB: Dec 22, 2015 Age: 3.8 months Report: Apr. 12, 2016

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J5BA85B.1	85SPL	B	HFSM IHS5157_6kHz	512/29	42.6	Altr	3.10	2.43 0.70	100	100-3000Hz
2	J5BA80B.1	80SPL	B	HFSM IHS5157_6kHz	512/28	42.6	Altr	3.35	4.07 0.44	100	100-3000Hz
3	J5BA75B.1	75SPL	B	HFSM IHS5157_6kHz	512/26	42.6	Altr	2.72	5.08 0.31	100	100-3000Hz
4	J5BA70B.1	70SPL	B	HFSM IHS5157_6kHz	512/35	42.6	Altr	2.12	3.67 0.34	100	100-3000Hz
5	J5BA65B.1	65SPL	B	HFSM IHS5157_6kHz	512/32	42.6	Altr	1.14	2.48 0.31	100	100-3000Hz
6	J5BA60B.1	60SPL	B	HFSM IHS5157_6kHz	512/29	42.6	Altr	1.45	2.60 0.30	100	100-3000Hz
7	J5BA55B.1	55SPL	B	HFSM IHS5157_6kHz	512/32	42.6	Altr	0.78	2.43 0.22	100	100-3000Hz
8	J5BA50B.1	50SPL	B	HFSM IHS5157_6kHz	512/26	42.6	Altr	1.21	2.12 0.25	100	100-3000Hz
9	J5BA45B.1	45SPL	B	HFSM IHS5157_6kHz	512/30	42.6	Altr	0.68	0.82 0.39	100	100-3000Hz
10	J5BA40B.1	40SPL	B	HFSM IHS5157_6kHz	512/29	42.6	Altr	1.00	0.81 0.24	100	100-3000Hz
11	J5BA35B.1	35SPL	B	HFSM IHS5157_6kHz	512/34	42.6	Altr	0.95	0.70 0.34	100	100-3000Hz
12	J5BA30B.1	30SPL	B	HFSM IHS5157_6kHz	512/28	42.6	Altr	0.99	0.89 0.22	100	100-3000Hz
13	J5BA25B.1	25SPL	B	HFSM IHS5157_6kHz	512/28	42.6	Altr	1.16	0.97 0.29	100	100-3000Hz
14	J5BA20B.1	20SPL	B	HFSM IHS5157_6kHz	512/28	42.6	Altr	0.78	0.30 0.43	100	100-3000Hz
15	J5BA15B.1	15SPL	B	HFSM IHS5157_6kHz	512/25	42.6	Altr	1.25	0.94 0.24	100	100-3000Hz
16	J5BA10B.1	10SPL	B	HFSM IHS5157_6kHz	512/25	42.6	Altr	0.69	0.95 0.17	100	100-3000Hz
17	J5BA5B.1	5SPL	B	HFSM IHS5157_6kHz	512/29	42.6	Altr	0.95	0.72 0.23	100	100-3000Hz
18	J5BA0B.1	0SPL	B	HFSM IHS5157_6kHz	512/33	42.6	Altr	0.95	0.24 0.54	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


J28368-L 5304

ID: 757745-J28368 Page: 2 Test Date: Apr. 12, 2016 DOB: Dec 22, 2015 Age: 3.8 months Report: Apr. 12, 2016

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J5BA85B.2	85SPL	B	HFSM IHS5157_12kH	512/32	42.6	Altr	3.19	10.96 0.17	100	100-3000Hz
2	J5BA80B.2	80SPL	B	HFSM IHS5157_12kH	512/31	42.6	Altr	3.06	7.29 0.26	100	100-3000Hz
3	J5BA75B.2	75SPL	B	HFSM IHS5157_12kH	512/26	42.6	Altr	2.63	7.52 0.21	100	100-3000Hz
4	J5BA70B.2	70SPL	B	HFSM IHS5157_12kH	512/35	42.6	Altr	2.03	4.47 0.29	100	100-3000Hz
5	J5BA65B.2	65SPL	B	HFSM IHS5157_12kH	512/31	42.6	Altr	1.36	2.09 0.39	100	100-3000Hz
6	J5BA60B.2	60SPL	B	HFSM IHS5157_12kH	512/29	42.6	Altr	1.69	3.54 0.22	100	100-3000Hz
7	J5BA55B.2	55SPL	B	HFSM IHS5157_12kH	512/31	42.6	Altr	1.54	2.42 0.27	100	100-3000Hz
8	J5BA50B.2	50SPL	B	HFSM IHS5157_12kH	512/32	42.6	Altr	1.13	2.02 0.29	100	100-3000Hz
9	J5BA45B.2	45SPL	B	HFSM IHS5157_12kH	512/27	42.6	Altr	1.57	2.94 0.17	100	100-3000Hz
10	J5BA40B.2	40SPL	B	HFSM IHS5157_12kH	512/34	42.6	Altr	1.08	1.26 0.44	100	100-3000Hz
11	J5BA35B.2	35SPL	B	HFSM IHS5157_12kH	512/28	42.6	Altr	1.17	1.97 0.25	100	100-3000Hz
12	J5BA30B.2	30SPL	B	HFSM IHS5157_12kH	512/36	42.6	Altr	0.57	1.17 0.24	100	100-3000Hz
13	J5BA25B.2	25SPL	B	HFSM IHS5157_12kH	512/27	42.6	Altr	0.94	0.56 0.35	100	100-3000Hz
14	J5BA20B.2	20SPL	B	HFSM IHS5157_12kH	512/28	42.6	Altr	0.76	0.89 0.24	100	100-3000Hz
15	J5BA15B.2	15SPL	B	HFSM IHS5157_12kH	512/31	42.6	Altr	0.77	0.57 0.30	100	100-3000Hz
16	J5BA10B.2	10SPL	B	HFSM IHS5157_12kH	512/25	42.6	Altr	0.83	0.75 0.21	100	100-3000Hz
17	J5BA5B.2	5SPL	B	HFSM IHS5157_12kH	512/25	42.6	Altr	0.89	0.73 0.28	100	100-3000Hz
18	J5BA0B.2	0SPL	B	HFSM IHS5157_12kH	512/32	42.6	Altr	0.63	0.29 0.37	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


J28368-L 5304

ID: 757745-J28368 Page: 3 Test Date: Apr. 12, 2016 DOB: Dec 22, 2015 Age: 3.8 months Report: Apr. 12, 2016

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J5BA85B.3	85SPL	B	HFSM IHS5157_18kH	512/30	42.6	Altr	2.58	2.56 0.64	100	100-1500Hz
2	J5BA80B.3	80SPL	B	HFSM IHS5157_18kH	512/36	42.6	Altr	2.32	6.52 0.22	100	100-1500Hz
3	J5BA75B.3	75SPL	B	HFSM IHS5157_18kH	512/29	42.6	Altr	2.21	4.49 0.32	100	100-1500Hz
4	J5BA70B.3	70SPL	B	HFSM IHS5157_18kH	512/31	42.6	Altr	1.72	5.28 0.22	100	100-1500Hz
5	J5BA65B.3	65SPL	B	HFSM IHS5157_18kH	512/28	42.6	Altr	1.77	6.82 0.15	100	100-1500Hz
6	J5BA60B.3	60SPL	B	HFSM IHS5157_18kH	512/33	42.6	Altr	1.31	5.60 0.16	100	100-1500Hz
7	J5BA55B.3	55SPL	B	HFSM IHS5157_18kH	512/35	42.6	Altr	1.06	1.91 0.35	100	100-1500Hz
8	J5BA50B.3	50SPL	B	HFSM IHS5157_18kH	512/30	42.6	Altr	1.24	1.33 0.36	100	100-1500Hz
9	J5BA45B.3	45SPL	B	HFSM IHS5157_18kH	512/27	42.6	Altr	1.44	2.47 0.24	100	100-1500Hz
10	J5BA40B.3	40SPL	B	HFSM IHS5157_18kH	512/26	42.6	Altr	1.11	1.52 0.31	100	100-1500Hz
11	J5BA35B.3	35SPL	B	HFSM IHS5157_18kH	512/34	42.6	Altr	0.91	0.63 0.30	100	100-1500Hz
12	J5BA30B.3	30SPL	B	HFSM IHS5157_18kH	512/30	42.6	Altr	0.74	0.71 0.19	100	100-1500Hz
13	J5BA25B.3	25SPL	B	HFSM IHS5157_18kH	512/36	42.6	Altr	0.66	0.69 0.16	100	100-1500Hz
14	J5BA20B.3	20SPL	B	HFSM IHS5157_18kH	512/32	42.6	Altr	0.91	0.98 0.19	100	100-1500Hz
15	J5BA15B.3	15SPL	B	HFSM IHS5157_18kH	512/28	42.6	Altr	0.66	0.71 0.18	100	100-1500Hz
16	J5BA10B.3	10SPL	B	HFSM IHS5157_18kH	512/33	42.6	Altr	0.61	0.70 0.25	100	100-1500Hz
17	J5BA5B.3	5SPL	B	HFSM IHS5157_18kH	512/27	42.6	Altr	0.65	0.18 0.78	100	100-1500Hz
18	J5BA0B.3	0SPL	B	HFSM IHS5157_18kH	512/37	42.6	Altr	0.62	0.48 0.22	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


J28368-L 5304

ID: 757745-J28368 Page: 4 Test Date: Apr. 12, 2016 DOB: Dec 22, 2015 Age: 3.8 months Report: Apr. 12, 2016

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J5BA85B.4	85SPL	B	HFSM IHS5157_24kH	512/34	42.6	Altr	2.53	6.56 0.26	100	100-1500Hz
2	J5BA80B.4	80SPL	B	HFSM IHS5157_24kH	512/35	42.6	Altr	2.30	7.40 0.21	100	100-1500Hz
3	J5BA75B.4	75SPL	B	HFSM IHS5157_24kH	512/33	42.6	Altr	2.31	3.09 0.50	100	100-1500Hz
4	J5BA70B.4	70SPL	B	HFSM IHS5157_24kH	512/30	42.6	Altr	1.98	2.49 0.51	100	100-1500Hz
5	J5BA65B.4	65SPL	B	HFSM IHS5157_24kH	512/33	42.6	Altr	1.89	4.62 0.28	100	100-1500Hz
6	J5BA60B.4	60SPL	B	HFSM IHS5157_24kH	512/30	42.6	Altr	1.69	5.01 0.25	100	100-1500Hz
7	J5BA55B.4	55SPL	B	HFSM IHS5157_24kH	512/31	42.6	Altr	1.32	1.53 0.53	100	100-1500Hz
8	J5BA50B.4	50SPL	B	HFSM IHS5157_24kH	512/37	42.6	Altr	1.03	3.53 0.20	100	100-1500Hz
9	J5BA45B.4	45SPL	B	HFSM IHS5157_24kH	512/36	42.6	Altr	1.05	3.34 0.21	100	100-1500Hz
10	J5BA40B.4	40SPL	B	HFSM IHS5157_24kH	512/28	42.6	Altr	1.42	1.12 0.56	100	100-1500Hz
11	J5BA35B.4	35SPL	B	HFSM IHS5157_24kH	512/35	42.6	Altr	1.00	1.97 0.27	100	100-1500Hz
12	J5BA30B.4	30SPL	B	HFSM IHS5157_24kH	512/35	42.6	Altr	0.89	1.26 0.30	100	100-1500Hz
13	J5BA25B.4	25SPL	B	HFSM IHS5157_24kH	512/33	42.6	Altr	0.71	0.53 0.39	100	100-1500Hz
14	J5BA20B.4	20SPL	B	HFSM IHS5157_24kH	512/30	42.6	Altr	0.90	0.55 0.23	100	100-1500Hz
15	J5BA15B.4	15SPL	B	HFSM IHS5157_24kH	512/37	42.6	Altr	0.55	0.17 0.47	100	100-1500Hz
16	J5BA10B.4	10SPL	B	HFSM IHS5157_24kH	512/32	42.6	Altr	1.09	0.45 0.54	100	100-1500Hz
17	J5BA5B.4	5SPL	B	HFSM IHS5157_24kH	512/34	42.6	Altr	0.74	0.51 0.22	100	100-1500Hz
18	J5BA0B.4	0SPL	B	HFSM IHS5157_24kH	512/31	42.6	Altr	1.39	0.33 0.21	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J5BA85B.5	85SPL	B	HFStm IHS5157_30kH	512/34	42.6	Altr	1.78	2.49 0.52	100	100-1500Hz
2	J5BA80B.5	80SPL	B	HFStm IHS5157_30kH	512/32	42.6	Altr	2.08	5.39 0.28	100	100-1500Hz
3	J5BA75B.5	75SPL	B	HFStm IHS5157_30kH	512/36	42.6	Altr	1.57	6.63 0.17	100	100-1500Hz
4	J5BA70B.5	70SPL	B	HFStm IHS5157_30kH	512/36	42.6	Altr	1.42	3.85 0.24	100	100-1500Hz
5	J5BA65B.5	65SPL	B	HFStm IHS5157_30kH	512/37	42.6	Altr	1.01	1.07 0.45	100	100-1500Hz
6	J5BA60B.5	60SPL	B	HFStm IHS5157_30kH	512/38	42.6	Altr	0.73	0.53 0.30	100	100-1500Hz
7	J5BA55B.5	55SPL	B	HFStm IHS5157_30kH	512/30	42.6	Altr	1.31	0.58 0.56	100	100-1500Hz
8	J5BA50B.5	50SPL	B	HFStm IHS5157_30kH	512/33	42.6	Altr	0.75	0.51 0.35	100	100-1500Hz
9	J5BA45B.5	45SPL	B	HFStm IHS5157_30kH	512/32	42.6	Altr	1.44	0.42 0.73	100	100-1500Hz
10	J5BA40B.5	40SPL	B	HFStm IHS5157_30kH	512/36	42.6	Altr	0.65	0.51 0.15	100	100-1500Hz
11	J5BA35B.5	35SPL	B	HFStm IHS5157_30kH	512/40	42.6	Altr	0.71	0.26 0.41	100	100-1500Hz
12	J5BA30B.5	30SPL	B	HFStm IHS5157_30kH	512/41	42.6	Altr	0.51	0.24 0.52	100	100-1500Hz
13	J5BA25B.5	25SPL	B	HFStm IHS5157_30kH	512/36	42.6	Altr	0.69	0.32 0.41	100	100-1500Hz
14	J5BA20B.5	20SPL	B	HFStm IHS5157_30kH	512/39	42.6	Altr	0.78	0.31 0.30	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	