




6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R87225-L 32826

ID: 2613475-R87225 Page: 1 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


R87225-L 32826

ID: 2613475-R87225 Page: 1 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.1	85SPL	B	HFStm	IHS5157_6kHz	256/18	42.6	Altr	3.13	1.69 0.94	100	100-3000Hz
2	R3BA80B.1	80SPL	B	HFStm	IHS5157_6kHz	256/18	42.6	Altr	3.20	2.94 0.56	100	100-3000Hz
3	R3BA75B.1	75SPL	B	HFStm	IHS5157_6kHz	256/19	42.6	Altr	3.23	2.82 0.59	100	100-3000Hz
4	R3BA70B.1	70SPL	B	HFStm	IHS5157_6kHz	256/19	42.6	Altr	2.46	3.19 0.42	100	100-3000Hz
5	R3BA65B.1	65SPL	B	HFStm	IHS5157_6kHz	256/17	42.6	Altr	2.11	2.12 0.49	100	100-3000Hz
6	R3BA60B.1	60SPL	B	HFStm	IHS5157_6kHz	256/18	42.6	Altr	1.35	1.22 0.50	100	100-3000Hz
7	R3BA55B.1	55SPL	B	HFStm	IHS5157_6kHz	256/20	42.6	Altr	1.29	0.94 0.59	100	100-3000Hz
8	R3BA50B.1	50SPL	B	HFStm	IHS5157_6kHz	256/13	42.6	Altr	1.80	1.31 0.34	100	100-3000Hz
9	R3BA45B.1	45SPL	B	HFStm	IHS5157_6kHz	256/21	42.6	Altr	1.63	1.28 0.38	100	100-3000Hz
10	R3BA40B.1	40SPL	B	HFStm	IHS5157_6kHz	256/16	42.6	Altr	1.27	0.94 0.44	100	100-3000Hz
11	R3BA35B.1	35SPL	B	HFStm	IHS5157_6kHz	256/20	42.6	Altr	1.56	1.30 0.48	100	100-3000Hz
12	R3BA30B.1	30SPL	B	HFStm	IHS5157_6kHz	256/20	42.6	Altr	0.95	0.75 0.53	100	100-3000Hz
13	R3BA25B.1	25SPL	B	HFStm	IHS5157_6kHz	256/16	42.6	Altr	1.14	0.77 0.43	100	100-3000Hz
14	R3BA20B.1	20SPL	B	HFStm	IHS5157_6kHz	256/18	42.6	Altr	1.83	0.30 0.58	100	100-3000Hz
15	R3BA15B.1	15SPL	B	HFStm	IHS5157_6kHz	256/18	42.6	Altr	1.28	0.30 0.79	100	100-3000Hz
16	R3BA10B.1	10SPL	B	HFStm	IHS5157_6kHz	256/18	42.6	Altr	0.70	0.23 0.80	100	100-3000Hz
17	R3BA5B.1	5SPL	B	HFStm	IHS5157_6kHz	256/17	42.6	Altr	1.11	0.50 0.47	100	100-3000Hz
18	R3BA0B.1	0SPL	B	HFStm	IHS5157_6kHz	256/19	42.6	Altr	1.23	0.98 0.33	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R87225-L 32826

ID: 2613475-R87225 Page: 2 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.2	85SPL	B	HFStm	IHS5157_12kH	256/17	42.6	Altr	4.34	2.35 0.76	100	100-3000Hz
2	R3BA80B.2	80SPL	B	HFStm	IHS5157_12kH	256/19	42.6	Altr	3.56	3.29 0.50	100	100-3000Hz
3	R3BA75B.2	75SPL	B	HFStm	IHS5157_12kH	256/17	42.6	Altr	3.20	3.51 0.46	100	100-3000Hz
4	R3BA70B.2	70SPL	B	HFStm	IHS5157_12kH	256/21	42.6	Altr	3.25	4.32 0.40	100	100-3000Hz
5	R3BA65B.2	65SPL	B	HFStm	IHS5157_12kH	256/19	42.6	Altr	2.31	2.54 0.46	100	100-3000Hz
6	R3BA60B.2	60SPL	B	HFStm	IHS5157_12kH	256/19	42.6	Altr	2.26	2.85 0.30	100	100-3000Hz
7	R3BA55B.2	55SPL	B	HFStm	IHS5157_12kH	256/19	42.6	Altr	1.85	2.16 0.36	100	100-3000Hz
8	R3BA50B.2	50SPL	B	HFStm	IHS5157_12kH	256/15	42.6	Altr	2.15	2.78 0.38	100	100-3000Hz
9	R3BA45B.2	45SPL	B	HFStm	IHS5157_12kH	256/19	42.6	Altr	2.12	2.05 0.40	100	100-3000Hz
10	R3BA40B.2	40SPL	B	HFStm	IHS5157_12kH	256/16	42.6	Altr	1.66	1.10 0.50	100	100-3000Hz
11	R3BA35B.2	35SPL	B	HFStm	IHS5157_12kH	256/18	42.6	Altr	1.70	1.68 0.44	100	100-3000Hz
12	R3BA30B.2	30SPL	B	HFStm	IHS5157_12kH	256/16	42.6	Altr	1.47	0.65 0.63	100	100-3000Hz
13	R3BA25B.2	25SPL	B	HFStm	IHS5157_12kH	256/20	42.6	Altr	1.26	0.89 0.66	100	100-3000Hz
14	R3BA20B.2	20SPL	B	HFStm	IHS5157_12kH	256/17	42.6	Altr	1.48	1.24 0.42	100	100-3000Hz
15	R3BA15B.2	15SPL	B	HFStm	IHS5157_12kH	256/19	42.6	Altr	1.44	0.85 0.44	100	100-3000Hz
16	R3BA10B.2	10SPL	B	HFStm	IHS5157_12kH	256/20	42.6	Altr	1.02	0.46 0.57	100	100-3000Hz
17	R3BA5B.2	5SPL	B	HFStm	IHS5157_12kH	256/18	42.6	Altr	1.38	0.57 0.49	100	100-3000Hz
18	R3BA0B.2	0SPL	B	HFStm	IHS5157_12kH	256/18	42.6	Altr	1.66	0.67 0.45	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R87225-L 32826

ID: 2613475-R87225 Page: 3 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R87225-L 32826

ID: 2613475-R87225 Page: 3 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.3	85SPL	B	HFStm	IHS5157_18kH	256/21	42.6	Altr	2.90	6.34 0.26	100	100-1500Hz
2	R3BA80B.3	80SPL	B	HFStm	IHS5157_18kH	256/20	42.6	Altr	2.80	3.59 0.47	100	100-1500Hz
3	R3BA75B.3	75SPL	B	HFStm	IHS5157_18kH	256/21	42.6	Altr	2.76	3.65 0.47	100	100-1500Hz
4	R3BA70B.3	70SPL	B	HFStm	IHS5157_18kH	256/22	42.6	Altr	2.31	2.56 0.55	100	100-1500Hz
5	R3BA65B.3	65SPL	B	HFStm	IHS5157_18kH	256/18	42.6	Altr	2.53	3.45 0.44	100	100-1500Hz
6	R3BA60B.3	60SPL	B	HFStm	IHS5157_18kH	256/16	42.6	Altr	1.97	3.71 0.30	100	100-1500Hz
7	R3BA55B.3	55SPL	B	HFStm	IHS5157_18kH	256/23	42.6	Altr	2.18	2.24 0.56	100	100-1500Hz
8	R3BA50B.3	50SPL	B	HFStm	IHS5157_18kH	256/23	42.6	Altr	1.60	2.50 0.37	100	100-1500Hz
9	R3BA45B.3	45SPL	B	HFStm	IHS5157_18kH	256/19	42.6	Altr	1.37	3.17 0.19	100	100-1500Hz
10	R3BA40B.3	40SPL	B	HFStm	IHS5157_18kH	256/20	42.6	Altr	1.39	1.96 0.33	100	100-1500Hz
11	R3BA35B.3	35SPL	B	HFStm	IHS5157_18kH	256/19	42.6	Altr	0.89	0.47 0.79	100	100-1500Hz
12	R3BA30B.3	30SPL	B	HFStm	IHS5157_18kH	256/22	42.6	Altr	0.84	1.25 0.26	100	100-1500Hz
13	R3BA25B.3	25SPL	B	HFStm	IHS5157_18kH	256/23	42.6	Altr	0.86	1.17 0.26	100	100-1500Hz
14	R3BA20B.3	20SPL	B	HFStm	IHS5157_18kH	256/16	42.6	Altr	1.35	1.97 0.26	100	100-1500Hz
15	R3BA15B.3	15SPL	B	HFStm	IHS5157_18kH	256/22	42.6	Altr	0.96	0.66 0.35	100	100-1500Hz
16	R3BA10B.3	10SPL	B	HFStm	IHS5157_18kH	256/21	42.6	Altr	0.75	0.47 0.60	100	100-1500Hz
17	R3BA5B.3	5SPL	B	HFStm	IHS5157_18kH	256/15	42.6	Altr	1.45	0.74 0.46	100	100-1500Hz
18	R3BA0B.3	0SPL	B	HFStm	IHS5157_18kH	256/22	42.6	Altr	0.72	0.56 0.39	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R87225-L 32826

ID: 2613475-R87225 Page: 4 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R87225-L 32826

ID: 2613475-R87225 Page: 4 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.4	85SPL	B	HFStm	IHS5157_24kH	256/21	42.6	Altr	2.58	4.43 0.32	100	100-1500Hz
2	R3BA80B.4	80SPL	B	HFStm	IHS5157_24kH	256/18	42.6	Altr	2.00	3.14 0.33	100	100-1500Hz
3	R3BA75B.4	75SPL	B	HFStm	IHS5157_24kH	256/21	42.6	Altr	2.31	2.00 0.65	100	100-1500Hz
4	R3BA70B.4	70SPL	B	HFStm	IHS5157_24kH	256/20	42.6	Altr	2.19	2.95 0.40	100	100-1500Hz
5	R3BA65B.4	65SPL	B	HFStm	IHS5157_24kH	256/22	42.6	Altr	2.11	2.25 0.57	100	100-1500Hz
6	R3BA60B.4	60SPL	B	HFStm	IHS5157_24kH	256/17	42.6	Altr	1.84	4.85 0.24	100	100-1500Hz
7	R3BA55B.4	55SPL	B	HFStm	IHS5157_24kH	256/20	42.6	Altr	1.68	2.70 0.35	100	100-1500Hz
8	R3BA50B.4	50SPL	B	HFStm	IHS5157_24kH	256/20	42.6	Altr	1.44	3.52 0.25	100	100-1500Hz
9	R3BA45B.4	45SPL	B	HFStm	IHS5157_24kH	256/25	42.6	Altr	1.28	2.88 0.29	100	100-1500Hz
10	R3BA40B.4	40SPL	B	HFStm	IHS5157_24kH	256/20	42.6	Altr	1.01	1.23 0.28	100	100-1500Hz
11	R3BA35B.4	35SPL	B	HFStm	IHS5157_24kH	256/20	42.6	Altr	0.91	0.80 0.26	100	100-1500Hz
12	R3BA30B.4	30SPL	B	HFStm	IHS5157_24kH	256/19	42.6	Altr	1.01	0.73 0.44	100	100-1500Hz
13	R3BA25B.4	25SPL	B	HFStm	IHS5157_24kH	256/22	42.6	Altr	0.56	0.30 0.50	100	100-1500Hz
14	R3BA20B.4	20SPL	B	HFStm	IHS5157_24kH	256/23	42.6	Altr	0.71	0.77 0.30	100	100-1500Hz
15	R3BA15B.4	15SPL	B	HFStm	IHS5157_24kH	256/20	42.6	Altr	0.74	0.22 0.50	100	100-1500Hz
16	R3BA10B.4	10SPL	B	HFStm	IHS5157_24kH	256/17	42.6	Altr	0.91	0.28 0.65	100	100-1500Hz
17	R3BA5B.4	5SPL	B	HFStm	IHS5157_24kH	256/18	42.6	Altr	1.15	0.66 0.39	100	100-1500Hz
18	R3BA0B.4	0SPL	B	HFStm	IHS5157_24kH	256/18	42.6	Altr	0.85	0.76 0.32	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R87225-L 32826

ID: 2613475-R87225 Page: 5 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020



		0	1	2	3	4	5	6	7	8	9	10	11	12 ms
Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters		
1	R3BA85B.5	85SPL	B	HFStm	IHS5157_30kH	256/23	42.6	Altr	2.71	5.70 0.29	100	100-1500Hz		
2	R3BA80B.5	80SPL	B	HFStm	IHS5157_30kH	256/23	42.6	Altr	2.24	1.62 0.79	100	100-1500Hz		
3	R3BA75B.5	75SPL	B	HFStm	IHS5157_30kH	256/20	42.6	Altr	2.16	2.27 0.59	100	100-1500Hz		
4	R3BA70B.5	70SPL	B	HFStm	IHS5157_30kH	256/21	42.6	Altr	1.95	1.89 0.40	100	100-1500Hz		
5	R3BA65B.5	65SPL	B	HFStm	IHS5157_30kH	256/19	42.6	Altr	0.92	0.96 0.41	100	100-1500Hz		
6	R3BA60B.5	60SPL	B	HFStm	IHS5157_30kH	256/20	42.6	Altr	0.98	1.50 0.21	100	100-1500Hz		
7	R3BA55B.5	55SPL	B	HFStm	IHS5157_30kH	256/19	42.6	Altr	0.83	1.83 0.22	100	100-1500Hz		
8	R3BA50B.5	50SPL	B	HFStm	IHS5157_30kH	256/29	42.6	Altr	0.93	0.90 0.19	100	100-1500Hz		
9	R3BA45B.5	45SPL	B	HFStm	IHS5157_30kH	256/25	42.6	Altr	0.71	0.52 0.59	100	100-1500Hz		
10	R3BA40B.5	40SPL	B	HFStm	IHS5157_30kH	256/20	42.6	Altr	0.63	0.50 0.34	100	100-1500Hz		
11	R3BA35B.5	35SPL	B	HFStm	IHS5157_30kH	256/22	42.6	Altr	0.77	0.49 0.53	100	100-1500Hz		
12	R3BA30B.5	30SPL	B	HFStm	IHS5157_30kH	256/21	42.6	Altr	0.78	1.02 0.37	100	100-1500Hz		
13	R3BA25B.5	25SPL	B	HFStm	IHS5157_30kH	256/22	42.6	Altr	0.99	0.67 0.31	100	100-1500Hz		
14	R3BA20B.5	20SPL	B	HFStm	IHS5157_30kH	256/17	42.6	Altr	0.95	1.02 0.56	100	100-1500Hz		

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	