




6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J42280-L 26289

ID: 882861-J42280 Page: 1 Test Date: Jul. 19, 2016 DOB: Mar 30, 2016 Age: 3.6 months Report: Jul. 19, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J42280-L 26289

ID: 882861-J42280 Page: 1 Test Date: Jul. 19, 2016 DOB: Mar 30, 2016 Age: 3.6 months Report: Jul. 19, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J6BA85B.1	85SPL	B	HFStm	IHS5156_6kHz	512/13	42.6	Altr	2.44	1.25 1.06	100	100-3000Hz
2	J6BA80B.1	80SPL	B	HFStm	IHS5156_6kHz	512/22	42.6	Altr	2.45	2.02 0.66	100	100-3000Hz
3	J6BA75B.1	75SPL	B	HFStm	IHS5156_6kHz	512/19	42.6	Altr	2.44	2.11 0.51	100	100-3000Hz
4	J6BA70B.1	70SPL	B	HFStm	IHS5156_6kHz	512/15	42.6	Altr	1.85	4.39 0.26	100	100-3000Hz
5	J6BA65B.1	65SPL	B	HFStm	IHS5156_6kHz	512/17	42.6	Altr	1.72	3.12 0.31	100	100-3000Hz
6	J6BA60B.1	60SPL	B	HFStm	IHS5156_6kHz	512/11	42.6	Altr	1.32	2.18 0.37	100	100-3000Hz
7	J6BA55B.1	55SPL	B	HFStm	IHS5156_6kHz	512/17	42.6	Altr	0.94	2.23 0.23	100	100-3000Hz
8	J6BA50B.1	50SPL	B	HFStm	IHS5156_6kHz	512/8	42.6	Altr	0.70	1.73 0.27	100	100-3000Hz
9	J6BA45B.1	45SPL	B	HFStm	IHS5156_6kHz	512/16	42.6	Altr	0.79	1.74 0.17	100	100-3000Hz
10	J6BA40B.1	40SPL	B	HFStm	IHS5156_6kHz	512/9	42.6	Altr	0.67	1.32 0.25	100	100-3000Hz
11	J6BA35B.1	35SPL	B	HFStm	IHS5156_6kHz	512/19	42.6	Altr	0.42	0.84 0.28	100	100-3000Hz
12	J6BA30B.1	30SPL	B	HFStm	IHS5156_6kHz	512/17	42.6	Altr	0.36	0.67 0.23	100	100-3000Hz
13	J6BA25B.1	25SPL	B	HFStm	IHS5156_6kHz	512/20	42.6	Altr	0.93	0.66 0.28	100	100-3000Hz
14	J6BA20B.1	20SPL	B	HFStm	IHS5156_6kHz	512/17	42.6	Altr	0.55	0.77 0.17	100	100-3000Hz
15	J6BA15B.1	15SPL	B	HFStm	IHS5156_6kHz	512/21	42.6	Altr	0.73	1.18 0.21	100	100-3000Hz
16	J6BA10B.1	10SPL	B	HFStm	IHS5156_6kHz	512/25	42.6	Altr	0.69	0.82 0.17	100	100-3000Hz
17	J6BA5B.1	5SPL	B	HFStm	IHS5156_6kHz	512/21	42.6	Altr	0.51	0.57 0.31	100	100-3000Hz
18	J6BA0B.1	0SPL	B	HFStm	IHS5156_6kHz	512/23	42.6	Altr	0.81	1.06 0.23	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J42280-L 26289

ID: 882861-J42280 Page: 2 Test Date: Jul. 19, 2016 DOB: Mar 30, 2016 Age: 3.6 months Report: Jul. 19, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J42280-L 26289

ID: 882861-J42280 Page: 2 Test Date: Jul. 19, 2016 DOB: Mar 30, 2016 Age: 3.6 months Report: Jul. 19, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J6BA85B.2	85SPL	B	HFStm	IHS5156_12kH	512/22	42.6	Altr	4.05	6.27 0.21	100	100-3000Hz
2	J6BA80B.2	80SPL	B	HFStm	IHS5156_12kH	512/18	42.6	Altr	3.57	3.54 0.35	100	100-3000Hz
3	J6BA75B.2	75SPL	B	HFStm	IHS5156_12kH	512/24	42.6	Altr	3.13	5.40 0.20	100	100-3000Hz
4	J6BA70B.2	70SPL	B	HFStm	IHS5156_12kH	512/16	42.6	Altr	2.17	4.26 0.26	100	100-3000Hz
5	J6BA65B.2	65SPL	B	HFStm	IHS5156_12kH	512/20	42.6	Altr	1.33	2.65 0.28	100	100-3000Hz
6	J6BA60B.2	60SPL	B	HFStm	IHS5156_12kH	512/21	42.6	Altr	1.34	2.74 0.26	100	100-3000Hz
7	J6BA55B.2	55SPL	B	HFStm	IHS5156_12kH	512/21	42.6	Altr	1.33	2.47 0.26	100	100-3000Hz
8	J6BA50B.2	50SPL	B	HFStm	IHS5156_12kH	512/25	42.6	Altr	1.02	1.32 0.32	100	100-3000Hz
9	J6BA45B.2	45SPL	B	HFStm	IHS5156_12kH	512/36	42.6	Altr	1.00	2.09 0.25	100	100-3000Hz
10	J6BA40B.2	40SPL	B	HFStm	IHS5156_12kH	512/47	42.6	Altr	0.83	1.38 0.23	100	100-3000Hz
11	J6BA35B.2	35SPL	B	HFStm	IHS5156_12kH	512/26	42.6	Altr	0.89	0.97 0.35	100	100-3000Hz
12	J6BA30B.2	30SPL	B	HFStm	IHS5156_12kH	512/16	42.6	Altr	0.80	0.90 0.37	100	100-3000Hz
13	J6BA25B.2	25SPL	B	HFStm	IHS5156_12kH	512/21	42.6	Altr	0.61	0.50 0.42	100	100-3000Hz
14	J6BA20B.2	20SPL	B	HFStm	IHS5156_12kH	512/17	42.6	Altr	0.83	1.38 0.21	100	100-3000Hz
15	J6BA15B.2	15SPL	B	HFStm	IHS5156_12kH	512/12	42.6	Altr	0.83	1.32 0.23	100	100-3000Hz
16	J6BA10B.2	10SPL	B	HFStm	IHS5156_12kH	512/17	42.6	Altr	0.49	0.64 0.22	100	100-3000Hz
17	J6BA5B.2	5SPL	B	HFStm	IHS5156_12kH	512/18	42.6	Altr	0.43	0.31 0.46	100	100-3000Hz
18	J6BA0B.2	0SPL	B	HFStm	IHS5156_12kH	512/22	42.6	Altr	0.56	0.84 0.34	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J42280-L 26289

ID: 882861-J42280 Page: 3 Test Date: Jul. 19, 2016 DOB: Mar 30, 2016 Age: 3.6 months Report: Jul. 19, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J42280-L 26289

ID: 882861-J42280 Page: 3 Test Date: Jul. 19, 2016 DOB: Mar 30, 2016 Age: 3.6 months Report: Jul. 19, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J6BA85B.3	85SPL	B	HFStm	IHS5156_18kH	512/20	42.6	Altr	3.09	6.02 0.16	100	100-1500Hz
2	J6BA80B.3	80SPL	B	HFStm	IHS5156_18kH	512/16	42.6	Altr	2.73	5.27 0.20	100	100-1500Hz
3	J6BA75B.3	75SPL	B	HFStm	IHS5156_18kH	512/25	42.6	Altr	2.68	5.34 0.19	100	100-1500Hz
4	J6BA70B.3	70SPL	B	HFStm	IHS5156_18kH	512/18	42.6	Altr	2.40	2.88 0.27	100	100-1500Hz
5	J6BA65B.3	65SPL	B	HFStm	IHS5156_18kH	512/20	42.6	Altr	1.98	2.47 0.32	100	100-1500Hz
6	J6BA60B.3	60SPL	B	HFStm	IHS5156_18kH	512/17	42.6	Altr	1.39	3.32 0.18	100	100-1500Hz
7	J6BA55B.3	55SPL	B	HFStm	IHS5156_18kH	512/24	42.6	Altr	1.07	3.37 0.20	100	100-1500Hz
8	J6BA50B.3	50SPL	B	HFStm	IHS5156_18kH	512/23	42.6	Altr	1.08	1.84 0.31	100	100-1500Hz
9	J6BA45B.3	45SPL	B	HFStm	IHS5156_18kH	512/21	42.6	Altr	0.85	2.98 0.14	100	100-1500Hz
10	J6BA40B.3	40SPL	B	HFStm	IHS5156_18kH	512/24	42.6	Altr	0.45	1.16 0.16	100	100-1500Hz
11	J6BA35B.3	35SPL	B	HFStm	IHS5156_18kH	512/20	42.6	Altr	0.58	2.15 0.13	100	100-1500Hz
12	J6BA35B.4	35SPL	B	HFStm	IHS5156_18kH	512/24	42.6	Altr	0.70	0.76 0.20	100	100-1500Hz
13	J6BA30B.3	30SPL	B	HFStm	IHS5156_18kH	512/25	42.6	Altr	0.49	0.44 0.16	100	100-1500Hz
14	J6BA25B.3	25SPL	B	HFStm	IHS5156_18kH	512/25	42.6	Altr	0.54	0.38 0.37	100	100-1500Hz
15	J6BA20B.3	20SPL	B	HFStm	IHS5156_18kH	512/26	42.6	Altr	0.39	0.32 0.66	100	100-1500Hz
16	J6BA15B.3	15SPL	B	HFStm	IHS5156_18kH	512/21	42.6	Altr	0.51	0.54 0.14	100	100-1500Hz
17	J6BA10B.3	10SPL	B	HFStm	IHS5156_18kH	512/25	42.6	Altr	0.47	0.36 0.40	100	100-1500Hz
18	J6BA5B.3	5SPL	B	HFStm	IHS5156_18kH	512/24	42.6	Altr	0.51	0.58 0.23	100	100-1500Hz
19	J6BA0B.3	0SPL	B	HFStm	IHS5156_18kH	512/22	42.6	Altr	0.63	0.49 0.21	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	35	B	
13	30	B	
14	25	B	
15	20	B	
16	15	B	
17	10	B	
18	5	B	
19	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J42280-L 26289

ID: 882861-J42280 Page: 4 Test Date: Jul. 19, 2016 DOB: Mar 30, 2016 Age: 3.6 months Report: Jul. 19, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


J42280-L 26289

ID: 882861-J42280 Page: 4 Test Date: Jul. 19, 2016 DOB: Mar 30, 2016 Age: 3.6 months Report: Jul. 19, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J6BA85B.4	85SPL	B	HFStm	IHS5156_24kH	512/22	42.6	Altr	2.22	3.42 0.25	100	100-1500Hz
2	J6BA80B.4	80SPL	B	HFStm	IHS5156_24kH	512/25	42.6	Altr	1.85	2.67 0.28	100	100-1500Hz
3	J6BA75B.4	75SPL	B	HFStm	IHS5156_24kH	512/30	42.6	Altr	1.43	2.08 0.31	100	100-1500Hz
4	J6BA70B.4	70SPL	B	HFStm	IHS5156_24kH	512/19	42.6	Altr	1.56	2.31 0.27	100	100-1500Hz
5	J6BA65B.4	65SPL	B	HFStm	IHS5156_24kH	512/20	42.6	Altr	1.41	2.06 0.36	100	100-1500Hz
6	J6BA60B.4	60SPL	B	HFStm	IHS5156_24kH	512/23	42.6	Altr	1.48	1.88 0.30	100	100-1500Hz
7	J6BA55B.4	55SPL	B	HFStm	IHS5156_24kH	512/24	42.6	Altr	1.35	1.41 0.42	100	100-1500Hz
8	J6BA50B.4	50SPL	B	HFStm	IHS5156_24kH	512/24	42.6	Altr	0.99	1.19 0.28	100	100-1500Hz
9	J6BA45B.4	45SPL	B	HFStm	IHS5156_24kH	512/20	42.6	Altr	1.09	1.26 0.35	100	100-1500Hz
10	J6BA40B.4	40SPL	B	HFStm	IHS5156_24kH	512/29	42.6	Altr	0.91	0.50 0.52	100	100-1500Hz
11	J6BA35B.5	35SPL	B	HFStm	IHS5156_24kH	512/31	42.6	Altr	0.48	1.63 0.16	100	100-1500Hz
12	J6BA30B.4	30SPL	B	HFStm	IHS5156_24kH	512/17	42.6	Altr	0.61	0.44 0.37	100	100-1500Hz
13	J6BA25B.4	25SPL	B	HFStm	IHS5156_24kH	512/24	42.6	Altr	0.44	0.24 0.25	100	100-1500Hz
14	J6BA20B.4	20SPL	B	HFStm	IHS5156_24kH	512/28	42.6	Altr	0.60	0.25 0.42	100	100-1500Hz
15	J6BA15B.4	15SPL	B	HFStm	IHS5156_24kH	512/22	42.6	Altr	0.42	0.31 0.28	100	100-1500Hz
16	J6BA10B.4	10SPL	B	HFStm	IHS5156_24kH	512/27	42.6	Altr	0.54	0.49 0.21	100	100-1500Hz
17	J6BA5B.4	5SPL	B	HFStm	IHS5156_24kH	512/26	42.6	Altr	0.56	0.60 0.25	100	100-1500Hz
18	J6BA0B.4	0SPL	B	HFStm	IHS5156_24kH	512/25	42.6	Altr	0.43	0.40 0.32	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



	0	1	2	3	4	5	6	7	8	9	10	11	12 ms
Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters	
1	J6BA85B.5	85SPL	B	HFStm	IHS1516_30kH	512/20	42.6	Altr	2.08	3.70 0.23	100	100-1500Hz	
2	J6BA80B.5	80SPL	B	HFStm	IHS1516_30kH	512/26	42.6	Altr	1.60	2.71 0.31	100	100-1500Hz	
3	J6BA75B.5	75SPL	B	HFStm	IHS1516_30kH	512/21	42.6	Altr	1.44	1.56 0.43	100	100-1500Hz	
4	J6BA70B.5	70SPL	B	HFStm	IHS1516_30kH	512/24	42.6	Altr	1.59	4.12 0.20	100	100-1500Hz	
5	J6BA65B.5	65SPL	B	HFStm	IHS1516_30kH	512/36	42.6	Altr	0.98	2.68 0.19	100	100-1500Hz	
6	J6BA60B.5	60SPL	B	HFStm	IHS1516_30kH	512/30	42.6	Altr	0.64	2.25 0.15	100	100-1500Hz	
7	J6BA55B.5	55SPL	B	HFStm	IHS1516_30kH	512/29	42.6	Altr	0.50	0.37 0.43	100	100-1500Hz	
8	J6BA50B.5	50SPL	B	HFStm	IHS1516_30kH	512/23	42.6	Altr	0.74	0.76 0.18	100	100-1500Hz	
9	J6BA45B.5	45SPL	B	HFStm	IHS1516_30kH	512/23	42.6	Altr	0.54	0.55 0.19	100	100-1500Hz	
10	J6BA40B.5	40SPL	B	HFStm	IHS1516_30kH	512/19	42.6	Altr	0.60	0.79 0.21	100	100-1500Hz	
11	J6BA35B.6	35SPL	B	HFStm	IHS1516_30kH	512/35	42.6	Altr	0.48	0.17 0.47	100	100-1500Hz	
12	J6BA30B.5	30SPL	B	HFStm	IHS1516_30kH	512/23	42.6	Altr	0.35	0.87 0.13	100	100-1500Hz	
13	J6BA25B.5	25SPL	B	HFStm	IHS1516_30kH	512/26	42.6	Altr	0.42	0.43 0.17	100	100-1500Hz	
14	J6BA20B.5	20SPL	B	HFStm	IHS1516_30kH	512/17	42.6	Altr	0.76	0.47 0.21	100	100-1500Hz	

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	