



6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

A-41495-B 5304


ID: 3709383-A-41495 Page: 1 Test Date: Monday, March 25, 2024 DOB: Tuesday, December 5, 2023 Age: 3.8 months Report: Monday, March 25, 2024

Page 1

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR	RN	Gain	Filters
1	45RA85A.1	85SPL	R	HFSM IHS5156_6kHz	256/31	42.6	Altr	3.45	1.43	1.386	100	100-3000Hz
2	45RA80A.1	80SPL	R	HFSM IHS5156_6kHz	256/30	42.6	Altr	3.37	2.23	0.744	100	100-3000Hz
3	45RA75A.1	75SPL	R	HFSM IHS5156_6kHz	256/26	42.6	Altr	3.59	2.33	0.554	100	100-3000Hz
4	45RA70A.1	70SPL	R	HFSM IHS5156_6kHz	256/29	42.6	Altr	2.51	3.15	0.437	100	100-3000Hz
5	45RA65A.1	65SPL	R	HFSM IHS5156_6kHz	256/29	42.6	Altr	2.48	2.25	0.383	100	100-3000Hz
6	45RA60A.1	60SPL	R	HFSM IHS5156_6kHz	256/30	42.6	Altr	2.24	1.04	0.429	100	100-3000Hz
7	45RA55A.1	55SPL	R	HFSM IHS5156_6kHz	256/30	42.6	Altr	2.04	0.97	0.379	100	100-3000Hz
8	45RA50A.1	50SPL	R	HFSM IHS5156_6kHz	256/29	42.6	Altr	2.74	0.82	0.429	100	100-3000Hz
9	45RA45A.1	45SPL	R	HFSM IHS5156_6kHz	256/28	42.6	Altr	2.44	0.80	0.366	100	100-3000Hz
10	45RA40A.1	40SPL	R	HFSM IHS5156_6kHz	256/32	42.6	Altr	1.94	0.94	0.297	100	100-3000Hz
11	45RA35A.1	35SPL	R	HFSM IHS5156_6kHz	256/30	42.6	Altr	2.33	0.78	0.286	100	100-3000Hz
12	45RA30A.1	30SPL	R	HFSM IHS5156_6kHz	256/28	42.6	Altr	2.64	0.75	0.430	100	100-3000Hz
13	45RA25A.1	25SPL	R	HFSM IHS5156_6kHz	256/30	42.6	Altr	2.72	0.75	0.309	100	100-3000Hz
14	45RA20A.1	20SPL	R	HFSM IHS5156_6kHz	256/32	42.6	Altr	1.34	0.41	0.410	100	100-3000Hz
15	45RA15A.1	15SPL	R	HFSM IHS5156_6kHz	256/31	42.6	Altr	1.58	0.71	0.312	100	100-3000Hz
16	45RA10A.1	10SPL	R	HFSM IHS5156_6kHz	256/29	42.6	Altr	2.19	0.61	0.369	100	100-3000Hz
17	45RA5A.1	5SPL	R	HFSM IHS5156_6kHz	256/29	42.6	Altr	1.88	0.52	0.375	100	100-3000Hz
18	45RA0A.1	0SPL	R	HFSM IHS5156_6kHz	256/29	42.6	Altr	1.94	0.60	0.386	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	R	
2	80	R	
3	75	R	
4	70	R	
5	65	R	
6	60	R	
7	55	R	
8	50	R	
9	45	R	
10	40	R	
11	35	R	
12	30	R	
13	25	R	
14	20	R	
15	15	R	
16	10	R	
17	5	R	
18	0	R	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

A-41495-B 5304


ID: 3709383-A-41495 Page: 2 Test Date: Monday, March 25, 2024 DOB: Tuesday, December 5, 2023 Age: 3.8 months Report: Monday, March 25, 2024

Page 2

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR	RN	Gain	Filters
1	45RA85A.2	85SPL	R	HFSM IHS5156_12kH	256/29	42.6	Altr	2.50	5.04	0.241	100	100-3000Hz
2	45RA80A.2	80SPL	R	HFSM IHS5156_12kH	256/32	42.6	Altr	2.58	2.39	0.408	100	100-3000Hz
3	45RA75A.2	75SPL	R	HFSM IHS5156_12kH	256/30	42.6	Altr	2.19	1.86	0.398	100	100-3000Hz
4	45RA70A.2	70SPL	R	HFSM IHS5156_12kH	256/28	42.6	Altr	3.05	1.06	0.476	100	100-3000Hz
5	45RA65A.2	65SPL	R	HFSM IHS5156_12kH	256/29	42.6	Altr	2.71	0.64	0.485	100	100-3000Hz
6	45RA60A.2	60SPL	R	HFSM IHS5156_12kH	256/28	42.6	Altr	3.11	0.39	0.574	100	100-3000Hz
7	45RA55A.2	55SPL	R	HFSM IHS5156_12kH	256/34	42.6	Altr	2.15	0.33	0.486	100	100-3000Hz
8	45RA50A.2	50SPL	R	HFSM IHS5156_12kH	256/30	42.6	Altr	1.34	0.34	0.507	100	100-3000Hz
9	45RA45A.2	45SPL	R	HFSM IHS5156_12kH	256/30	42.6	Altr	2.24	0.70	0.330	100	100-3000Hz
10	45RA40A.2	40SPL	R	HFSM IHS5156_12kH	256/31	42.6	Altr	1.85	0.43	0.511	100	100-3000Hz
11	45RA35A.2	35SPL	R	HFSM IHS5156_12kH	256/28	42.6	Altr	2.75	0.57	0.399	100	100-3000Hz
12	45RA30A.2	30SPL	R	HFSM IHS5156_12kH	256/31	42.6	Altr	1.61	0.69	0.370	100	100-3000Hz
13	45RA25A.2	25SPL	R	HFSM IHS5156_12kH	256/32	42.6	Altr	1.69	0.42	0.475	100	100-3000Hz
14	45RA20A.2	20SPL	R	HFSM IHS5156_12kH	256/30	42.6	Altr	1.87	0.52	0.345	100	100-3000Hz
15	45RA15A.2	15SPL	R	HFSM IHS5156_12kH	256/30	42.6	Altr	2.61	1.19	0.259	100	100-3000Hz
16	45RA10A.2	10SPL	R	HFSM IHS5156_12kH	256/36	42.6	Altr	1.20	0.70	0.362	100	100-3000Hz
17	45RA5A.2	5SPL	R	HFSM IHS5156_12kH	256/34	42.6	Altr	2.08	0.36	0.510	100	100-3000Hz
18	45RA0A.2	0SPL	R	HFSM IHS5156_12kH	256/34	42.6	Altr	1.66	0.41	0.507	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	R	
2	80	R	
3	75	R	
4	70	R	
5	65	R	
6	60	R	
7	55	R	
8	50	R	
9	45	R	
10	40	R	
11	35	R	
12	30	R	
13	25	R	
14	20	R	
15	15	R	
16	10	R	
17	5	R	
18	0	R	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

A-41495-B 5304


ID: 3709383-A-41495 Page: 3 Test Date: Monday, March 25, 2024 DOB: Tuesday, December 5, 2023 Age: 3.8 months Report: Monday, March 25, 2024

Page 3

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR	RN	Gain	Filters
1	45RA85A.3	85SPL	R	HFSM IHS7558_18kH	256/31	42.6	Altr	2.49	2.61	0.404	100	100-1500Hz
2	45RA80A.3	80SPL	R	HFSM IHS7558_18kH	256/26	42.6	Altr	3.26	1.69	0.525	100	100-1500Hz
3	45RA75A.3	75SPL	R	HFSM IHS7558_18kH	256/36	42.6	Altr	2.35	4.68	0.194	100	100-1500Hz
4	45RA70A.3	70SPL	R	HFSM IHS7558_18kH	256/33	42.6	Altr	2.45	2.28	0.315	100	100-1500Hz
5	45RA65A.3	65SPL	R	HFSM IHS7558_18kH	256/34	42.6	Altr	2.27	1.93	0.262	100	100-1500Hz
6	45RA60A.3	60SPL	R	HFSM IHS7558_18kH	256/31	42.6	Altr	2.23	0.58	0.403	100	100-1500Hz
7	45RA55A.3	55SPL	R	HFSM IHS7558_18kH	256/31	42.6	Altr	1.67	0.45	0.404	100	100-1500Hz
8	45RA50A.3	50SPL	R	HFSM IHS7558_18kH	256/27	42.6	Altr	2.21	0.85	0.304	100	100-1500Hz
9	45RA45A.3	45SPL	R	HFSM IHS7558_18kH	256/31	42.6	Altr	2.76	0.51	0.386	100	100-1500Hz
10	45RA40A.3	40SPL	R	HFSM IHS7558_18kH	256/21	42.6	Altr	2.43	0.84	0.355	100	100-1500Hz
11	45RA35A.3	35SPL	R	HFSM IHS7558_18kH	256/32	42.6	Altr	2.31	0.58	0.367	100	100-1500Hz
12	45RA30A.3	30SPL	R	HFSM IHS7558_18kH	256/24	42.6	Altr	3.11	1.42	0.323	100	100-1500Hz
13	45RA25A.3	25SPL	R	HFSM IHS7558_18kH	256/17	42.6	Altr	4.49	1.88	0.334	100	100-1500Hz
14	45RA20A.3	20SPL	R	HFSM IHS7558_18kH	256/33	42.6	Altr	1.04	0.22	1.265	100	100-1500Hz
15	45RA15A.3	15SPL	R	HFSM IHS7558_18kH	256/30	42.6	Altr	2.30	0.74	0.352	100	100-1500Hz
16	45RA10A.3	10SPL	R	HFSM IHS7558_18kH	256/36	42.6	Altr	2.63	0.70	0.794	100	100-1500Hz
17	45RA0A.3	0SPL	R	HFSM IHS7558_18kH	256/33	42.6	Altr	2.66	0.40	0.390	100	100-1500Hz
18	45RA5A.3	5SPL	R	HFSM IHS7558_18kH	256/33	42.6	Altr	1.37	0.34	0.622	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	R	
2	80	R	
3	75	R	
4	70	R	
5	65	R	
6	60	R	
7	55	R	
8	50	R	
9	45	R	
10	40	R	
11	35	R	
12	30	R	
13	25	R	
14	20	R	
15	15	R	
16	10	R	
17	0	R	
18	5	R	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

A-41495-B 5304


ID: 3709383-A-41495 Page: 4 Test Date: Monday, March 25, 2024 DOB: Tuesday, December 5, 2023 Age: 3.8 months Report: Monday, March 25, 2024

Page 4

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR	RN	Gain	Filters
1	45RA85A.4	85SPL	R	HFSM IHS7558_24kH	256/36	42.6	Altr	2.86	7.06	0.261	100	100-1500Hz
2	45RA80A.4	80SPL	R	HFSM IHS7558_24kH	256/25	42.6	Altr	3.88	3.07	0.581	100	100-1500Hz
3	45RA75A.4	75SPL	R	HFSM IHS7558_24kH	256/33	42.6	Altr	3.12	4.21	0.403	100	100-1500Hz
4	45RA70A.4	70SPL	R	HFSM IHS7558_24kH	256/30	42.6	Altr	2.32	2.89	0.459	100	100-1500Hz
5	45RA65A.4	65SPL	R	HFSM IHS7558_24kH	256/35	42.6	Altr	2.07	1.77	0.662	100	100-1500Hz
6	45RA60A.4	60SPL	R	HFSM IHS7558_24kH	256/31	42.6	Altr	2.48	2.28	0.419	100	100-1500Hz
7	45RA55A.4	55SPL	R	HFSM IHS7558_24kH	256/36	42.6	Altr	1.63	3.08	0.199	100	100-1500Hz
8	45RA50A.4	50SPL	R	HFSM IHS7558_24kH	256/33	42.6	Altr	2.39	1.41	0.355	100	100-1500Hz
9	45RA45A.4	45SPL	R	HFSM IHS7558_24kH	256/32	42.6	Altr	2.61	0.62	0.898	100	100-1500Hz
10	45RA40A.4	40SPL	R	HFSM IHS7558_24kH	256/38	42.6	Altr	1.34	0.37	0.359	100	100-1500Hz
11	45RA35A.4	35SPL	R	HFSM IHS7558_24kH	256/29	42.6	Altr	2.64	0.43	0.412	100	100-1500Hz
12	45RA30A.4	30SPL	R	HFSM IHS7558_24kH	256/35	42.6	Altr	1.99	0.43	0.565	100	100-1500Hz
13	45RA25A.4	25SPL	R	HFSM IHS7558_24kH	256/32	42.6	Altr	2.37	1.53	0.222	100	100-1500Hz
14	45RA20A.4	20SPL	R	HFSM IHS7558_24kH	256/36	42.6	Altr	1.59	0.73	0.343	100	100-1500Hz
15	45RA15A.4	15SPL	R	HFSM IHS7558_24kH	256/32	42.6	Altr	2.59	0.45	0.306	100	100-1500Hz
16	45RA10A.4	10SPL	R	HFSM IHS7558_24kH	256/35	42.6	Altr	1.71	0.96	0.291	100	100-1500Hz
17	45RA5A.4	5SPL	R	HFSM IHS7558_24kH	256/35	42.6	Altr	1.66	0.68	0.334	100	100-1500Hz
18	45RA0A.4	0SPL	R	HFSM IHS7558_24kH	256/38	42.6	Altr	2.08	0.39	0.389	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	R	
2	80	R	
3	75	R	
4	70	R	
5	65	R	
6	60	R	
7	55	R	
8	50	R	
9	45	R	
10	40	R	
11	35	R	
12	30	R	
13	25	R	
14	20	R	
15	15	R	
16	10	R	
17	5	R	
18	0	R	



Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR	RN	Gain	Filters
1	45RA85A.5	85SPL	R	HFStm IHS7558_30kH	256/32	42.6	Altr	2.46	1.37	0.367	100	100-1500Hz
2	45RA80A.5	80SPL	R	HFStm IHS7558_30kH	256/30	42.6	Altr	2.43	1.23	0.246	100	100-1500Hz
3	45RA75A.5	75SPL	R	HFStm IHS7558_30kH	256/32	42.6	Altr	2.36	0.56	0.519	100	100-1500Hz
4	45RA70A.5	70SPL	R	HFStm IHS7558_30kH	256/33	42.6	Altr	2.75	0.63	0.305	100	100-1500Hz
5	45RA65A.5	65SPL	R	HFStm IHS7558_30kH	256/35	42.6	Altr	1.87	0.86	0.357	100	100-1500Hz
6	45RA60A.5	60SPL	R	HFStm IHS7558_30kH	256/35	42.6	Altr	1.73	0.56	0.312	100	100-1500Hz
7	45RA55A.5	55SPL	R	HFStm IHS7558_30kH	256/33	42.6	Altr	1.70	0.71	0.323	100	100-1500Hz
8	45RA50A.5	50SPL	R	HFStm IHS7558_30kH	256/31	42.6	Altr	2.15	1.33	0.377	100	100-1500Hz
9	45RA45A.5	45SPL	R	HFStm IHS7558_30kH	256/33	42.6	Altr	3.20	0.55	0.316	100	100-1500Hz
10	45RA40A.5	40SPL	R	HFStm IHS7558_30kH	256/30	42.6	Altr	2.46	0.53	0.357	100	100-1500Hz
11	45RA35A.5	35SPL	R	HFStm IHS7558_30kH	256/35	42.6	Altr	1.69	0.48	0.442	100	100-1500Hz
12	45RA30A.5	30SPL	R	HFStm IHS7558_30kH	256/33	42.6	Altr	2.60	1.19	0.211	100	100-1500Hz
13	45RA20A.5	20SPL	R	HFStm IHS7558_30kH	256/34	42.6	Altr	2.11	0.82	0.345	100	100-1500Hz
14	45RA25A.5	25SPL	R	HFStm IHS7558_30kH	256/29	42.6	Altr	2.40	0.30	0.439	100	100-1500Hz

SNR & RN: 4.00 - 9.00 ms Fmp:5.00 ms *-Indicates different region or point used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	R	
2	80	R	
3	75	R	
4	70	R	
5	65	R	
6	60	R	
7	55	R	
8	50	R	
9	45	R	
10	40	R	
11	35	R	
12	30	R	
13	20	R	
14	25	R	