




6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R46431-B 32692

ID: 2355432-R46431 Page: 1 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R46431-B 32692

ID: 2355432-R46431 Page: 1 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.1	85SPL	B	HFStm	IHS5157_6kHz	256/13	42.6	Altr	2.52	0.77 1.06	100	100-3000Hz
2	R3BA80B.1	80SPL	B	HFStm	IHS5157_6kHz	256/15	42.6	Altr	2.94	1.08 0.88	100	100-3000Hz
3	R3BA75B.1	75SPL	B	HFStm	IHS5157_6kHz	256/11	42.6	Altr	2.80	1.64 0.90	100	100-3000Hz
4	R3BA70B.1	70SPL	B	HFStm	IHS5157_6kHz	256/19	42.6	Altr	2.20	1.87 0.56	100	100-3000Hz
5	R3BA65B.1	65SPL	B	HFStm	IHS5157_6kHz	256/12	42.6	Altr	2.70	1.41 0.65	100	100-3000Hz
6	R3BA60B.1	60SPL	B	HFStm	IHS5157_6kHz	256/13	42.6	Altr	2.05	0.81 0.78	100	100-3000Hz
7	R3BA55B.1	55SPL	B	HFStm	IHS5157_6kHz	256/17	42.6	Altr	1.53	0.68 0.80	100	100-3000Hz
8	R3BA50B.1	50SPL	B	HFStm	IHS5157_6kHz	256/13	42.6	Altr	1.60	1.60 0.33	100	100-3000Hz
9	R3BA45B.1	45SPL	B	HFStm	IHS5157_6kHz	256/14	42.6	Altr	1.57	1.53 0.32	100	100-3000Hz
10	R3BA40B.1	40SPL	B	HFStm	IHS5157_6kHz	256/15	42.6	Altr	2.19	0.75 0.76	100	100-3000Hz
11	R3BA35B.1	35SPL	B	HFStm	IHS5157_6kHz	256/17	42.6	Altr	1.82	1.03 0.51	100	100-3000Hz
12	R3BA30B.1	30SPL	B	HFStm	IHS5157_6kHz	256/14	42.6	Altr	1.64	0.57 0.58	100	100-3000Hz
13	R3BA25B.1	25SPL	B	HFStm	IHS5157_6kHz	256/15	42.6	Altr	1.34	0.49 0.69	100	100-3000Hz
14	R3BA20B.1	20SPL	B	HFStm	IHS5157_6kHz	256/15	42.6	Altr	0.87	0.52 0.47	100	100-3000Hz
15	R3BA15B.1	15SPL	B	HFStm	IHS5157_6kHz	256/16	42.6	Altr	1.22	0.72 0.36	100	100-3000Hz
16	R3BA10B.1	10SPL	B	HFStm	IHS5157_6kHz	256/13	42.6	Altr	1.51	0.98 0.48	100	100-3000Hz
17	R3BA5B.1	5SPL	B	HFStm	IHS5157_6kHz	256/20	42.6	Altr	1.14	0.45 0.59	100	100-3000Hz
18	R3BA0B.1	0SPL	B	HFStm	IHS5157_6kHz	256/16	42.6	Altr	1.64	0.21 0.88	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R46431-B 32692

ID: 2355432-R46431 Page: 2 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R46431-B 32692

ID: 2355432-R46431 Page: 2 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.2	85SPL	B	HFStm	IHS5157_12kH	256/17	42.6	Altr	3.44	1.52 0.67	100	100-3000Hz
2	R3BA80B.2	80SPL	B	HFStm	IHS5157_12kH	256/18	42.6	Altr	3.24	1.68 0.42	100	100-3000Hz
3	R3BA75B.2	75SPL	B	HFStm	IHS5157_12kH	256/15	42.6	Altr	2.78	2.85 0.31	100	100-3000Hz
4	R3BA70B.2	70SPL	B	HFStm	IHS5157_12kH	256/17	42.6	Altr	2.22	1.18 0.59	100	100-3000Hz
5	R3BA65B.2	65SPL	B	HFStm	IHS5157_12kH	256/15	42.6	Altr	2.51	3.21 0.32	100	100-3000Hz
6	R3BA60B.2	60SPL	B	HFStm	IHS5157_12kH	256/15	42.6	Altr	2.15	1.28 0.56	100	100-3000Hz
7	R3BA55B.2	55SPL	B	HFStm	IHS5157_12kH	256/20	42.6	Altr	1.76	1.43 0.58	100	100-3000Hz
8	R3BA50B.2	50SPL	B	HFStm	IHS5157_12kH	256/18	42.6	Altr	1.84	0.68 0.98	100	100-3000Hz
9	R3BA45B.2	45SPL	B	HFStm	IHS5157_12kH	256/17	42.6	Altr	1.46	0.87 0.41	100	100-3000Hz
10	R3BA40B.2	40SPL	B	HFStm	IHS5157_12kH	256/21	42.6	Altr	1.00	0.93 0.53	100	100-3000Hz
11	R3BA35B.2	35SPL	B	HFStm	IHS5157_12kH	256/19	42.6	Altr	1.54	0.86 0.32	100	100-3000Hz
12	R3BA30B.2	30SPL	B	HFStm	IHS5157_12kH	256/14	42.6	Altr	1.28	0.63 0.55	100	100-3000Hz
13	R3BA25B.2	25SPL	B	HFStm	IHS5157_12kH	256/13	42.6	Altr	1.82	0.61 0.77	100	100-3000Hz
14	R3BA20B.2	20SPL	B	HFStm	IHS5157_12kH	256/22	42.6	Altr	1.10	0.63 0.39	100	100-3000Hz
15	R3BA15B.2	15SPL	B	HFStm	IHS5157_12kH	256/16	42.6	Altr	1.19	0.30 0.69	100	100-3000Hz
16	R3BA10B.2	10SPL	B	HFStm	IHS5157_12kH	256/19	42.6	Altr	1.40	0.61 0.43	100	100-3000Hz
17	R3BA5B.2	5SPL	B	HFStm	IHS5157_12kH	256/16	42.6	Altr	1.39	0.54 0.31	100	100-3000Hz
18	R3BA0B.2	0SPL	B	HFStm	IHS5157_12kH	256/13	42.6	Altr	2.60	0.44 0.56	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R46431-B 32692

ID: 2355432-R46431 Page: 3 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R46431-B 32692

ID: 2355432-R46431 Page: 3 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.3	85SPL	B	HFStm	IHS5157_18kH	256/14	42.6	Altr	2.24	1.79 0.48	100	100-1500Hz
2	R3BA80B.3	80SPL	B	HFStm	IHS5157_18kH	256/20	42.6	Altr	2.38	0.81 0.89	100	100-1500Hz
3	R3BA75B.3	75SPL	B	HFStm	IHS5157_18kH	256/20	42.6	Altr	2.00	1.50 0.53	100	100-1500Hz
4	R3BA70B.3	70SPL	B	HFStm	IHS5157_18kH	256/19	42.6	Altr	1.77	3.87 0.22	100	100-1500Hz
5	R3BA65B.3	65SPL	B	HFStm	IHS5157_18kH	256/16	42.6	Altr	1.87	2.22 0.37	100	100-1500Hz
6	R3BA60B.3	60SPL	B	HFStm	IHS5157_18kH	256/20	42.6	Altr	1.47	1.93 0.40	100	100-1500Hz
7	R3BA55B.3	55SPL	B	HFStm	IHS5157_18kH	256/21	42.6	Altr	1.05	1.39 0.31	100	100-1500Hz
8	R3BA50B.3	50SPL	B	HFStm	IHS5157_18kH	256/19	42.6	Altr	1.28	0.94 0.33	100	100-1500Hz
9	R3BA45B.3	45SPL	B	HFStm	IHS5157_18kH	256/21	42.6	Altr	1.57	1.03 0.65	100	100-1500Hz
10	R3BA40B.3	40SPL	B	HFStm	IHS5157_18kH	256/24	42.6	Altr	1.25	0.76 0.58	100	100-1500Hz
11	R3BA35B.3	35SPL	B	HFStm	IHS5157_18kH	256/25	42.6	Altr	0.77	0.66 0.40	100	100-1500Hz
12	R3BA30B.3	30SPL	B	HFStm	IHS5157_18kH	256/20	42.6	Altr	0.89	0.27 0.75	100	100-1500Hz
13	R3BA25B.3	25SPL	B	HFStm	IHS5157_18kH	256/21	42.6	Altr	0.96	0.73 0.38	100	100-1500Hz
14	R3BA20B.3	20SPL	B	HFStm	IHS5157_18kH	256/22	42.6	Altr	0.76	0.33 0.56	100	100-1500Hz
15	R3BA15B.3	15SPL	B	HFStm	IHS5157_18kH	256/17	42.6	Altr	1.02	0.39 0.62	100	100-1500Hz
16	R3BA10B.3	10SPL	B	HFStm	IHS5157_18kH	256/20	42.6	Altr	0.65	0.40 0.38	100	100-1500Hz
17	R3BA5B.3	5SPL	B	HFStm	IHS5157_18kH	256/17	42.6	Altr	0.78	0.27 0.55	100	100-1500Hz
18	R3BA0B.3	0SPL	B	HFStm	IHS5157_18kH	256/18	42.6	Altr	1.17	0.22 0.68	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R46431-B 32692

ID: 2355432-R46431 Page: 4 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R46431-B 32692

ID: 2355432-R46431 Page: 4 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.4	85SPL	B	HFStm	IHS5157_24kH	256/20	42.6	Altr	1.76	2.27 0.38	100	100-1500Hz
2	R3BA80B.4	80SPL	B	HFStm	IHS5157_24kH	256/19	42.6	Altr	2.61	2.80 0.35	100	100-1500Hz
3	R3BA75B.4	75SPL	B	HFStm	IHS5157_24kH	256/16	42.6	Altr	1.83	1.62 0.58	100	100-1500Hz
4	R3BA70B.4	70SPL	B	HFStm	IHS5157_24kH	256/20	42.6	Altr	1.59	2.73 0.24	100	100-1500Hz
5	R3BA65B.4	65SPL	B	HFStm	IHS5157_24kH	256/18	42.6	Altr	1.76	1.24 0.43	100	100-1500Hz
6	R3BA60B.4	60SPL	B	HFStm	IHS5157_24kH	256/22	42.6	Altr	1.21	1.25 0.29	100	100-1500Hz
7	R3BA55B.4	55SPL	B	HFStm	IHS5157_24kH	256/17	42.6	Altr	1.24	0.53 0.47	100	100-1500Hz
8	R3BA50B.4	50SPL	B	HFStm	IHS5157_24kH	256/21	42.6	Altr	1.13	0.96 0.34	100	100-1500Hz
9	R3BA45B.4	45SPL	B	HFStm	IHS5157_24kH	256/18	42.6	Altr	1.31	0.56 0.51	100	100-1500Hz
10	R3BA40B.4	40SPL	B	HFStm	IHS5157_24kH	256/21	42.6	Altr	0.87	0.37 0.38	100	100-1500Hz
11	R3BA35B.4	35SPL	B	HFStm	IHS5157_24kH	256/22	42.6	Altr	0.99	0.83 0.37	100	100-1500Hz
12	R3BA30B.4	30SPL	B	HFStm	IHS5157_24kH	256/23	42.6	Altr	0.75	0.27 0.51	100	100-1500Hz
13	R3BA25B.4	25SPL	B	HFStm	IHS5157_24kH	256/22	42.6	Altr	1.12	0.17 0.49	100	100-1500Hz
14	R3BA20B.4	20SPL	B	HFStm	IHS5157_24kH	256/24	42.6	Altr	0.77	0.29 0.53	100	100-1500Hz
15	R3BA15B.4	15SPL	B	HFStm	IHS5157_24kH	256/22	42.6	Altr	1.16	0.40 0.52	100	100-1500Hz
16	R3BA10B.4	10SPL	B	HFStm	IHS5157_24kH	256/22	42.6	Altr	1.16	0.53 0.32	100	100-1500Hz
17	R3BA5B.4	5SPL	B	HFStm	IHS5157_24kH	256/66	42.6	Altr	1.16	0.17 1.40	100	100-1500Hz
18	R3BA0B.4	0SPL	B	HFStm	IHS5157_24kH	256/136	42.6	Altr	1.48	0.38 0.78	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R46431-B 32692

ID: 2355432-R46431 Page: 5 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019



	0	1	2	3	4	5	6	7	8	9	10	11	12 ms
Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters	
1	R3BA85B.5	85SPL	B	HFStm	IHS5157_30kH	256/185	42.6	Altr	2.66	1.50 0.68	100	100-1500Hz	
2	R3BA80B.5	80SPL	B	HFStm	IHS5157_30kH	256/131	42.6	Altr	1.80	0.56 0.79	100	100-1500Hz	
3	R3BA75B.5	75SPL	B	HFStm	IHS5157_30kH	256/26	42.6	Altr	2.08	0.89 0.74	100	100-1500Hz	
4	R3BA70B.5	70SPL	B	HFStm	IHS5157_30kH	256/25	42.6	Altr	2.02	1.74 0.42	100	100-1500Hz	
5	R3BA65B.5	65SPL	B	HFStm	IHS5157_30kH	256/31	42.6	Altr	0.90	0.27 0.58	100	100-1500Hz	
6	R3BA60B.5	60SPL	B	HFStm	IHS5157_30kH	256/30	42.6	Altr	0.96	0.60 0.42	100	100-1500Hz	
7	R3BA55B.5	55SPL	B	HFStm	IHS5157_30kH	256/30	42.6	Altr	1.27	0.46 0.31	100	100-1500Hz	
8	R3BA50B.5	50SPL	B	HFStm	IHS5157_30kH	256/28	42.6	Altr	0.84	0.32 0.48	100	100-1500Hz	
9	R3BA45B.5	45SPL	B	HFStm	IHS5157_30kH	256/20	42.6	Altr	1.15	0.26 0.39	100	100-1500Hz	
10	R3BA40B.5	40SPL	B	HFStm	IHS5157_30kH	256/25	42.6	Altr	1.29	0.32 0.69	100	100-1500Hz	
11	R3BA35B.5	35SPL	B	HFStm	IHS5157_30kH	256/25	42.6	Altr	0.95	0.26 0.82	100	100-1500Hz	
12	R3BA30B.5	30SPL	B	HFStm	IHS5157_30kH	256/26	42.6	Altr	1.65	0.68 0.40	100	100-1500Hz	
13	R3BA25B.5	25SPL	B	HFStm	IHS5157_30kH	256/22	42.6	Altr	1.57	0.46 0.31	100	100-1500Hz	
14	R3BA20B.5	20SPL	B	HFStm	IHS5157_30kH	256/24	42.6	Altr	1.38	0.96 0.34	100	100-1500Hz	

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	