




6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R49691-B 32826

ID: 2373858-R49691 Page: 1 Test Date: Sep. 13, 2019 DOB: May 23, 2019 Age: 3.6 months Report: Sep. 13, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R49691-B 32826

ID: 2373858-R49691 Page: 1 Test Date: Sep. 13, 2019 DOB: May 23, 2019 Age: 3.6 months Report: Sep. 13, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.1	85SPL	B	HFStm	IHS5157_6kHz	256/15	42.6	Altr	2.69	0.75 1.68	100	100-3000Hz
2	R3BA80B.1	80SPL	B	HFStm	IHS5157_6kHz	256/19	42.6	Altr	2.25	1.03 1.01	100	100-3000Hz
3	R3BA75B.1	75SPL	B	HFStm	IHS5157_6kHz	256/14	42.6	Altr	2.40	1.52 0.69	100	100-3000Hz
4	R3BA70B.1	70SPL	B	HFStm	IHS5157_6kHz	256/10	42.6	Altr	1.71	1.44 0.66	100	100-3000Hz
5	R3BA65B.1	65SPL	B	HFStm	IHS5157_6kHz	256/18	42.6	Altr	1.36	1.25 0.60	100	100-3000Hz
6	R3BA60B.1	60SPL	B	HFStm	IHS5157_6kHz	256/13	42.6	Altr	1.29	0.84 0.62	100	100-3000Hz
7	R3BA55B.1	55SPL	B	HFStm	IHS5157_6kHz	256/14	42.6	Altr	1.32	0.90 0.41	100	100-3000Hz
8	R3BA50B.1	50SPL	B	HFStm	IHS5157_6kHz	256/20	42.6	Altr	1.13	1.33 0.36	100	100-3000Hz
9	R3BA45B.1	45SPL	B	HFStm	IHS5157_6kHz	256/14	42.6	Altr	1.37	0.88 0.36	100	100-3000Hz
10	R3BA40B.1	40SPL	B	HFStm	IHS5157_6kHz	256/12	42.6	Altr	1.76	0.76 0.41	100	100-3000Hz
11	R3BA35B.1	35SPL	B	HFStm	IHS5157_6kHz	256/17	42.6	Altr	0.95	0.60 0.35	100	100-3000Hz
12	R3BA30B.1	30SPL	B	HFStm	IHS5157_6kHz	256/14	42.6	Altr	1.44	0.38 0.57	100	100-3000Hz
13	R3BA25B.1	25SPL	B	HFStm	IHS5157_6kHz	256/16	42.6	Altr	1.49	0.36 0.64	100	100-3000Hz
14	R3BA20B.1	20SPL	B	HFStm	IHS5157_6kHz	256/19	42.6	Altr	0.77	0.40 0.47	100	100-3000Hz
15	R3BA15B.1	15SPL	B	HFStm	IHS5157_6kHz	256/16	42.6	Altr	1.05	0.50 0.46	100	100-3000Hz
16	R3BA10B.1	10SPL	B	HFStm	IHS5157_6kHz	256/14	42.6	Altr	1.64	0.34 0.63	100	100-3000Hz
17	R3BA5B.1	5SPL	B	HFStm	IHS5157_6kHz	256/17	42.6	Altr	0.88	0.46 0.48	100	100-3000Hz
18	R3BA0B.1	0SPL	B	HFStm	IHS5157_6kHz	256/17	42.6	Altr	1.39	0.98 0.42	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R49691-B 32826

ID: 2373858-R49691 Page: 2 Test Date: Sep. 13, 2019 DOB: May 23, 2019 Age: 3.6 months Report: Sep. 13, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


R49691-B 32826

ID: 2373858-R49691 Page: 2 Test Date: Sep. 13, 2019 DOB: May 23, 2019 Age: 3.6 months Report: Sep. 13, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.2	85SPL	B	HFStm	IHS5157_12kH	256/8	42.6	Altr	2.21	2.62 0.41	100	100-3000Hz
2	R3BA80B.2	80SPL	B	HFStm	IHS5157_12kH	256/15	42.6	Altr	2.40	2.32 0.47	100	100-3000Hz
3	R3BA75B.2	75SPL	B	HFStm	IHS5157_12kH	256/15	42.6	Altr	2.36	1.94 0.39	100	100-3000Hz
4	R3BA70B.2	70SPL	B	HFStm	IHS5157_12kH	256/14	42.6	Altr	2.07	1.42 0.73	100	100-3000Hz
5	R3BA65B.2	65SPL	B	HFStm	IHS5157_12kH	256/15	42.6	Altr	1.81	1.45 0.44	100	100-3000Hz
6	R3BA60B.2	60SPL	B	HFStm	IHS5157_12kH	256/16	42.6	Altr	1.19	1.38 0.41	100	100-3000Hz
7	R3BA55B.2	55SPL	B	HFStm	IHS5157_12kH	256/14	42.6	Altr	1.00	0.35 0.78	100	100-3000Hz
8	R3BA50B.2	50SPL	B	HFStm	IHS5157_12kH	256/16	42.6	Altr	1.57	1.18 0.31	100	100-3000Hz
9	R3BA45B.2	45SPL	B	HFStm	IHS5157_12kH	256/13	42.6	Altr	1.86	0.65 0.57	100	100-3000Hz
10	R3BA40B.2	40SPL	B	HFStm	IHS5157_12kH	256/15	42.6	Altr	0.92	0.81 0.36	100	100-3000Hz
11	R3BA35B.2	35SPL	B	HFStm	IHS5157_12kH	256/14	42.6	Altr	0.81	1.11 0.22	100	100-3000Hz
12	R3BA30B.2	30SPL	B	HFStm	IHS5157_12kH	256/13	42.6	Altr	1.76	1.38 0.45	100	100-3000Hz
13	R3BA25B.2	25SPL	B	HFStm	IHS5157_12kH	256/12	42.6	Altr	1.27	0.85 0.30	100	100-3000Hz
14	R3BA20B.2	20SPL	B	HFStm	IHS5157_12kH	256/17	42.6	Altr	1.32	0.71 0.49	100	100-3000Hz
15	R3BA15B.2	15SPL	B	HFStm	IHS5157_12kH	256/15	42.6	Altr	1.15	0.51 0.72	100	100-3000Hz
16	R3BA10B.2	10SPL	B	HFStm	IHS5157_12kH	256/12	42.6	Altr	1.56	0.62 0.37	100	100-3000Hz
17	R3BA5B.2	5SPL	B	HFStm	IHS5157_12kH	256/14	42.6	Altr	1.68	0.81 0.49	100	100-3000Hz
18	R3BA0B.2	0SPL	B	HFStm	IHS5157_12kH	256/15	42.6	Altr	1.49	0.76 0.33	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R49691-B 32826

ID: 2373858-R49691 Page: 3 Test Date: Sep. 13, 2019 DOB: May 23, 2019 Age: 3.6 months Report: Sep. 13, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.3	85SPL	B	HFStm	IHS5157_18kH	256/14	42.6	Altr	2.07	6.44 0.20	100	100-1500Hz
2	R3BA80B.3	80SPL	B	HFStm	IHS5157_18kH	256/18	42.6	Altr	2.02	4.03 0.35	100	100-1500Hz
3	R3BA75B.3	75SPL	B	HFStm	IHS5157_18kH	256/19	42.6	Altr	1.77	1.93 0.58	100	100-1500Hz
4	R3BA70B.3	70SPL	B	HFStm	IHS5157_18kH	256/17	42.6	Altr	1.56	1.69 0.55	100	100-1500Hz
5	R3BA65B.3	65SPL	B	HFStm	IHS5157_18kH	256/19	42.6	Altr	1.23	1.97 0.38	100	100-1500Hz
6	R3BA60B.3	60SPL	B	HFStm	IHS5157_18kH	256/17	42.6	Altr	1.26	1.39 0.40	100	100-1500Hz
7	R3BA55B.3	55SPL	B	HFStm	IHS5157_18kH	256/19	42.6	Altr	1.10	0.97 0.44	100	100-1500Hz
8	R3BA50B.3	50SPL	B	HFStm	IHS5157_18kH	256/17	42.6	Altr	0.95	1.19 0.32	100	100-1500Hz
9	R3BA45B.3	45SPL	B	HFStm	IHS5157_18kH	256/19	42.6	Altr	0.84	0.51 0.48	100	100-1500Hz
10	R3BA40B.3	40SPL	B	HFStm	IHS5157_18kH	256/19	42.6	Altr	0.81	0.54 0.56	100	100-1500Hz
11	R3BA35B.3	35SPL	B	HFStm	IHS5157_18kH	256/17	42.6	Altr	0.69	0.83 0.41	100	100-1500Hz
12	R3BA30B.3	30SPL	B	HFStm	IHS5157_18kH	256/18	42.6	Altr	0.64	0.30 0.46	100	100-1500Hz
13	R3BA25B.3	25SPL	B	HFStm	IHS5157_18kH	256/19	42.6	Altr	0.75	0.34 0.53	100	100-1500Hz
14	R3BA20B.3	20SPL	B	HFStm	IHS5157_18kH	256/15	42.6	Altr	0.81	0.62 0.41	100	100-1500Hz
15	R3BA15B.3	15SPL	B	HFStm	IHS5157_18kH	256/15	42.6	Altr	0.83	0.55 0.35	100	100-1500Hz
16	R3BA10B.3	10SPL	B	HFStm	IHS5157_18kH	256/16	42.6	Altr	0.79	0.63 0.39	100	100-1500Hz
17	R3BA5B.3	5SPL	B	HFStm	IHS5157_18kH	256/20	42.6	Altr	0.54	0.48 0.62	100	100-1500Hz
18	R3BA0B.3	0SPL	B	HFStm	IHS5157_18kH	256/18	42.6	Altr	0.72	0.81 0.31	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R49691-B 32826

ID: 2373858-R49691 Page: 4 Test Date: Sep. 13, 2019 DOB: May 23, 2019 Age: 3.6 months Report: Sep. 13, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R49691-B 32826

ID: 2373858-R49691 Page: 4 Test Date: Sep. 13, 2019 DOB: May 23, 2019 Age: 3.6 months Report: Sep. 13, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.4	85SPL	B	HFStm	IHS5157_24kH	256/19	42.6	Altr	2.03	2.66 0.39	100	100-1500Hz
2	R3BA80B.4	80SPL	B	HFStm	IHS5157_24kH	256/19	42.6	Altr	2.23	2.87 0.39	100	100-1500Hz
3	R3BA75B.4	75SPL	B	HFStm	IHS5157_24kH	256/18	42.6	Altr	2.51	2.89 0.40	100	100-1500Hz
4	R3BA70B.4	70SPL	B	HFStm	IHS5157_24kH	256/14	42.6	Altr	2.15	3.26 0.32	100	100-1500Hz
5	R3BA65B.4	65SPL	B	HFStm	IHS5157_24kH	256/20	42.6	Altr	2.43	3.69 0.33	100	100-1500Hz
6	R3BA60B.4	60SPL	B	HFStm	IHS5157_24kH	256/16	42.6	Altr	1.18	1.31 0.53	100	100-1500Hz
7	R3BA55B.4	55SPL	B	HFStm	IHS5157_24kH	256/20	42.6	Altr	1.62	2.57 0.37	100	100-1500Hz
8	R3BA50B.4	50SPL	B	HFStm	IHS5157_24kH	256/21	42.6	Altr	1.20	1.95 0.31	100	100-1500Hz
9	R3BA45B.4	45SPL	B	HFStm	IHS5157_24kH	256/16	42.6	Altr	1.42	1.36 0.50	100	100-1500Hz
10	R3BA40B.4	40SPL	B	HFStm	IHS5157_24kH	256/17	42.6	Altr	0.89	0.52 0.63	100	100-1500Hz
11	R3BA35B.4	35SPL	B	HFStm	IHS5157_24kH	256/20	42.6	Altr	1.16	1.23 0.54	100	100-1500Hz
12	R3BA30B.4	30SPL	B	HFStm	IHS5157_24kH	256/21	42.6	Altr	0.71	0.62 0.40	100	100-1500Hz
13	R3BA25B.4	25SPL	B	HFStm	IHS5157_24kH	256/18	42.6	Altr	0.84	0.54 0.44	100	100-1500Hz
14	R3BA20B.4	20SPL	B	HFStm	IHS5157_24kH	256/20	42.6	Altr	0.58	0.70 0.27	100	100-1500Hz
15	R3BA15B.4	15SPL	B	HFStm	IHS5157_24kH	256/19	42.6	Altr	0.85	0.47 0.56	100	100-1500Hz
16	R3BA10B.4	10SPL	B	HFStm	IHS5157_24kH	256/18	42.6	Altr	0.76	0.63 0.31	100	100-1500Hz
17	R3BA5B.4	5SPL	B	HFStm	IHS5157_24kH	256/19	42.6	Altr	1.10	0.97 0.27	100	100-1500Hz
18	R3BA0B.4	0SPL	B	HFStm	IHS5157_24kH	256/19	42.6	Altr	0.90	0.34 0.46	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R49691-B 32826

ID: 2373858-R49691 Page: 5 Test Date: Sep. 13, 2019 DOB: May 23, 2019 Age: 3.6 months Report: Sep. 13, 2019



		0	1	2	3	4	5	6	7	8	9	10	11	12 ms
Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters		
1	R3BA85B.5	85SPL	B	HFStm	IHS5157_30kHz	256/19	42.6	Altr	1.97	3.08 0.34	100	100-1500Hz		
2	R3BA80B.5	80SPL	B	HFStm	IHS5157_30kHz	256/16	42.6	Altr	1.32	1.73 0.31	100	100-1500Hz		
3	R3BA75B.5	75SPL	B	HFStm	IHS5157_30kHz	256/16	42.6	Altr	1.15	0.66 0.66	100	100-1500Hz		
4	R3BA70B.5	70SPL	B	HFStm	IHS5157_30kHz	256/19	42.6	Altr	1.22	0.68 0.54	100	100-1500Hz		
5	R3BA65B.5	65SPL	B	HFStm	IHS5157_30kHz	256/21	42.6	Altr	0.91	0.44 0.74	100	100-1500Hz		
6	R3BA60B.5	60SPL	B	HFStm	IHS5157_30kHz	256/12	42.6	Altr	1.10	1.35 0.28	100	100-1500Hz		
7	R3BA55B.5	55SPL	B	HFStm	IHS5157_30kHz	256/15	42.6	Altr	1.51	0.44 0.56	100	100-1500Hz		
8	R3BA50B.5	50SPL	B	HFStm	IHS5157_30kHz	256/16	42.6	Altr	0.58	0.22 0.90	100	100-1500Hz		
9	R3BA45B.5	45SPL	B	HFStm	IHS5157_30kHz	256/20	42.6	Altr	0.75	0.23 0.57	100	100-1500Hz		
10	R3BA40B.5	40SPL	B	HFStm	IHS5157_30kHz	256/20	42.6	Altr	0.87	0.80 0.38	100	100-1500Hz		
11	R3BA35B.5	35SPL	B	HFStm	IHS5157_30kHz	256/20	42.6	Altr	0.88	0.36 0.28	100	100-1500Hz		
12	R3BA30B.5	30SPL	B	HFStm	IHS5157_30kHz	256/18	42.6	Altr	0.60	0.20 0.68	100	100-1500Hz		
13	R3BA25B.5	25SPL	B	HFStm	IHS5157_30kHz	256/19	42.6	Altr	1.13	0.52 0.38	100	100-1500Hz		
14	R3BA20B.5	20SPL	B	HFStm	IHS5157_30kHz	256/22	42.6	Altr	0.93	0.89 0.42	100	100-1500Hz		

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	