




6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R46430-L 32692

ID: 2355394-R46430 Page: 1 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


R46430-L 32692

ID: 2355394-R46430 Page: 1 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.1	85SPL	B	HFStm	IHS5156_6kHz	256/20	42.6	Altr	4.64	6.97 0.39	100	100-3000Hz
2	R3BA80B.1	80SPL	B	HFStm	IHS5156_6kHz	256/17	42.6	Altr	3.98	6.22 0.41	100	100-3000Hz
3	R3BA75B.1	75SPL	B	HFStm	IHS5156_6kHz	256/21	42.6	Altr	3.56	5.47 0.40	100	100-3000Hz
4	R3BA70B.1	70SPL	B	HFStm	IHS5156_6kHz	256/22	42.6	Altr	3.36	5.62 0.39	100	100-3000Hz
5	R3BA65B.1	65SPL	B	HFStm	IHS5156_6kHz	256/15	42.6	Altr	2.97	3.99 0.45	100	100-3000Hz
6	R3BA60B.1	60SPL	B	HFStm	IHS5156_6kHz	256/16	42.6	Altr	2.32	2.68 0.52	100	100-3000Hz
7	R3BA55B.1	55SPL	B	HFStm	IHS5156_6kHz	256/13	42.6	Altr	2.70	3.50 0.35	100	100-3000Hz
8	R3BA50B.1	50SPL	B	HFStm	IHS5156_6kHz	256/16	42.6	Altr	1.43	2.02 0.35	100	100-3000Hz
9	R3BA45B.1	45SPL	B	HFStm	IHS5156_6kHz	256/17	42.6	Altr	1.63	1.78 0.49	100	100-3000Hz
10	R3BA40B.1	40SPL	B	HFStm	IHS5156_6kHz	256/18	42.6	Altr	1.53	1.45 0.51	100	100-3000Hz
11	R3BA35B.1	35SPL	B	HFStm	IHS5156_6kHz	256/19	42.6	Altr	0.95	1.23 0.38	100	100-3000Hz
12	R3BA30B.1	30SPL	B	HFStm	IHS5156_6kHz	256/18	42.6	Altr	1.34	0.80 0.64	100	100-3000Hz
13	R3BA25B.1	25SPL	B	HFStm	IHS5156_6kHz	256/15	42.6	Altr	1.20	0.70 0.57	100	100-3000Hz
14	R3BA20B.1	20SPL	B	HFStm	IHS5156_6kHz	256/15	42.6	Altr	1.32	0.53 0.46	100	100-3000Hz
15	R3BA15B.1	15SPL	B	HFStm	IHS5156_6kHz	256/13	42.6	Altr	1.51	1.19 0.39	100	100-3000Hz
16	R3BA10B.1	10SPL	B	HFStm	IHS5156_6kHz	256/17	42.6	Altr	1.11	0.33 0.51	100	100-3000Hz
17	R3BA5B.1	5SPL	B	HFStm	IHS5156_6kHz	256/18	42.6	Altr	1.12	0.68 0.52	100	100-3000Hz
18	R3BA0B.1	0SPL	B	HFStm	IHS5156_6kHz	256/19	42.6	Altr	0.81	0.42 0.51	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R46430-L 32692

ID: 2355394-R46430 Page: 2 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.2	85SPL	B	HFStm	IHS5156_12kH	256/19	42.6	Altr	3.97	4.21 0.57	100	100-3000Hz
2	R3BA80B.2	80SPL	B	HFStm	IHS5156_12kH	256/25	42.6	Altr	3.57	5.28 0.39	100	100-3000Hz
3	R3BA75B.2	75SPL	B	HFStm	IHS5156_12kH	256/11	42.6	Altr	3.09	4.73 0.39	100	100-3000Hz
4	R3BA70B.2	70SPL	B	HFStm	IHS5156_12kH	256/12	42.6	Altr	2.39	3.48 0.39	100	100-3000Hz
5	R3BA65B.2	65SPL	B	HFStm	IHS5156_12kH	256/17	42.6	Altr	2.70	2.85 0.52	100	100-3000Hz
6	R3BA60B.2	60SPL	B	HFStm	IHS5156_12kH	256/17	42.6	Altr	1.82	1.01 0.99	100	100-3000Hz
7	R3BA55B.2	55SPL	B	HFStm	IHS5156_12kH	256/18	42.6	Altr	1.84	0.96 0.79	100	100-3000Hz
8	R3BA50B.2	50SPL	B	HFStm	IHS5156_12kH	256/9	42.6	Altr	1.88	1.04 0.52	100	100-3000Hz
9	R3BA45B.2	45SPL	B	HFStm	IHS5156_12kH	256/19	42.6	Altr	1.30	1.54 0.45	100	100-3000Hz
10	R3BA40B.2	40SPL	B	HFStm	IHS5156_12kH	256/16	42.6	Altr	1.67	1.03 0.53	100	100-3000Hz
11	R3BA35B.2	35SPL	B	HFStm	IHS5156_12kH	256/18	42.6	Altr	1.59	1.51 0.37	100	100-3000Hz
12	R3BA30B.2	30SPL	B	HFStm	IHS5156_12kH	256/17	42.6	Altr	1.32	0.59 0.57	100	100-3000Hz
13	R3BA25B.2	25SPL	B	HFStm	IHS5156_12kH	256/17	42.6	Altr	1.05	0.71 0.68	100	100-3000Hz
14	R3BA20B.2	20SPL	B	HFStm	IHS5156_12kH	256/17	42.6	Altr	1.61	0.90 0.50	100	100-3000Hz
15	R3BA15B.2	15SPL	B	HFStm	IHS5156_12kH	256/15	42.6	Altr	1.03	1.28 0.23	100	100-3000Hz
16	R3BA10B.2	10SPL	B	HFStm	IHS5156_12kH	256/17	42.6	Altr	0.98	0.46 0.43	100	100-3000Hz
17	R3BA5B.2	5SPL	B	HFStm	IHS5156_12kH	256/17	42.6	Altr	0.89	1.05 0.41	100	100-3000Hz
18	R3BA0B.2	0SPL	B	HFStm	IHS5156_12kH	256/19	42.6	Altr	1.28	0.47 0.72	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R46430-L 32692

ID: 2355394-R46430 Page: 3 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R46430-L 32692

ID: 2355394-R46430 Page: 3 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.3	85SPL	B	HFStm	IHS5156_18kH	256/21	42.6	Altr	3.18	5.46 0.33	100	100-1500Hz
2	R3BA80B.3	80SPL	B	HFStm	IHS5156_18kH	256/17	42.6	Altr	2.45	4.15 0.31	100	100-1500Hz
3	R3BA75B.3	75SPL	B	HFStm	IHS5156_18kH	256/18	42.6	Altr	2.69	1.89 0.69	100	100-1500Hz
4	R3BA70B.3	70SPL	B	HFStm	IHS5156_18kH	256/19	42.6	Altr	2.39	1.99 0.56	100	100-1500Hz
5	R3BA65B.3	65SPL	B	HFStm	IHS5156_18kH	256/17	42.6	Altr	2.13	2.72 0.31	100	100-1500Hz
6	R3BA60B.3	60SPL	B	HFStm	IHS5156_18kH	256/19	42.6	Altr	2.29	5.70 0.18	100	100-1500Hz
7	R3BA55B.3	55SPL	B	HFStm	IHS5156_18kH	256/19	42.6	Altr	1.37	1.98 0.33	100	100-1500Hz
8	R3BA50B.3	50SPL	B	HFStm	IHS5156_18kH	256/24	42.6	Altr	1.26	2.03 0.34	100	100-1500Hz
9	R3BA45B.3	45SPL	B	HFStm	IHS5156_18kH	256/20	42.6	Altr	1.29	2.55 0.28	100	100-1500Hz
10	R3BA40B.3	40SPL	B	HFStm	IHS5156_18kH	256/20	42.6	Altr	1.16	2.50 0.21	100	100-1500Hz
11	R3BA35B.3	35SPL	B	HFStm	IHS5156_18kH	256/19	42.6	Altr	0.95	1.59 0.32	100	100-1500Hz
12	R3BA35B.4	35SPL	B	HFStm	IHS5156_18kH	256/17	42.6	Altr	1.61	0.80 0.39	100	100-1500Hz
13	R3BA30B.3	30SPL	B	HFStm	IHS5156_18kH	256/15	42.6	Altr	0.96	0.53 0.28	100	100-1500Hz
14	R3BA25B.3	25SPL	B	HFStm	IHS5156_18kH	256/22	42.6	Altr	0.98	0.91 0.32	100	100-1500Hz
15	R3BA20B.3	20SPL	B	HFStm	IHS5156_18kH	256/21	42.6	Altr	0.92	0.58 0.37	100	100-1500Hz
16	R3BA15B.3	15SPL	B	HFStm	IHS5156_18kH	256/17	42.6	Altr	0.95	0.46 0.48	100	100-1500Hz
17	R3BA10B.3	10SPL	B	HFStm	IHS5156_18kH	256/20	42.6	Altr	0.83	0.75 0.34	100	100-1500Hz
18	R3BA5B.3	5SPL	B	HFStm	IHS5156_18kH	256/19	42.6	Altr	1.43	0.45 0.41	100	100-1500Hz
19	R3BA0B.3	0SPL	B	HFStm	IHS5156_18kH	256/22	42.6	Altr	0.55	0.70 0.26	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	35	B	
13	30	B	
14	25	B	
15	20	B	
16	15	B	
17	10	B	
18	5	B	
19	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R46430-L 32692

ID: 2355394-R46430 Page: 4 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R46430-L 32692

ID: 2355394-R46430 Page: 4 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.4	85SPL	B	HFStm	IHS5156_24kH	256/26	42.6	Altr	3.08	5.18 0.39	100	100-1500Hz
2	R3BA80B.4	80SPL	B	HFStm	IHS5156_24kH	256/18	42.6	Altr	2.74	5.11 0.35	100	100-1500Hz
3	R3BA75B.4	75SPL	B	HFStm	IHS5156_24kH	256/22	42.6	Altr	2.08	2.01 0.65	100	100-1500Hz
4	R3BA70B.4	70SPL	B	HFStm	IHS5156_24kH	256/15	42.6	Altr	1.92	1.94 0.59	100	100-1500Hz
5	R3BA65B.4	65SPL	B	HFStm	IHS5156_24kH	256/17	42.6	Altr	2.11	3.04 0.38	100	100-1500Hz
6	R3BA60B.4	60SPL	B	HFStm	IHS5156_24kH	256/22	42.6	Altr	1.57	2.81 0.30	100	100-1500Hz
7	R3BA55B.4	55SPL	B	HFStm	IHS5156_24kH	256/19	42.6	Altr	1.19	1.72 0.39	100	100-1500Hz
8	R3BA50B.4	50SPL	B	HFStm	IHS5156_24kH	256/20	42.6	Altr	1.24	1.80 0.33	100	100-1500Hz
9	R3BA45B.4	45SPL	B	HFStm	IHS5156_24kH	256/19	42.6	Altr	1.07	0.78 0.49	100	100-1500Hz
10	R3BA40B.4	40SPL	B	HFStm	IHS5156_24kH	256/22	42.6	Altr	0.96	1.19 0.21	100	100-1500Hz
11	R3BA35B.5	35SPL	B	HFStm	IHS5156_24kH	256/21	42.6	Altr	0.80	0.27 0.49	100	100-1500Hz
12	R3BA30B.4	30SPL	B	HFStm	IHS5156_24kH	256/18	42.6	Altr	1.37	0.68 0.37	100	100-1500Hz
13	R3BA25B.4	25SPL	B	HFStm	IHS5156_24kH	256/21	42.6	Altr	0.86	0.23 0.64	100	100-1500Hz
14	R3BA20B.4	20SPL	B	HFStm	IHS5156_24kH	256/21	42.6	Altr	1.06	0.54 0.32	100	100-1500Hz
15	R3BA15B.4	15SPL	B	HFStm	IHS5156_24kH	256/19	42.6	Altr	0.56	0.52 0.30	100	100-1500Hz
16	R3BA10B.4	10SPL	B	HFStm	IHS5156_24kH	256/16	42.6	Altr	1.14	0.50 0.26	100	100-1500Hz
17	R3BA5B.4	5SPL	B	HFStm	IHS5156_24kH	256/23	42.6	Altr	0.95	0.71 0.58	100	100-1500Hz
18	R3BA0B.4	0SPL	B	HFStm	IHS5156_24kH	256/21	42.6	Altr	0.51	0.53 0.55	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R46430-L 32692

ID: 2355394-R46430 Page: 5 Test Date: Aug. 28, 2019 DOB: May 05, 2019 Age: 3.7 months Report: Aug. 28, 2019



		0	1	2	3	4	5	6	7	8	9	10	11	12 ms
Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters		
1	R3BA85B.5	85SPL	B	HFStm	IHS5156_30kH	256/22	42.6	Altr	2.61	3.10 0.51	100	100-1500Hz		
2	R3BA80B.5	80SPL	B	HFStm	IHS5156_30kH	256/20	42.6	Altr	1.91	2.15 0.53	100	100-1500Hz		
3	R3BA75B.5	75SPL	B	HFStm	IHS5156_30kH	256/19	42.6	Altr	2.20	2.35 0.55	100	100-1500Hz		
4	R3BA70B.5	70SPL	B	HFStm	IHS5156_30kH	256/21	42.6	Altr	1.17	1.16 0.49	100	100-1500Hz		
5	R3BA65B.5	65SPL	B	HFStm	IHS5156_30kH	256/18	42.6	Altr	1.07	1.82 0.28	100	100-1500Hz		
6	R3BA60B.5	60SPL	B	HFStm	IHS5156_30kH	256/21	42.6	Altr	0.98	1.34 0.39	100	100-1500Hz		
7	R3BA55B.5	55SPL	B	HFStm	IHS5156_30kH	256/19	42.6	Altr	1.06	0.25 0.79	100	100-1500Hz		
8	R3BA50B.5	50SPL	B	HFStm	IHS5156_30kH	256/18	42.6	Altr	0.93	0.87 0.17	100	100-1500Hz		
9	R3BA45B.5	45SPL	B	HFStm	IHS5156_30kH	256/21	42.6	Altr	0.59	0.19 0.73	100	100-1500Hz		
10	R3BA40B.5	40SPL	B	HFStm	IHS5156_30kH	256/21	42.6	Altr	0.77	0.45 0.38	100	100-1500Hz		
11	R3BA35B.6	35SPL	B	HFStm	IHS5156_30kH	256/24	42.6	Altr	1.08	0.90 0.23	100	100-1500Hz		
12	R3BA30B.5	30SPL	B	HFStm	IHS5156_30kH	256/20	42.6	Altr	1.07	0.51 0.32	100	100-1500Hz		
13	R3BA25B.5	25SPL	B	HFStm	IHS5156_30kH	256/20	42.6	Altr	1.83	0.56 0.38	100	100-1500Hz		
14	R3BA20B.5	20SPL	B	HFStm	IHS5156_30kH	256/24	42.6	Altr	0.46	0.76 0.27	100	100-1500Hz		

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	