



6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


D30975-L 34508

ID: 2940021-D30975 Page: 1 Test Date: Oct. 30, 2020 DOB: Jul 07, 2020 Age: 3.7 months Report: Oct. 30, 2020

| Num | Filename | Int | Ear | Stim. Type | Swps/Art | Rate | Mode | PP Amp | SNR RN | Gain | Filters |
|-----|-----------|-------|-----|--------------------|----------|------|------|--------|-----------|------|------------|
| 1 | D3BA85B.1 | 85SPL | B | HFStm IHS5157_6kHz | 256/15 | 42.6 | Altr | 3.96 | 1.58 1.04 | 100 | 100-3000Hz |
| 2 | D3BA80B.1 | 80SPL | B | HFStm IHS5157_6kHz | 256/18 | 42.6 | Altr | 3.46 | 3.20 0.47 | 100 | 100-3000Hz |
| 3 | D3BA75B.1 | 75SPL | B | HFStm IHS5157_6kHz | 256/17 | 42.6 | Altr | 3.03 | 1.39 1.16 | 100 | 100-3000Hz |
| 4 | D3BA70B.1 | 70SPL | B | HFStm IHS5157_6kHz | 256/12 | 42.6 | Altr | 2.95 | 3.19 0.39 | 100 | 100-3000Hz |
| 5 | D3BA65B.1 | 65SPL | B | HFStm IHS5157_6kHz | 256/17 | 42.6 | Altr | 2.20 | 2.33 0.39 | 100 | 100-3000Hz |
| 6 | D3BA60B.1 | 60SPL | B | HFStm IHS5157_6kHz | 256/15 | 42.6 | Altr | 1.89 | 0.98 0.53 | 100 | 100-3000Hz |
| 7 | D3BA55B.1 | 55SPL | B | HFStm IHS5157_6kHz | 256/19 | 42.6 | Altr | 1.39 | 1.51 0.42 | 100 | 100-3000Hz |
| 8 | D3BA50B.1 | 50SPL | B | HFStm IHS5157_6kHz | 256/14 | 42.6 | Altr | 1.22 | 1.36 0.38 | 100 | 100-3000Hz |
| 9 | D3BA45B.1 | 45SPL | B | HFStm IHS5157_6kHz | 256/14 | 42.6 | Altr | 2.00 | 1.80 0.38 | 100 | 100-3000Hz |
| 10 | D3BA40B.1 | 40SPL | B | HFStm IHS5157_6kHz | 256/15 | 42.6 | Altr | 1.68 | 1.15 0.46 | 100 | 100-3000Hz |
| 11 | D3BA35B.1 | 35SPL | B | HFStm IHS5157_6kHz | 256/16 | 42.6 | Altr | 1.69 | 0.68 0.53 | 100 | 100-3000Hz |
| 12 | D3BA30B.1 | 30SPL | B | HFStm IHS5157_6kHz | 256/20 | 42.6 | Altr | 1.47 | 1.68 0.37 | 100 | 100-3000Hz |
| 13 | D3BA25B.1 | 25SPL | B | HFStm IHS5157_6kHz | 256/16 | 42.6 | Altr | 1.68 | 0.33 0.51 | 100 | 100-3000Hz |
| 14 | D3BA20B.1 | 20SPL | B | HFStm IHS5157_6kHz | 256/15 | 42.6 | Altr | 0.93 | 0.27 0.69 | 100 | 100-3000Hz |
| 15 | D3BA15B.1 | 15SPL | B | HFStm IHS5157_6kHz | 256/17 | 42.6 | Altr | 1.57 | 0.58 0.47 | 100 | 100-3000Hz |
| 16 | D3BA10B.1 | 10SPL | B | HFStm IHS5157_6kHz | 256/19 | 42.6 | Altr | 1.00 | 0.40 0.70 | 100 | 100-3000Hz |
| 17 | D3BA05B.1 | 5SPL | B | HFStm IHS5157_6kHz | 256/23 | 42.6 | Altr | 0.71 | 0.32 0.57 | 100 | 100-3000Hz |
| 18 | D3BA0B.1 | 0SPL | B | HFStm IHS5157_6kHz | 256/19 | 42.6 | Altr | 1.17 | 0.51 0.47 | 100 | 100-3000Hz |

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

| Num | Int | Ear | Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio) |
|-----|-----|-----|---|
| 1 | 85 | B | |
| 2 | 80 | B | |
| 3 | 75 | B | |
| 4 | 70 | B | |
| 5 | 65 | B | |
| 6 | 60 | B | |
| 7 | 55 | B | |
| 8 | 50 | B | |
| 9 | 45 | B | |
| 10 | 40 | B | |
| 11 | 35 | B | |
| 12 | 30 | B | |
| 13 | 25 | B | |
| 14 | 20 | B | |
| 15 | 15 | B | |
| 16 | 10 | B | |
| 17 | 5 | B | |
| 18 | 0 | B | |





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


D30975-L 34508

ID: 2940021-D30975 Page: 2 Test Date: Oct. 30, 2020 DOB: Jul 07, 2020 Age: 3.7 months Report: Oct. 30, 2020

| Num | Filename | Int | Ear | Stim. Type | Swps/Art | Rate | Mode | PP Amp | SNR RN | Gain | Filters |
|-----|-----------|-------|-----|-------------------|----------|------|------|--------|-----------|------|------------|
| 1 | D3BA85B.2 | 85SPL | B | HFSM IHS5157_12kH | 256/12 | 42.6 | Altr | 4.00 | 2.35 0.66 | 100 | 100-3000Hz |
| 2 | D3BA80B.2 | 80SPL | B | HFSM IHS5157_12kH | 256/15 | 42.6 | Altr | 4.10 | 1.78 0.77 | 100 | 100-3000Hz |
| 3 | D3BA75B.2 | 75SPL | B | HFSM IHS5157_12kH | 256/23 | 42.6 | Altr | 2.06 | 2.59 0.44 | 100 | 100-3000Hz |
| 4 | D3BA70B.2 | 70SPL | B | HFSM IHS5157_12kH | 256/16 | 42.6 | Altr | 2.94 | 2.43 0.43 | 100 | 100-3000Hz |
| 5 | D3BA65B.2 | 65SPL | B | HFSM IHS5157_12kH | 256/18 | 42.6 | Altr | 2.14 | 1.30 0.63 | 100 | 100-3000Hz |
| 6 | D3BA60B.2 | 60SPL | B | HFSM IHS5157_12kH | 256/18 | 42.6 | Altr | 1.61 | 1.16 0.54 | 100 | 100-3000Hz |
| 7 | D3BA55B.2 | 55SPL | B | HFSM IHS5157_12kH | 256/20 | 42.6 | Altr | 2.09 | 1.41 0.42 | 100 | 100-3000Hz |
| 8 | D3BA50B.2 | 50SPL | B | HFSM IHS5157_12kH | 256/21 | 42.6 | Altr | 1.18 | 1.29 0.43 | 100 | 100-3000Hz |
| 9 | D3BA45B.2 | 45SPL | B | HFSM IHS5157_12kH | 256/17 | 42.6 | Altr | 1.43 | 1.10 0.46 | 100 | 100-3000Hz |
| 10 | D3BA40B.2 | 40SPL | B | HFSM IHS5157_12kH | 256/15 | 42.6 | Altr | 1.81 | 0.75 0.51 | 100 | 100-3000Hz |
| 11 | D3BA35B.2 | 35SPL | B | HFSM IHS5157_12kH | 256/21 | 42.6 | Altr | 1.06 | 0.83 0.43 | 100 | 100-3000Hz |
| 12 | D3BA30B.2 | 30SPL | B | HFSM IHS5157_12kH | 256/12 | 42.6 | Altr | 1.78 | 0.64 0.42 | 100 | 100-3000Hz |
| 13 | D3BA25B.2 | 25SPL | B | HFSM IHS5157_12kH | 256/14 | 42.6 | Altr | 0.98 | 0.56 0.77 | 100 | 100-3000Hz |
| 14 | D3BA20B.2 | 20SPL | B | HFSM IHS5157_12kH | 256/19 | 42.6 | Altr | 1.24 | 1.15 0.42 | 100 | 100-3000Hz |
| 15 | D3BA15B.2 | 15SPL | B | HFSM IHS5157_12kH | 256/17 | 42.6 | Altr | 1.45 | 1.39 0.23 | 100 | 100-3000Hz |
| 16 | D3BA10B.2 | 10SPL | B | HFSM IHS5157_12kH | 256/16 | 42.6 | Altr | 1.52 | 0.57 0.46 | 100 | 100-3000Hz |
| 17 | D3BA5B.2 | 5SPL | B | HFSM IHS5157_12kH | 256/24 | 42.6 | Altr | 0.98 | 0.28 0.73 | 100 | 100-3000Hz |
| 18 | D3BA0B.2 | 0SPL | B | HFSM IHS5157_12kH | 256/11 | 42.6 | Altr | 2.35 | 0.69 0.49 | 100 | 100-3000Hz |

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

| Num | Int | Ear | Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio) |
|-----|-----|-----|---|
| 1 | 85 | B | |
| 2 | 80 | B | |
| 3 | 75 | B | |
| 4 | 70 | B | |
| 5 | 65 | B | |
| 6 | 60 | B | |
| 7 | 55 | B | |
| 8 | 50 | B | |
| 9 | 45 | B | |
| 10 | 40 | B | |
| 11 | 35 | B | |
| 12 | 30 | B | |
| 13 | 25 | B | |
| 14 | 20 | B | |
| 15 | 15 | B | |
| 16 | 10 | B | |
| 17 | 5 | B | |
| 18 | 0 | B | |





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


D30975-L 34508

ID: 2940021-D30975 Page: 3 Test Date: Oct. 30, 2020 DOB: Jul 07, 2020 Age: 3.7 months Report: Oct. 30, 2020

| Num | Filename | Int | Ear | Stim. Type | Swps/Art | Rate | Mode | PP Amp | SNR RN | Gain | Filters |
|-----|-----------|-------|-----|--------------------|----------|------|------|--------|-----------|------|------------|
| 1 | D3BA85B.3 | 85SPL | B | HFStm IHS5157_18kH | 256/16 | 42.6 | Altr | 3.19 | 4.59 0.30 | 100 | 100-1500Hz |
| 2 | D3BA80B.3 | 80SPL | B | HFStm IHS5157_18kH | 256/20 | 42.6 | Altr | 3.06 | 3.68 0.36 | 100 | 100-1500Hz |
| 3 | D3BA75B.3 | 75SPL | B | HFStm IHS5157_18kH | 256/16 | 42.6 | Altr | 2.70 | 0.77 1.39 | 100 | 100-1500Hz |
| 4 | D3BA70B.3 | 70SPL | B | HFStm IHS5157_18kH | 256/19 | 42.6 | Altr | 1.81 | 1.82 0.53 | 100 | 100-1500Hz |
| 5 | D3BA65B.3 | 65SPL | B | HFStm IHS5157_18kH | 256/21 | 42.6 | Altr | 1.55 | 0.96 0.87 | 100 | 100-1500Hz |
| 6 | D3BA60B.3 | 60SPL | B | HFStm IHS5157_18kH | 256/17 | 42.6 | Altr | 2.12 | 2.90 0.40 | 100 | 100-1500Hz |
| 7 | D3BA55B.3 | 55SPL | B | HFStm IHS5157_18kH | 256/17 | 42.6 | Altr | 2.02 | 1.68 0.43 | 100 | 100-1500Hz |
| 8 | D3BA50B.3 | 50SPL | B | HFStm IHS5157_18kH | 256/20 | 42.6 | Altr | 1.89 | 1.10 0.63 | 100 | 100-1500Hz |
| 9 | D3BA45B.3 | 45SPL | B | HFStm IHS5157_18kH | 256/20 | 42.6 | Altr | 1.00 | 1.47 0.22 | 100 | 100-1500Hz |
| 10 | D3BA40B.3 | 40SPL | B | HFStm IHS5157_18kH | 256/20 | 42.6 | Altr | 1.60 | 0.88 0.37 | 100 | 100-1500Hz |
| 11 | D3BA35B.3 | 35SPL | B | HFStm IHS5157_18kH | 256/21 | 42.6 | Altr | 0.64 | 0.38 0.50 | 100 | 100-1500Hz |
| 12 | D3BA30B.3 | 30SPL | B | HFStm IHS5157_18kH | 256/21 | 42.6 | Altr | 0.52 | 0.31 0.40 | 100 | 100-1500Hz |
| 13 | D3BA25B.3 | 25SPL | B | HFStm IHS5157_18kH | 256/15 | 42.6 | Altr | 0.95 | 0.46 0.42 | 100 | 100-1500Hz |
| 14 | D3BA20B.3 | 20SPL | B | HFStm IHS5157_18kH | 256/18 | 42.6 | Altr | 0.98 | 0.29 0.71 | 100 | 100-1500Hz |
| 15 | D3BA15B.3 | 15SPL | B | HFStm IHS5157_18kH | 256/18 | 42.6 | Altr | 0.78 | 0.71 0.37 | 100 | 100-1500Hz |
| 16 | D3BA10B.3 | 10SPL | B | HFStm IHS5157_18kH | 256/19 | 42.6 | Altr | 0.42 | 0.21 0.74 | 100 | 100-1500Hz |
| 17 | D3BA5B.3 | 5SPL | B | HFStm IHS5157_18kH | 256/17 | 42.6 | Altr | 0.98 | 1.41 0.25 | 100 | 100-1500Hz |
| 18 | D3BA0B.3 | 0SPL | B | HFStm IHS5157_18kH | 256/19 | 42.6 | Altr | 0.67 | 0.86 0.28 | 100 | 100-1500Hz |

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

| Num | Int | Ear | Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio) |
|-----|-----|-----|---|
| 1 | 85 | B | |
| 2 | 80 | B | |
| 3 | 75 | B | |
| 4 | 70 | B | |
| 5 | 65 | B | |
| 6 | 60 | B | |
| 7 | 55 | B | |
| 8 | 50 | B | |
| 9 | 45 | B | |
| 10 | 40 | B | |
| 11 | 35 | B | |
| 12 | 30 | B | |
| 13 | 25 | B | |
| 14 | 20 | B | |
| 15 | 15 | B | |
| 16 | 10 | B | |
| 17 | 5 | B | |
| 18 | 0 | B | |





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


D30975-L 34508

ID: 2940021-D30975 Page: 4 Test Date: Oct. 30, 2020 DOB: Jul 07, 2020 Age: 3.7 months Report: Oct. 30, 2020

| Num | Filename | Int | Ear | Stim. Type | Swps/Art | Rate | Mode | PP Amp | SNR RN | Gain | Filters |
|-----|-----------|-------|-----|--------------------|----------|------|------|--------|-----------|------|------------|
| 1 | D3BA85B.4 | 85SPL | B | HFStm IHS5157_24kH | 256/19 | 42.6 | Altr | 2.86 | 4.07 0.28 | 100 | 100-1500Hz |
| 2 | D3BA80B.4 | 80SPL | B | HFStm IHS5157_24kH | 256/21 | 42.6 | Altr | 2.03 | 4.35 0.25 | 100 | 100-1500Hz |
| 3 | D3BA75B.4 | 75SPL | B | HFStm IHS5157_24kH | 256/18 | 42.6 | Altr | 1.96 | 3.01 0.31 | 100 | 100-1500Hz |
| 4 | D3BA70B.4 | 70SPL | B | HFStm IHS5157_24kH | 256/22 | 42.6 | Altr | 1.85 | 2.09 0.53 | 100 | 100-1500Hz |
| 5 | D3BA65B.4 | 65SPL | B | HFStm IHS5157_24kH | 256/18 | 42.6 | Altr | 1.78 | 1.65 0.62 | 100 | 100-1500Hz |
| 6 | D3BA60B.4 | 60SPL | B | HFStm IHS5157_24kH | 256/12 | 42.6 | Altr | 2.10 | 1.14 0.68 | 100 | 100-1500Hz |
| 7 | D3BA55B.4 | 55SPL | B | HFStm IHS5157_24kH | 256/19 | 42.6 | Altr | 1.67 | 2.18 0.28 | 100 | 100-1500Hz |
| 8 | D3BA50B.4 | 50SPL | B | HFStm IHS5157_24kH | 256/16 | 42.6 | Altr | 1.43 | 0.96 0.59 | 100 | 100-1500Hz |
| 9 | D3BA45B.4 | 45SPL | B | HFStm IHS5157_24kH | 256/19 | 42.6 | Altr | 1.23 | 0.63 0.60 | 100 | 100-1500Hz |
| 10 | D3BA40B.4 | 40SPL | B | HFStm IHS5157_24kH | 256/21 | 42.6 | Altr | 0.48 | 0.34 0.43 | 100 | 100-1500Hz |
| 11 | D3BA35B.4 | 35SPL | B | HFStm IHS5157_24kH | 256/16 | 42.6 | Altr | 1.04 | 0.53 0.44 | 100 | 100-1500Hz |
| 12 | D3BA30B.4 | 30SPL | B | HFStm IHS5157_24kH | 256/21 | 42.6 | Altr | 0.75 | 0.70 0.30 | 100 | 100-1500Hz |
| 13 | D3BA25B.4 | 25SPL | B | HFStm IHS5157_24kH | 256/18 | 42.6 | Altr | 0.92 | 0.38 0.39 | 100 | 100-1500Hz |
| 14 | D3BA20B.4 | 20SPL | B | HFStm IHS5157_24kH | 256/19 | 42.6 | Altr | 1.22 | 0.23 0.53 | 100 | 100-1500Hz |
| 15 | D3BA15B.4 | 15SPL | B | HFStm IHS5157_24kH | 256/18 | 42.6 | Altr | 0.75 | 0.32 0.51 | 100 | 100-1500Hz |
| 16 | D3BA10B.4 | 10SPL | B | HFStm IHS5157_24kH | 256/13 | 42.6 | Altr | 1.24 | 0.43 0.63 | 100 | 100-1500Hz |
| 17 | D3BA5B.4 | 5SPL | B | HFStm IHS5157_24kH | 256/14 | 42.6 | Altr | 1.04 | 0.19 0.87 | 100 | 100-1500Hz |
| 18 | D3BA0B.4 | 0SPL | B | HFStm IHS5157_24kH | 256/17 | 42.6 | Altr | 1.16 | 0.54 0.28 | 100 | 100-1500Hz |

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

| Num | Int | Ear | Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio) |
|-----|-----|-----|---|
| 1 | 85 | B | |
| 2 | 80 | B | |
| 3 | 75 | B | |
| 4 | 70 | B | |
| 5 | 65 | B | |
| 6 | 60 | B | |
| 7 | 55 | B | |
| 8 | 50 | B | |
| 9 | 45 | B | |
| 10 | 40 | B | |
| 11 | 35 | B | |
| 12 | 30 | B | |
| 13 | 25 | B | |
| 14 | 20 | B | |
| 15 | 15 | B | |
| 16 | 10 | B | |
| 17 | 5 | B | |
| 18 | 0 | B | |



| Num | Filename | Int | Ear | Stim. Type | Swps/Art | Rate | Mode | PP Amp | SNR RN | Gain | Filters |
|-----|-----------|-------|-----|--------------------|----------|------|------|--------|-----------|------|------------|
| 1 | D3BA85B.5 | 85SPL | B | HFStm IHS5157_30kH | 256/18 | 42.6 | Altr | 1.86 | 3.36 0.32 | 100 | 100-1500Hz |
| 2 | D3BA80B.5 | 80SPL | B | HFStm IHS5157_30kH | 256/20 | 42.6 | Altr | 1.90 | 2.37 0.41 | 100 | 100-1500Hz |
| 3 | D3BA75B.5 | 75SPL | B | HFStm IHS5157_30kH | 256/17 | 42.6 | Altr | 2.00 | 0.97 0.96 | 100 | 100-1500Hz |
| 4 | D3BA70B.5 | 70SPL | B | HFStm IHS5157_30kH | 256/13 | 42.6 | Altr | 1.74 | 0.90 0.48 | 100 | 100-1500Hz |
| 5 | D3BA65B.5 | 65SPL | B | HFStm IHS5157_30kH | 256/21 | 42.6 | Altr | 0.81 | 0.39 0.53 | 100 | 100-1500Hz |
| 6 | D3BA60B.5 | 60SPL | B | HFStm IHS5157_30kH | 256/22 | 42.6 | Altr | 1.03 | 0.70 0.37 | 100 | 100-1500Hz |
| 7 | D3BA55B.5 | 55SPL | B | HFStm IHS5157_30kH | 256/17 | 42.6 | Altr | 1.08 | 0.77 0.24 | 100 | 100-1500Hz |
| 8 | D3BA50B.5 | 50SPL | B | HFStm IHS5157_30kH | 256/23 | 42.6 | Altr | 1.17 | 0.95 0.37 | 100 | 100-1500Hz |
| 9 | D3BA45B.5 | 45SPL | B | HFStm IHS5157_30kH | 256/22 | 42.6 | Altr | 0.65 | 0.25 0.40 | 100 | 100-1500Hz |
| 10 | D3BA40B.5 | 40SPL | B | HFStm IHS5157_30kH | 256/21 | 42.6 | Altr | 1.18 | 0.55 0.41 | 100 | 100-1500Hz |
| 11 | D3BA35B.5 | 35SPL | B | HFStm IHS5157_30kH | 256/16 | 42.6 | Altr | 0.83 | 0.48 0.35 | 100 | 100-1500Hz |
| 12 | D3BA30B.5 | 30SPL | B | HFStm IHS5157_30kH | 256/16 | 42.6 | Altr | 0.84 | 0.86 0.29 | 100 | 100-1500Hz |
| 13 | D3BA25B.5 | 25SPL | B | HFStm IHS5157_30kH | 256/18 | 42.6 | Altr | 1.46 | 0.21 0.85 | 100 | 100-1500Hz |
| 14 | D3BA20B.5 | 20SPL | B | HFStm IHS5157_30kH | 256/18 | 42.6 | Altr | 0.80 | 0.32 0.67 | 100 | 100-1500Hz |

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

| Num | Int | Ear | Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio) |
|-----|-----|-----|---|
| 1 | 85 | B | |
| 2 | 80 | B | |
| 3 | 75 | B | |
| 4 | 70 | B | |
| 5 | 65 | B | |
| 6 | 60 | B | |
| 7 | 55 | B | |
| 8 | 50 | B | |
| 9 | 45 | B | |
| 10 | 40 | B | |
| 11 | 35 | B | |
| 12 | 30 | B | |
| 13 | 25 | B | |
| 14 | 20 | B | |