



6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

A-44536-R 5304


ID: 3723094-A-44536 Page: 1 Test Date: Wednesday, April 24, 2024 DOB: Tuesday, January 2, 2024 Age: 3.7 months Report: Wednesday, April 24, 2024

Page 1

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR	RN	Gain	Filters
1	56RA85A.1	85SPL	R	HFSM IHS5156_6kHz	256/31	42.6	Altr	2.78	4.72	0.302	100	100-3000Hz
2	56RA80A.1	80SPL	R	HFSM IHS5156_6kHz	256/31	42.6	Altr	2.18	2.77	0.443	100	100-3000Hz
3	56RA75A.1	75SPL	R	HFSM IHS5156_6kHz	256/29	42.6	Altr	2.03	1.70	0.378	100	100-3000Hz
4	56RA70A.1	70SPL	R	HFSM IHS5156_6kHz	256/28	42.6	Altr	1.90	1.05	0.370	100	100-3000Hz
5	56RA65A.1	65SPL	R	HFSM IHS5156_6kHz	256/32	42.6	Altr	2.00	1.29	0.323	100	100-3000Hz
6	56RA60A.1	60SPL	R	HFSM IHS5156_6kHz	256/28	42.6	Altr	2.52	0.62	0.651	100	100-3000Hz
7	56RA55A.1	55SPL	R	HFSM IHS5156_6kHz	256/33	42.6	Altr	2.02	0.38	0.809	100	100-3000Hz
8	56RA50A.1	50SPL	R	HFSM IHS5156_6kHz	256/31	42.6	Altr	2.13	0.52	0.561	100	100-3000Hz
9	56RA45A.1	45SPL	R	HFSM IHS5156_6kHz	256/30	42.6	Altr	2.21	0.27	0.533	100	100-3000Hz
10	56RA40A.1	40SPL	R	HFSM IHS5156_6kHz	256/29	42.6	Altr	1.89	0.77	0.306	100	100-3000Hz
11	56RA35A.1	35SPL	R	HFSM IHS5156_6kHz	256/30	42.6	Altr	2.07	0.45	0.374	100	100-3000Hz
12	56RA30A.1	30SPL	R	HFSM IHS5156_6kHz	256/28	42.6	Altr	1.62	0.48	0.511	100	100-3000Hz
13	56RA25A.1	25SPL	R	HFSM IHS5156_6kHz	256/27	42.6	Altr	2.11	1.06	0.316	100	100-3000Hz
14	56RA20A.1	20SPL	R	HFSM IHS5156_6kHz	256/30	42.6	Altr	1.70	1.04	0.322	100	100-3000Hz
15	56RA15A.1	15SPL	R	HFSM IHS5156_6kHz	256/30	42.6	Altr	1.95	0.79	0.270	100	100-3000Hz
16	56RA10A.1	10SPL	R	HFSM IHS5156_6kHz	256/33	42.6	Altr	1.64	0.60	0.446	100	100-3000Hz
17	56RA5A.1	5SPL	R	HFSM IHS5156_6kHz	256/33	42.6	Altr	1.42	0.52	0.392	100	100-3000Hz
18	56RA0A.1	0SPL	R	HFSM IHS5156_6kHz	256/30	42.6	Altr	2.16	0.53	0.484	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	R	
2	80	R	
3	75	R	
4	70	R	
5	65	R	
6	60	R	
7	55	R	
8	50	R	
9	45	R	
10	40	R	
11	35	R	
12	30	R	
13	25	R	
14	20	R	
15	15	R	
16	10	R	
17	5	R	
18	0	R	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

A-44536-R 5304


ID: 3723094-A-44536 Page: 2 Test Date: Wednesday, April 24, 2024 DOB: Tuesday, January 2, 2024 Age: 3.7 months Report: Wednesday, April 24, 2024

Page 2

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR	RN	Gain	Filters
1	56RA85A.2	85SPL	R	HFSM IHS5156_12kH	256/32	42.6	Altr	2.54	1.24	0.646	100	100-3000Hz
2	56RA80A.2	80SPL	R	HFSM IHS5156_12kH	256/30	42.6	Altr	2.39	1.95	0.293	100	100-3000Hz
3	56RA75A.2	75SPL	R	HFSM IHS5156_12kH	256/31	42.6	Altr	2.32	0.65	0.748	100	100-3000Hz
4	56RA70A.2	70SPL	R	HFSM IHS5156_12kH	256/30	42.6	Altr	2.07	0.82	0.453	100	100-3000Hz
5	56RA65A.2	65SPL	R	HFSM IHS5156_12kH	256/33	42.6	Altr	2.15	1.10	0.333	100	100-3000Hz
6	56RA60A.2	60SPL	R	HFSM IHS5156_12kH	256/34	42.6	Altr	1.97	0.41	0.637	100	100-3000Hz
7	56RA55A.2	55SPL	R	HFSM IHS5156_12kH	256/33	42.6	Altr	1.83	0.39	0.667	100	100-3000Hz
8	56RA50A.2	50SPL	R	HFSM IHS5156_12kH	256/33	42.6	Altr	1.45	0.50	0.378	100	100-3000Hz
9	56RA45A.2	45SPL	R	HFSM IHS5156_12kH	256/31	42.6	Altr	1.74	0.74	0.379	100	100-3000Hz
10	56RA40A.2	40SPL	R	HFSM IHS5156_12kH	256/31	42.6	Altr	2.04	0.74	0.289	100	100-3000Hz
11	56RA35A.2	35SPL	R	HFSM IHS5156_12kH	256/37	42.6	Altr	1.78	0.28	0.689	100	100-3000Hz
12	56RA30A.2	30SPL	R	HFSM IHS5156_12kH	256/31	42.6	Altr	2.67	0.57	0.539	100	100-3000Hz
13	56RA25A.2	25SPL	R	HFSM IHS5156_12kH	256/34	42.6	Altr	1.54	0.38	0.442	100	100-3000Hz
14	56RA20A.2	20SPL	R	HFSM IHS5156_12kH	256/32	42.6	Altr	1.79	1.56	0.261	100	100-3000Hz
15	56RA15A.2	15SPL	R	HFSM IHS5156_12kH	256/17	42.6	Altr	3.87	0.75	0.413	100	100-3000Hz
16	56RA10A.2	10SPL	R	HFSM IHS5156_12kH	256/0	42.6	Altr	5.05	0.80	0.453	100	100-3000Hz
17	56RA5A.2	5SPL	R	HFSM IHS5156_12kH	256/40	42.6	Altr	2.94	0.35	0.483	100	100-3000Hz
18	56RA0A.2	0SPL	R	HFSM IHS5156_12kH	256/40	42.6	Altr	2.00	0.75	0.273	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	R	
2	80	R	
3	75	R	
4	70	R	
5	65	R	
6	60	R	
7	55	R	
8	50	R	
9	45	R	
10	40	R	
11	35	R	
12	30	R	
13	25	R	
14	20	R	
15	15	R	
16	10	R	
17	5	R	
18	0	R	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

A-44536-R 5304


ID: 3723094-A-44536 Page: 3 Test Date: Wednesday, April 24, 2024 DOB: Tuesday, January 2, 2024 Age: 3.7 months Report: Wednesday, April 24, 2024

Page 3

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR	RN	Gain	Filters
1	56RA85A.3	85SPL	R	HFStm IHS7558_18kH	256/34	42.6	Altr	1.86	2.39	0.403	100	100-1500Hz
2	56RA80A.3	80SPL	R	HFStm IHS7558_18kH	256/30	42.6	Altr	1.81	4.36	0.172	100	100-1500Hz
3	56RA75A.3	75SPL	R	HFStm IHS7558_18kH	256/39	42.6	Altr	2.07	1.45	0.691	100	100-1500Hz
4	56RA70A.3	70SPL	R	HFStm IHS7558_18kH	256/32	42.6	Altr	2.51	1.46	0.509	100	100-1500Hz
5	56RA65A.3	65SPL	R	HFStm IHS7558_18kH	256/31	42.6	Altr	2.06	0.93	0.777	100	100-1500Hz
6	56RA60A.3	60SPL	R	HFStm IHS7558_18kH	256/30	42.6	Altr	2.41	1.17	0.438	100	100-1500Hz
7	56RA55A.3	55SPL	R	HFStm IHS7558_18kH	256/30	42.6	Altr	2.31	0.94	0.410	100	100-1500Hz
8	56RA50A.3	50SPL	R	HFStm IHS7558_18kH	256/31	42.6	Altr	2.03	0.90	0.310	100	100-1500Hz
9	56RA45A.3	45SPL	R	HFStm IHS7558_18kH	256/32	42.6	Altr	2.32	1.09	0.238	100	100-1500Hz
10	56RA40A.3	40SPL	R	HFStm IHS7558_18kH	256/32	42.6	Altr	1.92	0.35	0.993	100	100-1500Hz
11	56RA35A.3	35SPL	R	HFStm IHS7558_18kH	256/34	42.6	Altr	1.67	0.51	0.540	100	100-1500Hz
12	56RA30A.3	30SPL	R	HFStm IHS7558_18kH	256/32	42.6	Altr	2.57	1.06	0.335	100	100-1500Hz
13	56RA25A.3	25SPL	R	HFStm IHS7558_18kH	256/33	42.6	Altr	1.48	1.46	0.211	100	100-1500Hz
14	56RA20A.3	20SPL	R	HFStm IHS7558_18kH	256/33	42.6	Altr	2.13	0.57	0.595	100	100-1500Hz
15	56RA15A.3	15SPL	R	HFStm IHS7558_18kH	256/34	42.6	Altr	1.57	1.37	0.171	100	100-1500Hz
16	56RA10A.3	10SPL	R	HFStm IHS7558_18kH	256/33	42.6	Altr	1.68	0.77	0.350	100	100-1500Hz
17	56RA5A.3	5SPL	R	HFStm IHS7558_18kH	256/35	42.6	Altr	2.32	0.96	0.300	100	100-1500Hz
18	56RA0A.3	0SPL	R	HFStm IHS7558_18kH	256/34	42.6	Altr	2.17	1.52	0.206	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	R	
2	80	R	
3	75	R	
4	70	R	
5	65	R	
6	60	R	
7	55	R	
8	50	R	
9	45	R	
10	40	R	
11	35	R	
12	30	R	
13	25	R	
14	20	R	
15	15	R	
16	10	R	
17	5	R	
18	0	R	





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

A-44536-R 5304


ID: 3723094-A-44536 Page: 4 Test Date: Wednesday, April 24, 2024 DOB: Tuesday, January 2, 2024 Age: 3.7 months Report: Wednesday, April 24, 2024

Page 4

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR	RN	Gain	Filters
1	56RA85A.4	85SPL	R	HFSM IHS7558_24kH	256/36	42.6	Altr	2.57	4.35	0.302	100	100-1500Hz
2	56RA80A.4	80SPL	R	HFSM IHS7558_24kH	256/36	42.6	Altr	2.06	1.45	0.861	100	100-1500Hz
3	56RA75A.4	75SPL	R	HFSM IHS7558_24kH	256/33	42.6	Altr	2.22	0.87	1.150	100	100-1500Hz
4	56RA70A.4	70SPL	R	HFSM IHS7558_24kH	256/33	42.6	Altr	2.17	2.17	0.487	100	100-1500Hz
5	56RA65A.4	65SPL	R	HFSM IHS7558_24kH	256/35	42.6	Altr	2.09	1.26	0.750	100	100-1500Hz
6	56RA60A.4	60SPL	R	HFSM IHS7558_24kH	256/28	42.6	Altr	3.30	1.19	0.493	100	100-1500Hz
7	56RA55A.4	55SPL	R	HFSM IHS7558_24kH	256/27	42.6	Altr	2.77	1.97	0.339	100	100-1500Hz
8	56RA50A.4	50SPL	R	HFSM IHS7558_24kH	256/33	42.6	Altr	2.32	1.08	0.378	100	100-1500Hz
9	56RA45A.4	45SPL	R	HFSM IHS7558_24kH	256/36	42.6	Altr	1.97	1.25	0.417	100	100-1500Hz
10	56RA40A.4	40SPL	R	HFSM IHS7558_24kH	256/32	42.6	Altr	2.04	0.96	0.436	100	100-1500Hz
11	56RA35A.4	35SPL	R	HFSM IHS7558_24kH	256/33	42.6	Altr	2.98	1.22	0.397	100	100-1500Hz
12	56RA30A.4	30SPL	R	HFSM IHS7558_24kH	256/34	42.6	Altr	1.95	0.38	0.457	100	100-1500Hz
13	56RA25A.4	25SPL	R	HFSM IHS7558_24kH	256/36	42.6	Altr	1.92	0.36	0.428	100	100-1500Hz
14	56RA20A.4	20SPL	R	HFSM IHS7558_24kH	256/34	42.6	Altr	1.97	0.59	0.481	100	100-1500Hz
15	56RA15A.4	15SPL	R	HFSM IHS7558_24kH	256/33	42.6	Altr	2.34	1.64	0.202	100	100-1500Hz
16	56RA10A.4	10SPL	R	HFSM IHS7558_24kH	256/36	42.6	Altr	1.24	0.69	0.335	100	100-1500Hz
17	56RA5A.4	5SPL	R	HFSM IHS7558_24kH	256/35	42.6	Altr	1.75	0.47	0.497	100	100-1500Hz
18	56RA0A.4	0SPL	R	HFSM IHS7558_24kH	256/33	42.6	Altr	2.16	0.77	0.379	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	R	
2	80	R	
3	75	R	
4	70	R	
5	65	R	
6	60	R	
7	55	R	
8	50	R	
9	45	R	
10	40	R	
11	35	R	
12	30	R	
13	25	R	
14	20	R	
15	15	R	
16	10	R	
17	5	R	
18	0	R	



Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR	RN	Gain	Filters
1	56RA85A.5	85SPL	R	HFStm IHS7558_30kH	256/34	42.6	Altr	2.42	2.35	0.366	100	100-1500Hz
2	56RA80A.5	80SPL	R	HFStm IHS7558_30kH	256/31	42.6	Altr	2.55	1.64	0.377	100	100-1500Hz
3	56RA75A.5	75SPL	R	HFStm IHS7558_30kH	256/35	42.6	Altr	2.85	1.35	0.254	100	100-1500Hz
4	56RA70A.5	70SPL	R	HFStm IHS7558_30kH	256/35	42.6	Altr	2.14	0.99	0.356	100	100-1500Hz
5	56RA65A.5	65SPL	R	HFStm IHS7558_30kH	256/34	42.6	Altr	1.50	0.71	0.414	100	100-1500Hz
6	56RA60A.5	60SPL	R	HFStm IHS7558_30kH	256/34	42.6	Altr	2.67	0.49	1.088	100	100-1500Hz
7	56RA55A.5	55SPL	R	HFStm IHS7558_30kH	256/33	42.6	Altr	2.60	0.35	1.063	100	100-1500Hz
8	56RA50A.5	50SPL	R	HFStm IHS7558_30kH	256/33	42.6	Altr	2.53	0.55	1.986	100	100-1500Hz
9	56RA45A.5	45SPL	R	HFStm IHS7558_30kH	256/43	42.6	Altr	2.11	0.53	0.647	100	100-1500Hz
10	56RA40A.5	40SPL	R	HFStm IHS7558_30kH	256/38	42.6	Altr	2.21	0.51	0.680	100	100-1500Hz
11	56RA35A.5	35SPL	R	HFStm IHS7558_30kH	256/35	42.6	Altr	3.00	0.14	1.622	100	100-1500Hz
12	56RA30A.5	30SPL	R	HFStm IHS7558_30kH	256/35	42.6	Altr	2.43	0.40	0.849	100	100-1500Hz
13	56RA25A.5	25SPL	R	HFStm IHS7558_30kH	256/38	42.6	Altr	2.06	0.75	0.479	100	100-1500Hz
14	56RA20A.5	20SPL	R	HFStm IHS7558_30kH	256/35	42.6	Altr	2.35	0.60	0.482	100	100-1500Hz

SNR & RN: 4.00 - 9.00 ms Fmp:5.00 ms *-Indicates different region or point used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	R	
2	80	R	
3	75	R	
4	70	R	
5	65	R	
6	60	R	
7	55	R	
8	50	R	
9	45	R	
10	40	R	
11	35	R	
12	30	R	
13	25	R	
14	20	R	