




6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J62913-R 26289

ID: 1029380-J62913 Page: 1 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J62913-R 26289

ID: 1029380-J62913 Page: 1 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.1	85SPL	B	HFStm	IHS5157_6kHz	512/25	42.6	Altr	3.13	2.02 0.64	100	100-3000Hz
2	J2BA80B.1	80SPL	B	HFStm	IHS5157_6kHz	512/31	42.6	Altr	3.00	2.64 0.56	100	100-3000Hz
3	J2BA75B.1	75SPL	B	HFStm	IHS5157_6kHz	512/31	42.6	Altr	2.46	2.71 0.46	100	100-3000Hz
4	J2BA70B.1	70SPL	B	HFStm	IHS5157_6kHz	512/27	42.6	Altr	2.57	2.74 0.46	100	100-3000Hz
5	J2BA65B.1	65SPL	B	HFStm	IHS5157_6kHz	512/29	42.6	Altr	1.76	1.82 0.46	100	100-3000Hz
6	J2BA60B.1	60SPL	B	HFStm	IHS5157_6kHz	512/23	42.6	Altr	1.61	2.06 0.36	100	100-3000Hz
7	J2BA55B.1	55SPL	B	HFStm	IHS5157_6kHz	512/31	42.6	Altr	1.86	2.51 0.29	100	100-3000Hz
8	J2BA50B.1	50SPL	B	HFStm	IHS5157_6kHz	512/27	42.6	Altr	1.32	2.34 0.22	100	100-3000Hz
9	J2BA45B.1	45SPL	B	HFStm	IHS5157_6kHz	512/30	42.6	Altr	1.23	1.00 0.39	100	100-3000Hz
10	J2BA40B.1	40SPL	B	HFStm	IHS5157_6kHz	512/29	42.6	Altr	1.50	2.37 0.25	100	100-3000Hz
11	J2BA35B.1	35SPL	B	HFStm	IHS5157_6kHz	512/32	42.6	Altr	1.32	0.62 0.57	100	100-3000Hz
12	J2BA30B.1	30SPL	B	HFStm	IHS5157_6kHz	512/26	42.6	Altr	1.59	0.66 0.43	100	100-3000Hz
13	J2BA25B.1	25SPL	B	HFStm	IHS5157_6kHz	512/35	42.6	Altr	1.10	0.75 0.44	100	100-3000Hz
14	J2BA20B.1	20SPL	B	HFStm	IHS5157_6kHz	512/27	42.6	Altr	0.79	0.81 0.31	100	100-3000Hz
15	J2BA15B.1	15SPL	B	HFStm	IHS5157_6kHz	512/34	42.6	Altr	0.54	0.57 0.33	100	100-3000Hz
16	J2BA10B.1	10SPL	B	HFStm	IHS5157_6kHz	512/30	42.6	Altr	0.80	0.20 0.68	100	100-3000Hz
17	J2BA5B.1	5SPL	B	HFStm	IHS5157_6kHz	512/32	42.6	Altr	0.81	0.51 0.33	100	100-3000Hz
18	J2BA0B.1	0SPL	B	HFStm	IHS5157_6kHz	512/26	42.6	Altr	1.09	0.80 0.22	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J62913-R 26289

ID: 1029380-J62913 Page: 2 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


J62913-R 26289

ID: 1029380-J62913 Page: 2 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.2	85SPL	B	HFStm	IHS5157_12kH	512/29	42.6	Altr	4.00	3.82 0.39	100	100-3000Hz
2	J2BA80B.2	80SPL	B	HFStm	IHS5157_12kH	512/28	42.6	Altr	3.57	5.24 0.25	100	100-3000Hz
3	J2BA75B.2	75SPL	B	HFStm	IHS5157_12kH	512/30	42.6	Altr	3.21	3.59 0.34	100	100-3000Hz
4	J2BA70B.2	70SPL	B	HFStm	IHS5157_12kH	512/31	42.6	Altr	2.06	2.14 0.51	100	100-3000Hz
5	J2BA65B.2	65SPL	B	HFStm	IHS5157_12kH	512/33	42.6	Altr	1.61	3.41 0.24	100	100-3000Hz
6	J2BA60B.2	60SPL	B	HFStm	IHS5157_12kH	512/28	42.6	Altr	2.13	2.34 0.37	100	100-3000Hz
7	J2BA55B.2	55SPL	B	HFStm	IHS5157_12kH	512/29	42.6	Altr	2.49	4.07 0.23	100	100-3000Hz
8	J2BA50B.2	50SPL	B	HFStm	IHS5157_12kH	512/24	42.6	Altr	1.91	3.42 0.22	100	100-3000Hz
9	J2BA45B.2	45SPL	B	HFStm	IHS5157_12kH	512/25	42.6	Altr	2.21	2.11 0.35	100	100-3000Hz
10	J2BA40B.2	40SPL	B	HFStm	IHS5157_12kH	512/32	42.6	Altr	1.39	2.26 0.28	100	100-3000Hz
11	J2BA35B.2	35SPL	B	HFStm	IHS5157_12kH	512/29	42.6	Altr	1.42	1.07 0.52	100	100-3000Hz
12	J2BA30B.2	30SPL	B	HFStm	IHS5157_12kH	512/31	42.6	Altr	1.21	1.12 0.47	100	100-3000Hz
13	J2BA25B.2	25SPL	B	HFStm	IHS5157_12kH	512/30	42.6	Altr	1.05	1.85 0.29	100	100-3000Hz
14	J2BA20B.2	20SPL	B	HFStm	IHS5157_12kH	512/26	42.6	Altr	1.75	0.76 0.35	100	100-3000Hz
15	J2BA15B.2	15SPL	B	HFStm	IHS5157_12kH	512/29	42.6	Altr	0.99	0.59 0.42	100	100-3000Hz
16	J2BA10B.2	10SPL	B	HFStm	IHS5157_12kH	512/30	42.6	Altr	1.00	0.85 0.31	100	100-3000Hz
17	J2BA5B.2	5SPL	B	HFStm	IHS5157_12kH	512/30	42.6	Altr	0.73	0.50 0.31	100	100-3000Hz
18	J2BA0B.2	0SPL	B	HFStm	IHS5157_12kH	512/30	42.6	Altr	0.97	0.71 0.21	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J62913-R 26289

ID: 1029380-J62913 Page: 3 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.3	85SPL	B	HFStm	IHS5157_18kH	512/34	42.6	Altr	3.15	3.57 0.28	100	100-1500Hz
2	J2BA80B.3	80SPL	B	HFStm	IHS5157_18kH	512/34	42.6	Altr	2.71	2.47 0.44	100	100-1500Hz
3	J2BA75B.3	75SPL	B	HFStm	IHS5157_18kH	512/30	42.6	Altr	2.35	2.11 0.53	100	100-1500Hz
4	J2BA70B.3	70SPL	B	HFStm	IHS5157_18kH	512/31	42.6	Altr	2.39	7.48 0.16	100	100-1500Hz
5	J2BA65B.3	65SPL	B	HFStm	IHS5157_18kH	512/24	42.6	Altr	1.99	7.09 0.13	100	100-1500Hz
6	J2BA60B.3	60SPL	B	HFStm	IHS5157_18kH	512/31	42.6	Altr	1.34	3.38 0.20	100	100-1500Hz
7	J2BA55B.3	55SPL	B	HFStm	IHS5157_18kH	512/28	42.6	Altr	1.91	1.52 0.61	100	100-1500Hz
8	J2BA50B.3	50SPL	B	HFStm	IHS5157_18kH	512/30	42.6	Altr	1.42	3.66 0.22	100	100-1500Hz
9	J2BA45B.3	45SPL	B	HFStm	IHS5157_18kH	512/32	42.6	Altr	1.44	0.85 0.86	100	100-1500Hz
10	J2BA40B.3	40SPL	B	HFStm	IHS5157_18kH	512/34	42.6	Altr	1.16	0.73 0.87	100	100-1500Hz
11	J2BA35B.3	35SPL	B	HFStm	IHS5157_18kH	512/34	42.6	Altr	0.64	1.90 0.18	100	100-1500Hz
12	J2BA30B.3	30SPL	B	HFStm	IHS5157_18kH	512/35	42.6	Altr	0.91	0.46 0.55	100	100-1500Hz
13	J2BA25B.3	25SPL	B	HFStm	IHS5157_18kH	512/31	42.6	Altr	0.97	0.68 0.46	100	100-1500Hz
14	J2BA20B.3	20SPL	B	HFStm	IHS5157_18kH	512/32	42.6	Altr	0.74	0.17 0.40	100	100-1500Hz
15	J2BA15B.3	15SPL	B	HFStm	IHS5157_18kH	512/36	42.6	Altr	0.53	0.16 0.62	100	100-1500Hz
16	J2BA10B.3	10SPL	B	HFStm	IHS5157_18kH	512/30	42.6	Altr	0.58	1.68 0.17	100	100-1500Hz
17	J2BA5B.3	5SPL	B	HFStm	IHS5157_18kH	512/34	42.6	Altr	0.73	0.65 0.21	100	100-1500Hz
18	J2BA0B.3	0SPL	B	HFStm	IHS5157_18kH	512/28	42.6	Altr	0.90	0.45 0.58	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J62913-R 26289

ID: 1029380-J62913 Page: 4 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J62913-R 26289

ID: 1029380-J62913 Page: 4 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.4	85SPL	B	HFStm	IHS5157_24kH	512/32	42.6	Altr	2.76	2.76 0.24	100	100-1500Hz
2	J2BA80B.4	80SPL	B	HFStm	IHS5157_24kH	512/27	42.6	Altr	2.48	2.48 0.28	100	100-1500Hz
3	J2BA75B.4	75SPL	B	HFStm	IHS5157_24kH	512/29	42.6	Altr	2.33	2.73 0.33	100	100-1500Hz
4	J2BA70B.4	70SPL	B	HFStm	IHS5157_24kH	512/35	42.6	Altr	1.65	1.19 0.68	100	100-1500Hz
5	J2BA65B.4	65SPL	B	HFStm	IHS5157_24kH	512/31	42.6	Altr	1.50	2.27 0.40	100	100-1500Hz
6	J2BA60B.4	60SPL	B	HFStm	IHS5157_24kH	512/32	42.6	Altr	1.48	5.52 0.18	100	100-1500Hz
7	J2BA55B.4	55SPL	B	HFStm	IHS5157_24kH	512/31	42.6	Altr	1.17	2.19 0.34	100	100-1500Hz
8	J2BA50B.4	50SPL	B	HFStm	IHS5157_24kH	512/34	42.6	Altr	1.26	2.68 0.35	100	100-1500Hz
9	J2BA45B.4	45SPL	B	HFStm	IHS5157_24kH	512/29	42.6	Altr	1.04	1.49 0.40	100	100-1500Hz
10	J2BA40B.4	40SPL	B	HFStm	IHS5157_24kH	512/31	42.6	Altr	1.39	1.06 0.62	100	100-1500Hz
11	J2BA35B.4	35SPL	B	HFStm	IHS5157_24kH	512/33	42.6	Altr	1.14	2.21 0.31	100	100-1500Hz
12	J2BA30B.4	30SPL	B	HFStm	IHS5157_24kH	512/33	42.6	Altr	1.03	0.78 0.41	100	100-1500Hz
13	J2BA25B.4	25SPL	B	HFStm	IHS5157_24kH	512/34	42.6	Altr	0.58	0.78 0.23	100	100-1500Hz
14	J2BA20B.4	20SPL	B	HFStm	IHS5157_24kH	512/33	42.6	Altr	0.52	0.54 0.29	100	100-1500Hz
15	J2BA15B.4	15SPL	B	HFStm	IHS5157_24kH	512/32	42.6	Altr	0.81	0.51 0.45	100	100-1500Hz
16	J2BA10B.4	10SPL	B	HFStm	IHS5157_24kH	512/30	42.6	Altr	0.69	0.11 0.79	100	100-1500Hz
17	J2BA5B.4	5SPL	B	HFStm	IHS5157_24kH	512/33	42.6	Altr	0.96	0.75 0.30	100	100-1500Hz
18	J2BA0B.4	0SPL	B	HFStm	IHS5157_24kH	512/34	42.6	Altr	0.85	0.32 0.38	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



SmartEP ASSR OAE VRA
6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J62913-R 26289

ID: 1029380-J62913 Page: 5 Test Date: Nov. 09, 2016 DOB: Jul 20, 2016 Age: 3.6 months Report: Nov. 09, 2016



		0	1	2	3	4	5	6	7	8	9	10	11	12 ms
Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters		
1	J2BA85B.5	85SPL	B	HFStm	IHS5157_30kHz	512/36	42.6	Altr	2.02	2.05 0.51	100	100-1500Hz		
2	J2BA80B.5	80SPL	B	HFStm	IHS5157_30kHz	512/33	42.6	Altr	1.83	3.08 0.30	100	100-1500Hz		
3	J2BA75B.5	75SPL	B	HFStm	IHS5157_30kHz	512/31	42.6	Altr	1.99	3.34 0.29	100	100-1500Hz		
4	J2BA70B.5	70SPL	B	HFStm	IHS5157_30kHz	512/35	42.6	Altr	1.75	3.02 0.30	100	100-1500Hz		
5	J2BA65B.5	65SPL	B	HFStm	IHS5157_30kHz	512/35	42.6	Altr	0.81	1.55 0.18	100	100-1500Hz		
6	J2BA60B.5	60SPL	B	HFStm	IHS5157_30kHz	512/31	42.6	Altr	0.86	1.11 0.29	100	100-1500Hz		
7	J2BA55B.5	55SPL	B	HFStm	IHS5157_30kHz	512/33	42.6	Altr	0.83	0.23 0.70	100	100-1500Hz		
8	J2BA50B.5	50SPL	B	HFStm	IHS5157_30kHz	512/30	42.6	Altr	1.05	0.67 0.31	100	100-1500Hz		
9	J2BA45B.5	45SPL	B	HFStm	IHS5157_30kHz	512/35	42.6	Altr	0.66	0.90 0.27	100	100-1500Hz		
10	J2BA40B.5	40SPL	B	HFStm	IHS5157_30kHz	512/39	42.6	Altr	0.36	0.38 0.39	100	100-1500Hz		
11	J2BA35B.5	35SPL	B	HFStm	IHS5157_30kHz	512/35	42.6	Altr	0.69	0.11 0.36	100	100-1500Hz		
12	J2BA30B.5	30SPL	B	HFStm	IHS5157_30kHz	512/33	42.6	Altr	0.69	0.84 0.18	100	100-1500Hz		
13	J2BA25B.5	25SPL	B	HFStm	IHS5157_30kHz	512/32	42.6	Altr	1.16	0.24 0.45	100	100-1500Hz		
14	J2BA20B.5	20SPL	B	HFStm	IHS5157_30kHz	512/31	42.6	Altr	0.68	0.97 0.22	100	100-1500Hz		

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	