




6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10685-L 32692

ID: 2809052-D10685 Page: 1 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10685-L 32692

ID: 2809052-D10685 Page: 1 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.1	85SPL	B	HFStm IHS5157_6kHz	256/19	42.6	Altr	2.22	1.00 1.03	100	100-3000Hz
2	D3BA80B.1	80SPL	B	HFStm IHS5157_6kHz	256/22	42.6	Altr	2.06	1.22 0.82	100	100-3000Hz
3	D3BA75B.1	75SPL	B	HFStm IHS5157_6kHz	256/22	42.6	Altr	2.16	1.27 0.73	100	100-3000Hz
4	D3BA70B.1	70SPL	B	HFStm IHS5157_6kHz	256/19	42.6	Altr	1.39	0.82 0.76	100	100-3000Hz
5	D3BA65B.1	65SPL	B	HFStm IHS5157_6kHz	256/20	42.6	Altr	1.75	0.73 0.43	100	100-3000Hz
6	D3BA60B.1	60SPL	B	HFStm IHS5157_6kHz	256/19	42.6	Altr	1.56	1.75 0.32	100	100-3000Hz
7	D3BA55B.1	55SPL	B	HFStm IHS5157_6kHz	256/16	42.6	Altr	1.54	0.40 0.89	100	100-3000Hz
8	D3BA50B.1	50SPL	B	HFStm IHS5157_6kHz	256/15	42.6	Altr	1.89	0.95 0.47	100	100-3000Hz
9	D3BA45B.1	45SPL	B	HFStm IHS5157_6kHz	256/21	42.6	Altr	0.96	0.93 0.47	100	100-3000Hz
10	D3BA40B.1	40SPL	B	HFStm IHS5157_6kHz	256/21	42.6	Altr	1.73	0.34 0.91	100	100-3000Hz
11	D3BA35B.1	35SPL	B	HFStm IHS5157_6kHz	256/22	42.6	Altr	1.02	0.26 0.89	100	100-3000Hz
12	D3BA30B.1	30SPL	B	HFStm IHS5157_6kHz	256/18	42.6	Altr	1.62	0.69 0.46	100	100-3000Hz
13	D3BA25B.1	25SPL	B	HFStm IHS5157_6kHz	256/20	42.6	Altr	1.59	0.90 0.39	100	100-3000Hz
14	D3BA20B.1	20SPL	B	HFStm IHS5157_6kHz	256/19	42.6	Altr	1.35	0.22 0.92	100	100-3000Hz
15	D3BA15B.1	15SPL	B	HFStm IHS5157_6kHz	256/25	42.6	Altr	0.96	0.40 0.84	100	100-3000Hz
16	D3BA10B.1	10SPL	B	HFStm IHS5157_6kHz	256/16	42.6	Altr	1.39	0.28 0.98	100	100-3000Hz
17	D3BA5B.1	5SPL	B	HFStm IHS5157_6kHz	256/17	42.6	Altr	1.51	0.27 0.62	100	100-3000Hz
18	D3BA0B.1	0SPL	B	HFStm IHS5157_6kHz	256/18	42.6	Altr	1.42	0.50 0.67	100	100-3000Hz


System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10685-L 32692
ID: 2809052-D10685 Page: 2 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10685-L 32692

ID: 2809052-D10685 Page: 2 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.2	85SPL	B	HFStm	IHS5157_12kH	256/17	42.6	Altr	2.50	1.19 0.56	100	100-3000Hz
2	D3BA80B.2	80SPL	B	HFStm	IHS5157_12kH	256/17	42.6	Altr	1.41	0.72 0.65	100	100-3000Hz
3	D3BA75B.2	75SPL	B	HFStm	IHS5157_12kH	256/26	42.6	Altr	1.20	0.45 0.70	100	100-3000Hz
4	D3BA70B.2	70SPL	B	HFStm	IHS5157_12kH	256/22	42.6	Altr	1.40	0.72 0.83	100	100-3000Hz
5	D3BA65B.2	65SPL	B	HFStm	IHS5157_12kH	256/16	42.6	Altr	2.56	0.56 0.50	100	100-3000Hz
6	D3BA60B.2	60SPL	B	HFStm	IHS5157_12kH	256/17	42.6	Altr	2.29	0.37 0.67	100	100-3000Hz
7	D3BA55B.2	55SPL	B	HFStm	IHS5157_12kH	256/19	42.6	Altr	0.69	0.54 0.40	100	100-3000Hz
8	D3BA50B.2	50SPL	B	HFStm	IHS5157_12kH	256/20	42.6	Altr	1.45	0.22 1.09	100	100-3000Hz
9	D3BA45B.2	45SPL	B	HFStm	IHS5157_12kH	256/18	42.6	Altr	0.89	0.31 0.83	100	100-3000Hz
10	D3BA40B.2	40SPL	B	HFStm	IHS5157_12kH	256/22	42.6	Altr	1.89	0.49 0.66	100	100-3000Hz
11	D3BA35B.2	35SPL	B	HFStm	IHS5157_12kH	256/16	42.6	Altr	1.68	0.40 0.70	100	100-3000Hz
12	D3BA30B.2	30SPL	B	HFStm	IHS5157_12kH	256/20	42.6	Altr	1.74	0.64 0.62	100	100-3000Hz
13	D3BA25B.2	25SPL	B	HFStm	IHS5157_12kH	256/14	42.6	Altr	2.08	0.55 0.55	100	100-3000Hz
14	D3BA20B.2	20SPL	B	HFStm	IHS5157_12kH	256/22	42.6	Altr	0.86	0.38 0.82	100	100-3000Hz
15	D3BA15B.2	15SPL	B	HFStm	IHS5157_12kH	256/20	42.6	Altr	1.17	0.49 0.77	100	100-3000Hz
16	D3BA10B.2	10SPL	B	HFStm	IHS5157_12kH	256/16	42.6	Altr	1.43	0.43 0.80	100	100-3000Hz
17	D3BA5B.2	5SPL	B	HFStm	IHS5157_12kH	256/21	42.6	Altr	1.21	0.70 0.46	100	100-3000Hz
18	D3BA0B.2	0SPL	B	HFStm	IHS5157_12kH	256/16	42.6	Altr	1.92	0.87 0.42	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10685-L 32692

ID: 2809052-D10685 Page: 3 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10685-L 32692

ID: 2809052-D10685 Page: 3 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.3	85SPL	B	HFStm	IHS5157_18kH	256/22	42.6	Altr	2.49	4.12 0.32	100	100-1500Hz
2	D3BA80B.3	80SPL	B	HFStm	IHS5157_18kH	256/26	42.6	Altr	2.43	1.92 0.52	100	100-1500Hz
3	D3BA75B.3	75SPL	B	HFStm	IHS5157_18kH	256/27	42.6	Altr	2.01	1.12 0.97	100	100-1500Hz
4	D3BA70B.3	70SPL	B	HFStm	IHS5157_18kH	256/25	42.6	Altr	1.49	1.49 0.49	100	100-1500Hz
5	D3BA65B.3	65SPL	B	HFStm	IHS5157_18kH	256/26	42.6	Altr	0.94	0.61 0.58	100	100-1500Hz
6	D3BA60B.3	60SPL	B	HFStm	IHS5157_18kH	256/27	42.6	Altr	0.93	1.01 0.48	100	100-1500Hz
7	D3BA55B.3	55SPL	B	HFStm	IHS5157_18kH	256/23	42.6	Altr	0.84	1.26 0.40	100	100-1500Hz
8	D3BA50B.3	50SPL	B	HFStm	IHS5157_18kH	256/25	42.6	Altr	0.94	0.27 1.00	100	100-1500Hz
9	D3BA45B.3	45SPL	B	HFStm	IHS5157_18kH	256/24	42.6	Altr	1.52	0.81 0.90	100	100-1500Hz
10	D3BA40B.3	40SPL	B	HFStm	IHS5157_18kH	256/21	42.6	Altr	1.10	0.35 1.01	100	100-1500Hz
11	D3BA35B.3	35SPL	B	HFStm	IHS5157_18kH	256/29	42.6	Altr	0.80	0.94 0.42	100	100-1500Hz
12	D3BA30B.3	30SPL	B	HFStm	IHS5157_18kH	256/23	42.6	Altr	0.86	0.44 0.89	100	100-1500Hz
13	D3BA25B.3	25SPL	B	HFStm	IHS5157_18kH	256/26	42.6	Altr	0.56	0.32 0.72	100	100-1500Hz
14	D3BA20B.3	20SPL	B	HFStm	IHS5157_18kH	256/22	42.6	Altr	1.14	0.50 1.00	100	100-1500Hz
15	D3BA15B.3	15SPL	B	HFStm	IHS5157_18kH	256/23	42.6	Altr	0.47	0.41 0.65	100	100-1500Hz
16	D3BA10B.3	10SPL	B	HFStm	IHS5157_18kH	256/22	42.6	Altr	0.45	0.46 0.40	100	100-1500Hz
17	D3BA5B.3	5SPL	B	HFStm	IHS5157_18kH	256/25	42.6	Altr	1.15	0.61 0.71	100	100-1500Hz
18	D3BA0B.3	0SPL	B	HFStm	IHS5157_18kH	256/26	42.6	Altr	1.06	0.43 0.95	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10685-L 32692

ID: 2809052-D10685 Page: 4 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10685-L 32692

ID: 2809052-D10685 Page: 4 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.4	85SPL	B	HFStm	IHS5157_24kH	256/25	42.6	Altr	2.04	5.84 0.20	100	100-1500Hz
2	D3BA80B.4	80SPL	B	HFStm	IHS5157_24kH	256/24	42.6	Altr	1.66	0.69 1.13	100	100-1500Hz
3	D3BA75B.4	75SPL	B	HFStm	IHS5157_24kH	256/24	42.6	Altr	1.60	1.12 0.81	100	100-1500Hz
4	D3BA70B.4	70SPL	B	HFStm	IHS5157_24kH	256/19	42.6	Altr	1.62	0.86 0.72	100	100-1500Hz
5	D3BA65B.4	65SPL	B	HFStm	IHS5157_24kH	256/23	42.6	Altr	1.64	1.58 0.61	100	100-1500Hz
6	D3BA60B.4	60SPL	B	HFStm	IHS5157_24kH	256/22	42.6	Altr	1.63	2.90 0.25	100	100-1500Hz
7	D3BA55B.4	55SPL	B	HFStm	IHS5157_24kH	256/17	42.6	Altr	1.26	0.46 1.34	100	100-1500Hz
8	D3BA50B.4	50SPL	B	HFStm	IHS5157_24kH	256/27	42.6	Altr	0.46	0.23 0.91	100	100-1500Hz
9	D3BA45B.4	45SPL	B	HFStm	IHS5157_24kH	256/23	42.6	Altr	0.68	0.24 0.79	100	100-1500Hz
10	D3BA40B.4	40SPL	B	HFStm	IHS5157_24kH	256/25	42.6	Altr	1.14	0.39 1.07	100	100-1500Hz
11	D3BA35B.4	35SPL	B	HFStm	IHS5157_24kH	256/23	42.6	Altr	0.79	0.29 0.71	100	100-1500Hz
12	D3BA30B.4	30SPL	B	HFStm	IHS5157_24kH	256/26	42.6	Altr	0.86	0.54 0.75	100	100-1500Hz
13	D3BA25B.4	25SPL	B	HFStm	IHS5157_24kH	256/21	42.6	Altr	1.13	0.37 0.79	100	100-1500Hz
14	D3BA20B.4	20SPL	B	HFStm	IHS5157_24kH	256/27	42.6	Altr	0.75	0.50 0.63	100	100-1500Hz
15	D3BA15B.4	15SPL	B	HFStm	IHS5157_24kH	256/27	42.6	Altr	0.70	0.34 0.40	100	100-1500Hz
16	D3BA10B.4	10SPL	B	HFStm	IHS5157_24kH	256/19	42.6	Altr	0.91	0.25 1.10	100	100-1500Hz
17	D3BA5B.4	5SPL	B	HFStm	IHS5157_24kH	256/24	42.6	Altr	0.70	0.16 1.21	100	100-1500Hz
18	D3BA0B.4	0SPL	B	HFStm	IHS5157_24kH	256/25	42.6	Altr	1.40	1.06 0.80	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10685-L 32692

ID: 2809052-D10685 Page: 5 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020



Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.5	85SPL	B	HFStm IHS5157_30kHz	256/24	42.6	Altr	1.51	0.69 0.88	100	100-1500Hz
2	D3BA80B.5	80SPL	B	HFStm IHS5157_30kHz	256/25	42.6	Altr	1.45	1.13 0.30	100	100-1500Hz
3	D3BA75B.5	75SPL	B	HFStm IHS5157_30kHz	256/26	42.6	Altr	0.69	0.68 0.42	100	100-1500Hz
4	D3BA70B.5	70SPL	B	HFStm IHS5157_30kHz	256/27	42.6	Altr	0.72	0.55 0.43	100	100-1500Hz
5	D3BA65B.5	65SPL	B	HFStm IHS5157_30kHz	256/23	42.6	Altr	1.10	0.36 0.90	100	100-1500Hz
6	D3BA60B.5	60SPL	B	HFStm IHS5157_30kHz	256/23	42.6	Altr	1.13	0.14 1.43	100	100-1500Hz
7	D3BA55B.5	55SPL	B	HFStm IHS5157_30kHz	256/22	42.6	Altr	1.10	0.82 0.35	100	100-1500Hz
8	D3BA50B.5	50SPL	B	HFStm IHS5157_30kHz	256/28	42.6	Altr	0.80	1.22 0.20	100	100-1500Hz
9	D3BA45B.5	45SPL	B	HFStm IHS5157_30kHz	256/22	42.6	Altr	0.76	0.17 1.20	100	100-1500Hz
10	D3BA40B.5	40SPL	B	HFStm IHS5157_30kHz	256/24	42.6	Altr	1.57	0.29 1.23	100	100-1500Hz
11	D3BA35B.5	35SPL	B	HFStm IHS5157_30kHz	256/23	42.6	Altr	0.92	0.65 0.65	100	100-1500Hz
12	D3BA30B.5	30SPL	B	HFStm IHS5157_30kHz	256/25	42.6	Altr	0.83	0.43 0.49	100	100-1500Hz
13	D3BA25B.5	25SPL	B	HFStm IHS5157_30kHz	256/24	42.6	Altr	0.56	0.25 1.08	100	100-1500Hz
14	D3BA20B.5	20SPL	B	HFStm IHS5157_30kHz	256/24	42.6	Altr	0.92	0.86 0.46	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	