




6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J47516-R 26289

ID: 920497-J47516 Page: 1 Test Date: Aug. 22, 2016 DOB: May 01, 2016 Age: 3.6 months Report: Aug. 22, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J47516-R 26289

ID: 920497-J47516 Page: 1 Test Date: Aug. 22, 2016 DOB: May 01, 2016 Age: 3.6 months Report: Aug. 22, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.1	85SPL	B	HFStm	IHS5156_6kHz	512/1	42.6	Altr	2.45	2.47 0.56	100	100-3000Hz
2	J2BA80B.1	80SPL	B	HFStm	IHS5156_6kHz	512/0	42.6	Altr	2.48	3.04 0.45	100	100-3000Hz
3	J2BA75B.1	75SPL	B	HFStm	IHS5156_6kHz	512/2	42.6	Altr	2.29	4.03 0.27	100	100-3000Hz
4	J2BA70B.1	70SPL	B	HFStm	IHS5156_6kHz	512/0	42.6	Altr	1.85	1.92 0.39	100	100-3000Hz
5	J2BA65B.1	65SPL	B	HFStm	IHS5156_6kHz	512/0	42.6	Altr	1.67	1.74 0.50	100	100-3000Hz
6	J2BA60B.1	60SPL	B	HFStm	IHS5156_6kHz	512/3	42.6	Altr	1.53	0.99 0.76	100	100-3000Hz
7	J2BA55B.1	55SPL	B	HFStm	IHS5156_6kHz	512/1	42.6	Altr	1.29	1.49 0.54	100	100-3000Hz
8	J2BA50B.1	50SPL	B	HFStm	IHS5156_6kHz	512/0	42.6	Altr	1.03	0.97 0.43	100	100-3000Hz
9	J2BA45B.1	45SPL	B	HFStm	IHS5156_6kHz	512/1	42.6	Altr	0.86	1.86 0.23	100	100-3000Hz
10	J2BA40B.1	40SPL	B	HFStm	IHS5156_6kHz	512/1	42.6	Altr	0.93	1.42 0.24	100	100-3000Hz
11	J2BA35B.1	35SPL	B	HFStm	IHS5156_6kHz	512/0	42.6	Altr	0.67	0.79 0.46	100	100-3000Hz
12	J2BA30B.1	30SPL	B	HFStm	IHS5156_6kHz	512/1	42.6	Altr	0.72	0.64 0.44	100	100-3000Hz
13	J2BA25B.1	25SPL	B	HFStm	IHS5156_6kHz	512/0	42.6	Altr	0.55	0.64 0.37	100	100-3000Hz
14	J2BA20B.1	20SPL	B	HFStm	IHS5156_6kHz	512/0	42.6	Altr	0.62	0.58 0.59	100	100-3000Hz
15	J2BA15B.1	15SPL	B	HFStm	IHS5156_6kHz	512/0	42.6	Altr	0.49	0.48 0.35	100	100-3000Hz
16	J2BA10B.1	10SPL	B	HFStm	IHS5156_6kHz	512/0	42.6	Altr	0.77	0.67 0.30	100	100-3000Hz
17	J2BA5B.1	5SPL	B	HFStm	IHS5156_6kHz	512/0	42.6	Altr	0.46	0.40 0.43	100	100-3000Hz
18	J2BA0B.1	0SPL	B	HFStm	IHS5156_6kHz	512/0	42.6	Altr	0.58	0.36 0.67	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J47516-R 26289

ID: 920497-J47516 Page: 2 Test Date: Aug. 22, 2016 DOB: May 01, 2016 Age: 3.6 months Report: Aug. 22, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J47516-R 26289

ID: 920497-J47516 Page: 2 Test Date: Aug. 22, 2016 DOB: May 01, 2016 Age: 3.6 months Report: Aug. 22, 2016


Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.2	85SPL	B	HFStm	IHS5156_12kH	512/0	42.6	Altr	2.46	2.67 0.41	100	100-3000Hz
2	J2BA80B.2	80SPL	B	HFStm	IHS5156_12kH	512/0	42.6	Altr	2.04	3.79 0.28	100	100-3000Hz
3	J2BA75B.2	75SPL	B	HFStm	IHS5156_12kH	512/1	42.6	Altr	2.03	3.22 0.31	100	100-3000Hz
4	J2BA70B.2	70SPL	B	HFStm	IHS5156_12kH	512/0	42.6	Altr	2.00	2.01 0.57	100	100-3000Hz
5	J2BA65B.2	65SPL	B	HFStm	IHS5156_12kH	512/1	42.6	Altr	1.37	2.25 0.35	100	100-3000Hz
6	J2BA60B.2	60SPL	B	HFStm	IHS5156_12kH	512/1	42.6	Altr	1.05	2.53 0.22	100	100-3000Hz
7	J2BA55B.2	55SPL	B	HFStm	IHS5156_12kH	512/1	42.6	Altr	1.07	1.23 0.45	100	100-3000Hz
8	J2BA50B.2	50SPL	B	HFStm	IHS5156_12kH	512/1	42.6	Altr	1.05	1.33 0.42	100	100-3000Hz
9	J2BA45B.2	45SPL	B	HFStm	IHS5156_12kH	512/1	42.6	Altr	0.62	0.78 0.42	100	100-3000Hz
10	J2BA40B.2	40SPL	B	HFStm	IHS5156_12kH	512/0	42.6	Altr	0.93	2.52 0.21	100	100-3000Hz
11	J2BA35B.2	35SPL	B	HFStm	IHS5156_12kH	512/1	42.6	Altr	1.02	1.50 0.37	100	100-3000Hz
12	J2BA30B.2	30SPL	B	HFStm	IHS5156_12kH	512/0	42.6	Altr	0.56	1.22 0.27	100	100-3000Hz
13	J2BA25B.2	25SPL	B	HFStm	IHS5156_12kH	512/0	42.6	Altr	1.12	1.52 0.39	100	100-3000Hz
14	J2BA20B.2	20SPL	B	HFStm	IHS5156_12kH	512/0	42.6	Altr	0.72	1.77 0.17	100	100-3000Hz
15	J2BA15B.2	15SPL	B	HFStm	IHS5156_12kH	512/1	42.6	Altr	0.72	1.17 0.34	100	100-3000Hz
16	J2BA10B.2	10SPL	B	HFStm	IHS5156_12kH	512/0	42.6	Altr	0.68	0.51 0.56	100	100-3000Hz
17	J2BA5B.2	5SPL	B	HFStm	IHS5156_12kH	512/0	42.6	Altr	0.49	0.71 0.33	100	100-3000Hz
18	J2BA0B.2	0SPL	B	HFStm	IHS5156_12kH	512/0	42.6	Altr	0.69	0.98 0.24	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	

J47516-R 26289

ID: 920497-J47516 Page: 3 Test Date: Aug. 22, 2016 DOB: May 01, 2016 Age: 3.6 months Report: Aug. 22, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J47516-R 26289

ID: 920497-J47516 Page: 3 Test Date: Aug. 22, 2016 DOB: May 01, 2016 Age: 3.6 months Report: Aug. 22, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.3	85SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	2.15	3.10 0.32	100	100-1500Hz
2	J2BA80B.3	80SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	1.75	4.31 0.22	100	100-1500Hz
3	J2BA75B.3	75SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	1.78	6.53 0.16	100	100-1500Hz
4	J2BA70B.3	70SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	1.32	4.05 0.16	100	100-1500Hz
5	J2BA65B.3	65SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	1.54	3.72 0.26	100	100-1500Hz
6	J2BA60B.3	60SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	1.18	1.81 0.39	100	100-1500Hz
7	J2BA55B.3	55SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	1.09	2.99 0.25	100	100-1500Hz
8	J2BA50B.3	50SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	1.17	2.67 0.26	100	100-1500Hz
9	J2BA45B.3	45SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	1.02	2.41 0.23	100	100-1500Hz
10	J2BA40B.3	40SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	0.60	1.34 0.21	100	100-1500Hz
11	J2BA35B.3	35SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	0.85	1.29 0.39	100	100-1500Hz
12	J2BA35B.4	35SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	0.46	1.28 0.19	100	100-1500Hz
13	J2BA30B.3	30SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	0.57	1.45 0.19	100	100-1500Hz
14	J2BA25B.3	25SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	0.50	1.41 0.18	100	100-1500Hz
15	J2BA20B.3	20SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	0.68	0.56 0.37	100	100-1500Hz
16	J2BA15B.3	15SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	0.34	0.79 0.21	100	100-1500Hz
17	J2BA10B.3	10SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	0.45	1.10 0.28	100	100-1500Hz
18	J2BA5B.3	5SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	0.40	0.40 0.25	100	100-1500Hz
19	J2BA0B.3	0SPL	B	HFStm	IHS5156_18kH	512/0	42.6	Altr	0.37	0.37 0.43	100	100-1500Hz


System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	35	B	
13	30	B	
14	25	B	
15	20	B	
16	15	B	
17	10	B	
18	5	B	
19	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J47516-R 26289
ID: 920497-J47516 Page: 4 Test Date: Aug. 22, 2016 DOB: May 01, 2016 Age: 3.6 months Report: Aug. 22, 2016





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J47516-R 26289

ID: 920497-J47516 Page: 4 Test Date: Aug. 22, 2016 DOB: May 01, 2016 Age: 3.6 months Report: Aug. 22, 2016

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.4	85SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	1.91	1.47 0.47	100	100-1500Hz
2	J2BA80B.4	80SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	1.44	2.77 0.20	100	100-1500Hz
3	J2BA75B.4	75SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	1.41	2.73 0.28	100	100-1500Hz
4	J2BA70B.4	70SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	1.38	2.01 0.35	100	100-1500Hz
5	J2BA65B.4	65SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	1.51	2.77 0.34	100	100-1500Hz
6	J2BA60B.4	60SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	1.39	2.43 0.39	100	100-1500Hz
7	J2BA55B.4	55SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	1.18	3.29 0.24	100	100-1500Hz
8	J2BA50B.4	50SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	1.34	2.79 0.33	100	100-1500Hz
9	J2BA45B.4	45SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	0.93	1.88 0.33	100	100-1500Hz
10	J2BA40B.4	40SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	0.76	1.71 0.31	100	100-1500Hz
11	J2BA35B.5	35SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	0.42	1.68 0.15	100	100-1500Hz
12	J2BA30B.4	30SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	0.34	0.30 0.26	100	100-1500Hz
13	J2BA25B.4	25SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	0.24	0.36 0.24	100	100-1500Hz
14	J2BA20B.4	20SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	0.25	0.29 0.30	100	100-1500Hz
15	J2BA15B.4	15SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	0.32	0.23 0.34	100	100-1500Hz
16	J2BA10B.4	10SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	0.32	0.33 0.31	100	100-1500Hz
17	J2BA5B.4	5SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	0.34	0.28 0.24	100	100-1500Hz
18	J2BA0B.4	0SPL	B	HFStm	IHS5156_24kH	512/0	42.6	Altr	0.42	0.60 0.41	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J47516-R 26289

ID: 920497-J47516 Page: 5 Test Date: Aug. 22, 2016 DOB: May 01, 2016 Age: 3.6 months Report: Aug. 22, 2016



Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.5	85SPL	B	HFStm	IHS5156_30kH	512/0	42.6	Altr	1.58	2.00 0.45	100	100-1500Hz
2	J2BA80B.5	80SPL	B	HFStm	IHS5156_30kH	512/0	42.6	Altr	1.36	4.58 0.17	100	100-1500Hz
3	J2BA75B.5	75SPL	B	HFStm	IHS5156_30kH	512/0	42.6	Altr	1.18	2.03 0.34	100	100-1500Hz
4	J2BA70B.5	70SPL	B	HFStm	IHS5156_30kH	512/0	42.6	Altr	1.28	3.05 0.23	100	100-1500Hz
5	J2BA65B.5	65SPL	B	HFStm	IHS5156_30kH	512/0	42.6	Altr	1.03	0.81 0.66	100	100-1500Hz
6	J2BA60B.5	60SPL	B	HFStm	IHS5156_30kH	512/0	42.6	Altr	0.73	1.43 0.23	100	100-1500Hz
7	J2BA55B.5	55SPL	B	HFStm	IHS5156_30kH	512/0	42.6	Altr	0.59	0.91 0.22	100	100-1500Hz
8	J2BA50B.5	50SPL	B	HFStm	IHS5156_30kH	512/0	42.6	Altr	0.45	0.53 0.33	100	100-1500Hz
9	J2BA45B.5	45SPL	B	HFStm	IHS5156_30kH	512/0	42.6	Altr	0.28	0.60 0.25	100	100-1500Hz
10	J2BA40B.5	40SPL	B	HFStm	IHS5156_30kH	512/0	42.6	Altr	0.33	0.41 0.32	100	100-1500Hz
11	J2BA35B.6	35SPL	B	HFStm	IHS5156_30kH	512/0	42.6	Altr	0.20	0.16 0.55	100	100-1500Hz
12	J2BA30B.5	30SPL	B	HFStm	IHS5156_30kH	512/0	42.6	Altr	0.44	0.40 0.47	100	100-1500Hz
13	J2BA25B.5	25SPL	B	HFStm	IHS5156_30kH	512/0	42.6	Altr	0.40	1.06 0.14	100	100-1500Hz
14	J2BA20B.5	20SPL	B	HFStm	IHS5156_30kH	512/0	42.6	Altr	0.31	0.70 0.23	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	