




6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R87224-R 32826

ID: 2613440-R87224 Page: 1 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R87224-R 32826

ID: 2613440-R87224 Page: 1 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.1	85SPL	B	HFStm	IHS5157_6kHz	256/16	42.6	Altr	1.91	0.98 0.49	100	100-3000Hz
2	R3BA80B.1	80SPL	B	HFStm	IHS5157_6kHz	256/15	42.6	Altr	0.88	1.30 0.37	100	100-3000Hz
3	R3BA75B.1	75SPL	B	HFStm	IHS5157_6kHz	256/8	42.6	Altr	1.33	0.99 0.50	100	100-3000Hz
4	R3BA70B.1	70SPL	B	HFStm	IHS5157_6kHz	256/11	42.6	Altr	0.80	0.97 0.35	100	100-3000Hz
5	R3BA65B.1	65SPL	B	HFStm	IHS5157_6kHz	256/15	42.6	Altr	0.88	0.43 0.59	100	100-3000Hz
6	R3BA60B.1	60SPL	B	HFStm	IHS5157_6kHz	256/10	42.6	Altr	0.65	0.68 0.41	100	100-3000Hz
7	R3BA55B.1	55SPL	B	HFStm	IHS5157_6kHz	256/12	42.6	Altr	0.55	1.07 0.21	100	100-3000Hz
8	R3BA50B.1	50SPL	B	HFStm	IHS5157_6kHz	256/11	42.6	Altr	0.91	0.21 0.52	100	100-3000Hz
9	R3BA45B.1	45SPL	B	HFStm	IHS5157_6kHz	256/18	42.6	Altr	0.68	0.39 0.35	100	100-3000Hz
10	R3BA40B.1	40SPL	B	HFStm	IHS5157_6kHz	256/13	42.6	Altr	1.00	0.51 0.77	100	100-3000Hz
11	R3BA35B.1	35SPL	B	HFStm	IHS5157_6kHz	256/14	42.6	Altr	0.72	0.44 0.39	100	100-3000Hz
12	R3BA30B.1	30SPL	B	HFStm	IHS5157_6kHz	256/16	42.6	Altr	0.86	0.44 0.36	100	100-3000Hz
13	R3BA25B.1	25SPL	B	HFStm	IHS5157_6kHz	256/13	42.6	Altr	0.73	0.67 0.22	100	100-3000Hz
14	R3BA20B.1	20SPL	B	HFStm	IHS5157_6kHz	256/13	42.6	Altr	1.04	0.32 0.49	100	100-3000Hz
15	R3BA15B.1	15SPL	B	HFStm	IHS5157_6kHz	256/10	42.6	Altr	0.66	0.51 0.39	100	100-3000Hz
16	R3BA10B.1	10SPL	B	HFStm	IHS5157_6kHz	256/12	42.6	Altr	0.76	0.59 0.35	100	100-3000Hz
17	R3BA5B.1	5SPL	B	HFStm	IHS5157_6kHz	256/9	42.6	Altr	1.60	0.86 0.32	100	100-3000Hz
18	R3BA0B.1	0SPL	B	HFStm	IHS5157_6kHz	256/13	42.6	Altr	0.72	0.51 0.41	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R87224-R 32826

ID: 2613440-R87224 Page: 2 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R87224-R 32826

ID: 2613440-R87224 Page: 2 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.2	85SPL	B	HFStm	IHS5157_12kH	256/12	42.6	Altr	1.53	1.04 0.30	100	100-3000Hz
2	R3BA80B.2	80SPL	B	HFStm	IHS5157_12kH	256/17	42.6	Altr	1.43	0.74 0.53	100	100-3000Hz
3	R3BA75B.2	75SPL	B	HFStm	IHS5157_12kH	256/16	42.6	Altr	1.17	0.83 0.37	100	100-3000Hz
4	R3BA70B.2	70SPL	B	HFStm	IHS5157_12kH	256/9	42.6	Altr	1.66	0.47 0.65	100	100-3000Hz
5	R3BA65B.2	65SPL	B	HFStm	IHS5157_12kH	256/14	42.6	Altr	1.26	1.34 0.27	100	100-3000Hz
6	R3BA60B.2	60SPL	B	HFStm	IHS5157_12kH	256/15	42.6	Altr	0.84	0.39 0.66	100	100-3000Hz
7	R3BA55B.2	55SPL	B	HFStm	IHS5157_12kH	256/13	42.6	Altr	0.81	0.64 0.42	100	100-3000Hz
8	R3BA50B.2	50SPL	B	HFStm	IHS5157_12kH	256/15	42.6	Altr	0.88	0.77 0.35	100	100-3000Hz
9	R3BA45B.2	45SPL	B	HFStm	IHS5157_12kH	256/15	42.6	Altr	1.16	0.57 0.34	100	100-3000Hz
10	R3BA40B.2	40SPL	B	HFStm	IHS5157_12kH	256/13	42.6	Altr	0.90	0.79 0.27	100	100-3000Hz
11	R3BA35B.2	35SPL	B	HFStm	IHS5157_12kH	256/12	42.6	Altr	0.47	0.25 0.40	100	100-3000Hz
12	R3BA30B.2	30SPL	B	HFStm	IHS5157_12kH	256/11	42.6	Altr	0.57	0.73 0.29	100	100-3000Hz
13	R3BA25B.2	25SPL	B	HFStm	IHS5157_12kH	256/8	42.6	Altr	0.70	0.39 0.30	100	100-3000Hz
14	R3BA20B.2	20SPL	B	HFStm	IHS5157_12kH	256/17	42.6	Altr	0.50	0.26 0.43	100	100-3000Hz
15	R3BA15B.2	15SPL	B	HFStm	IHS5157_12kH	256/12	42.6	Altr	0.95	1.11 0.33	100	100-3000Hz
16	R3BA10B.2	10SPL	B	HFStm	IHS5157_12kH	256/10	42.6	Altr	0.91	1.11 0.24	100	100-3000Hz
17	R3BA5B.2	5SPL	B	HFStm	IHS5157_12kH	256/12	42.6	Altr	0.79	0.43 0.31	100	100-3000Hz
18	R3BA0B.2	0SPL	B	HFStm	IHS5157_12kH	256/13	42.6	Altr	0.94	0.88 0.24	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R87224-R 32826

ID: 2613440-R87224 Page: 3 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R87224-R 32826

ID: 2613440-R87224 Page: 3 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.3	85SPL	B	HFStm	IHS5157_18kH	256/15	42.6	Altr	1.48	1.73 0.25	100	100-1500Hz
2	R3BA80B.3	80SPL	B	HFStm	IHS5157_18kH	256/13	42.6	Altr	1.23	0.78 0.46	100	100-1500Hz
3	R3BA75B.3	75SPL	B	HFStm	IHS5157_18kH	256/13	42.6	Altr	0.97	1.08 0.32	100	100-1500Hz
4	R3BA70B.3	70SPL	B	HFStm	IHS5157_18kH	256/10	42.6	Altr	1.09	1.07 0.31	100	100-1500Hz
5	R3BA65B.3	65SPL	B	HFStm	IHS5157_18kH	256/15	42.6	Altr	0.60	1.14 0.19	100	100-1500Hz
6	R3BA60B.3	60SPL	B	HFStm	IHS5157_18kH	256/14	42.6	Altr	0.71	0.35 0.33	100	100-1500Hz
7	R3BA55B.3	55SPL	B	HFStm	IHS5157_18kH	256/11	42.6	Altr	0.72	1.39 0.20	100	100-1500Hz
8	R3BA50B.3	50SPL	B	HFStm	IHS5157_18kH	256/12	42.6	Altr	0.62	0.40 0.30	100	100-1500Hz
9	R3BA45B.3	45SPL	B	HFStm	IHS5157_18kH	256/14	42.6	Altr	0.57	1.30 0.13	100	100-1500Hz
10	R3BA40B.3	40SPL	B	HFStm	IHS5157_18kH	256/16	42.6	Altr	0.82	1.08 0.19	100	100-1500Hz
11	R3BA35B.3	35SPL	B	HFStm	IHS5157_18kH	256/15	42.6	Altr	1.07	0.56 0.36	100	100-1500Hz
12	R3BA30B.3	30SPL	B	HFStm	IHS5157_18kH	256/7	42.6	Altr	0.69	0.74 0.14	100	100-1500Hz
13	R3BA25B.3	25SPL	B	HFStm	IHS5157_18kH	256/13	42.6	Altr	0.78	0.38 0.28	100	100-1500Hz
14	R3BA20B.3	20SPL	B	HFStm	IHS5157_18kH	256/11	42.6	Altr	0.66	0.87 0.27	100	100-1500Hz
15	R3BA15B.3	15SPL	B	HFStm	IHS5157_18kH	256/12	42.6	Altr	0.79	0.23 0.44	100	100-1500Hz
16	R3BA10B.3	10SPL	B	HFStm	IHS5157_18kH	256/15	42.6	Altr	0.60	0.59 0.31	100	100-1500Hz
17	R3BA5B.3	5SPL	B	HFStm	IHS5157_18kH	256/16	42.6	Altr	0.86	0.34 0.54	100	100-1500Hz
18	R3BA0B.3	0SPL	B	HFStm	IHS5157_18kH	256/15	42.6	Altr	0.37	0.56 0.26	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R87224-R 32826

ID: 2613440-R87224 Page: 4 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R87224-R 32826

ID: 2613440-R87224 Page: 4 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.4	85SPL	B	HFStm	IHS5157_24kH	256/16	42.6	Altr	1.39	1.88 0.34	100	100-1500Hz
2	R3BA80B.4	80SPL	B	HFStm	IHS5157_24kH	256/12	42.6	Altr	1.37	0.90 0.37	100	100-1500Hz
3	R3BA75B.4	75SPL	B	HFStm	IHS5157_24kH	256/14	42.6	Altr	1.02	0.98 0.29	100	100-1500Hz
4	R3BA70B.4	70SPL	B	HFStm	IHS5157_24kH	256/16	42.6	Altr	0.98	1.17 0.20	100	100-1500Hz
5	R3BA65B.4	65SPL	B	HFStm	IHS5157_24kH	256/12	42.6	Altr	1.02	0.87 0.28	100	100-1500Hz
6	R3BA60B.4	60SPL	B	HFStm	IHS5157_24kH	256/12	42.6	Altr	0.50	0.42 0.52	100	100-1500Hz
7	R3BA55B.4	55SPL	B	HFStm	IHS5157_24kH	256/15	42.6	Altr	0.76	1.67 0.15	100	100-1500Hz
8	R3BA50B.4	50SPL	B	HFStm	IHS5157_24kH	256/13	42.6	Altr	0.67	0.26 0.30	100	100-1500Hz
9	R3BA45B.4	45SPL	B	HFStm	IHS5157_24kH	256/18	42.6	Altr	0.46	0.27 0.28	100	100-1500Hz
10	R3BA40B.4	40SPL	B	HFStm	IHS5157_24kH	256/12	42.6	Altr	0.69	0.55 0.39	100	100-1500Hz
11	R3BA35B.4	35SPL	B	HFStm	IHS5157_24kH	256/15	42.6	Altr	0.77	1.42 0.23	100	100-1500Hz
12	R3BA30B.4	30SPL	B	HFStm	IHS5157_24kH	256/12	42.6	Altr	0.68	0.52 0.33	100	100-1500Hz
13	R3BA25B.4	25SPL	B	HFStm	IHS5157_24kH	256/16	42.6	Altr	0.37	0.59 0.23	100	100-1500Hz
14	R3BA20B.4	20SPL	B	HFStm	IHS5157_24kH	256/16	42.6	Altr	0.54	0.20 0.41	100	100-1500Hz
15	R3BA15B.4	15SPL	B	HFStm	IHS5157_24kH	256/18	42.6	Altr	0.58	0.80 0.29	100	100-1500Hz
16	R3BA10B.4	10SPL	B	HFStm	IHS5157_24kH	256/12	42.6	Altr	0.56	0.88 0.20	100	100-1500Hz
17	R3BA5B.4	5SPL	B	HFStm	IHS5157_24kH	256/14	42.6	Altr	0.63	0.55 0.52	100	100-1500Hz
18	R3BA0B.4	0SPL	B	HFStm	IHS5157_24kH	256/12	42.6	Altr	0.88	0.57 0.32	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R87224-R 32826

ID: 2613440-R87224 Page: 5 Test Date: Feb. 04, 2020 DOB: Oct 16, 2019 Age: 3.7 months Report: Feb. 04, 2020



		0	1	2	3	4	5	6	7	8	9	10	11	12 ms
Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters		
1	R3BA85B.5	85SPL	B	HFStm	IHS5157_30kHz	256/18	42.6	Altr	1.32	0.64 0.45	100	100-1500Hz		
2	R3BA80B.5	80SPL	B	HFStm	IHS5157_30kHz	256/14	42.6	Altr	0.91	0.59 0.45	100	100-1500Hz		
3	R3BA75B.5	75SPL	B	HFStm	IHS5157_30kHz	256/11	42.6	Altr	1.03	1.06 0.29	100	100-1500Hz		
4	R3BA70B.5	70SPL	B	HFStm	IHS5157_30kHz	256/11	42.6	Altr	0.88	0.27 0.34	100	100-1500Hz		
5	R3BA65B.5	65SPL	B	HFStm	IHS5157_30kHz	256/15	42.6	Altr	0.65	1.11 0.16	100	100-1500Hz		
6	R3BA60B.5	60SPL	B	HFStm	IHS5157_30kHz	256/15	42.6	Altr	0.38	0.42 0.33	100	100-1500Hz		
7	R3BA55B.5	55SPL	B	HFStm	IHS5157_30kHz	256/14	42.6	Altr	0.86	0.45 0.44	100	100-1500Hz		
8	R3BA50B.5	50SPL	B	HFStm	IHS5157_30kHz	256/15	42.6	Altr	0.45	0.59 0.20	100	100-1500Hz		
9	R3BA45B.5	45SPL	B	HFStm	IHS5157_30kHz	256/20	42.6	Altr	0.45	0.87 0.18	100	100-1500Hz		
10	R3BA40B.5	40SPL	B	HFStm	IHS5157_30kHz	256/7	42.6	Altr	1.06	0.92 0.17	100	100-1500Hz		
11	R3BA35B.5	35SPL	B	HFStm	IHS5157_30kHz	256/17	42.6	Altr	0.52	0.51 0.27	100	100-1500Hz		
12	R3BA30B.5	30SPL	B	HFStm	IHS5157_30kHz	256/17	42.6	Altr	0.66	0.64 0.23	100	100-1500Hz		
13	R3BA25B.5	25SPL	B	HFStm	IHS5157_30kHz	256/13	42.6	Altr	0.69	0.35 0.41	100	100-1500Hz		
14	R3BA20B.5	20SPL	B	HFStm	IHS5157_30kHz	256/15	42.6	Altr	0.73	0.31 0.25	100	100-1500Hz		

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	