




6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10684-R 32692

ID: 2809019-D10684 Page: 1 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10684-R 32692

ID: 2809019-D10684 Page: 1 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.1	85SPL	B	HFStm	IHS5156_6kHz	256/21	42.6	Altr	4.25	3.26 0.43	100	100-3000Hz
2	D3BA80B.1	80SPL	B	HFStm	IHS5156_6kHz	256/19	42.6	Altr	3.63	2.38 0.56	100	100-3000Hz
3	D3BA75B.1	75SPL	B	HFStm	IHS5156_6kHz	256/18	42.6	Altr	3.13	1.57 0.76	100	100-3000Hz
4	D3BA70B.1	70SPL	B	HFStm	IHS5156_6kHz	256/21	42.6	Altr	3.03	2.11 0.51	100	100-3000Hz
5	D3BA65B.1	65SPL	B	HFStm	IHS5156_6kHz	256/20	42.6	Altr	2.88	0.68 1.35	100	100-3000Hz
6	D3BA60B.1	60SPL	B	HFStm	IHS5156_6kHz	256/19	42.6	Altr	2.20	1.98 0.32	100	100-3000Hz
7	D3BA55B.1	55SPL	B	HFStm	IHS5156_6kHz	256/21	42.6	Altr	1.90	1.01 0.60	100	100-3000Hz
8	D3BA50B.1	50SPL	B	HFStm	IHS5156_6kHz	256/25	42.6	Altr	1.53	1.13 0.51	100	100-3000Hz
9	D3BA45B.1	45SPL	B	HFStm	IHS5156_6kHz	256/15	42.6	Altr	1.66	2.64 0.26	100	100-3000Hz
10	D3BA40B.1	40SPL	B	HFStm	IHS5156_6kHz	256/16	42.6	Altr	1.77	1.40 0.40	100	100-3000Hz
11	D3BA35B.1	35SPL	B	HFStm	IHS5156_6kHz	256/23	42.6	Altr	1.07	0.29 0.62	100	100-3000Hz
12	D3BA30B.1	30SPL	B	HFStm	IHS5156_6kHz	256/16	42.6	Altr	1.98	0.55 0.57	100	100-3000Hz
13	D3BA25B.1	25SPL	B	HFStm	IHS5156_6kHz	256/23	42.6	Altr	1.40	0.61 0.62	100	100-3000Hz
14	D3BA20B.1	20SPL	B	HFStm	IHS5156_6kHz	256/18	42.6	Altr	1.01	0.29 0.66	100	100-3000Hz
15	D3BA15B.1	15SPL	B	HFStm	IHS5156_6kHz	256/23	42.6	Altr	1.25	0.68 0.53	100	100-3000Hz
16	D3BA10B.1	10SPL	B	HFStm	IHS5156_6kHz	256/21	42.6	Altr	0.94	0.37 0.45	100	100-3000Hz
17	D3BA5B.1	5SPL	B	HFStm	IHS5156_6kHz	256/19	42.6	Altr	1.33	0.31 0.66	100	100-3000Hz
18	D3BA0B.1	0SPL	B	HFStm	IHS5156_6kHz	256/18	42.6	Altr	1.02	0.34 0.45	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10684-R 32692

ID: 2809019-D10684 Page: 2 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10684-R 32692

ID: 2809019-D10684 Page: 2 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.2	85SPL	B	HFStm	IHS5156_12kH	256/16	42.6	Altr	3.23	2.57 0.47	100	100-3000Hz
2	D3BA80B.2	80SPL	B	HFStm	IHS5156_12kH	256/19	42.6	Altr	3.23	1.12 0.78	100	100-3000Hz
3	D3BA75B.2	75SPL	B	HFStm	IHS5156_12kH	256/17	42.6	Altr	2.41	1.78 0.32	100	100-3000Hz
4	D3BA70B.2	70SPL	B	HFStm	IHS5156_12kH	256/19	42.6	Altr	2.55	1.17 0.46	100	100-3000Hz
5	D3BA65B.2	65SPL	B	HFStm	IHS5156_12kH	256/21	42.6	Altr	1.48	0.88 0.58	100	100-3000Hz
6	D3BA60B.2	60SPL	B	HFStm	IHS5156_12kH	256/21	42.6	Altr	1.58	1.27 0.40	100	100-3000Hz
7	D3BA55B.2	55SPL	B	HFStm	IHS5156_12kH	256/19	42.6	Altr	1.14	0.91 0.37	100	100-3000Hz
8	D3BA50B.2	50SPL	B	HFStm	IHS5156_12kH	256/18	42.6	Altr	1.71	0.57 0.59	100	100-3000Hz
9	D3BA45B.2	45SPL	B	HFStm	IHS5156_12kH	256/18	42.6	Altr	1.39	0.66 0.68	100	100-3000Hz
10	D3BA40B.2	40SPL	B	HFStm	IHS5156_12kH	256/25	42.6	Altr	0.72	0.47 0.39	100	100-3000Hz
11	D3BA35B.2	35SPL	B	HFStm	IHS5156_12kH	256/22	42.6	Altr	1.01	0.58 0.43	100	100-3000Hz
12	D3BA30B.2	30SPL	B	HFStm	IHS5156_12kH	256/19	42.6	Altr	1.24	0.49 0.64	100	100-3000Hz
13	D3BA25B.2	25SPL	B	HFStm	IHS5156_12kH	256/18	42.6	Altr	2.01	0.46 0.58	100	100-3000Hz
14	D3BA20B.2	20SPL	B	HFStm	IHS5156_12kH	256/22	42.6	Altr	0.66	0.48 0.73	100	100-3000Hz
15	D3BA15B.2	15SPL	B	HFStm	IHS5156_12kH	256/16	42.6	Altr	1.68	0.46 0.57	100	100-3000Hz
16	D3BA10B.2	10SPL	B	HFStm	IHS5156_12kH	256/17	42.6	Altr	1.39	0.92 0.36	100	100-3000Hz
17	D3BA5B.2	5SPL	B	HFStm	IHS5156_12kH	256/20	42.6	Altr	0.96	0.38 0.60	100	100-3000Hz
18	D3BA0B.2	0SPL	B	HFStm	IHS5156_12kH	256/20	42.6	Altr	1.51	0.55 0.47	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10684-R 32692

ID: 2809019-D10684 Page: 3 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10684-R 32692

ID: 2809019-D10684 Page: 3 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.3	85SPL	B	HFStm	IHS5156_18kH	256/20	42.6	Altr	2.69	1.89 0.55	100	100-1500Hz
2	D3BA80B.3	80SPL	B	HFStm	IHS5156_18kH	256/21	42.6	Altr	2.59	1.13 0.98	100	100-1500Hz
3	D3BA75B.3	75SPL	B	HFStm	IHS5156_18kH	256/25	42.6	Altr	1.80	1.99 0.51	100	100-1500Hz
4	D3BA70B.3	70SPL	B	HFStm	IHS5156_18kH	256/22	42.6	Altr	1.62	0.63 1.18	100	100-1500Hz
5	D3BA65B.3	65SPL	B	HFStm	IHS5156_18kH	256/19	42.6	Altr	1.50	1.08 0.59	100	100-1500Hz
6	D3BA60B.3	60SPL	B	HFStm	IHS5156_18kH	256/22	42.6	Altr	1.30	1.34 0.61	100	100-1500Hz
7	D3BA55B.3	55SPL	B	HFStm	IHS5156_18kH	256/20	42.6	Altr	1.28	1.12 0.42	100	100-1500Hz
8	D3BA50B.3	50SPL	B	HFStm	IHS5156_18kH	256/23	42.6	Altr	1.01	1.09 0.57	100	100-1500Hz
9	D3BA45B.3	45SPL	B	HFStm	IHS5156_18kH	256/24	42.6	Altr	1.12	0.49 0.99	100	100-1500Hz
10	D3BA40B.3	40SPL	B	HFStm	IHS5156_18kH	256/19	42.6	Altr	1.17	0.62 0.46	100	100-1500Hz
11	D3BA35B.3	35SPL	B	HFStm	IHS5156_18kH	256/21	42.6	Altr	0.56	0.28 0.75	100	100-1500Hz
12	D3BA35B.4	35SPL	B	HFStm	IHS5156_18kH	256/19	42.6	Altr	1.66	1.18 0.43	100	100-1500Hz
13	D3BA30B.3	30SPL	B	HFStm	IHS5156_18kH	256/21	42.6	Altr	1.19	0.39 0.66	100	100-1500Hz
14	D3BA25B.3	25SPL	B	HFStm	IHS5156_18kH	256/22	42.6	Altr	1.05	0.18 0.91	100	100-1500Hz
15	D3BA20B.3	20SPL	B	HFStm	IHS5156_18kH	256/20	42.6	Altr	0.82	0.22 0.60	100	100-1500Hz
16	D3BA15B.3	15SPL	B	HFStm	IHS5156_18kH	256/19	42.6	Altr	1.77	0.78 0.60	100	100-1500Hz
17	D3BA10B.3	10SPL	B	HFStm	IHS5156_18kH	256/21	42.6	Altr	0.97	0.31 0.58	100	100-1500Hz
18	D3BA5B.3	5SPL	B	HFStm	IHS5156_18kH	256/22	42.6	Altr	0.82	0.96 0.24	100	100-1500Hz
19	D3BA0B.3	0SPL	B	HFStm	IHS5156_18kH	256/22	42.6	Altr	0.96	0.55 0.44	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	35	B	
13	30	B	
14	25	B	
15	20	B	
16	15	B	
17	10	B	
18	5	B	
19	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10684-R 32692

ID: 2809019-D10684 Page: 4 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10684-R 32692

ID: 2809019-D10684 Page: 4 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	D3BA85B.4	85SPL	B	HFStm	IHS5156_24kH	256/21	42.6	Altr	1.95	1.41 0.94	100	100-1500Hz
2	D3BA80B.4	80SPL	B	HFStm	IHS5156_24kH	256/22	42.6	Altr	1.94	2.80 0.42	100	100-1500Hz
3	D3BA75B.4	75SPL	B	HFStm	IHS5156_24kH	256/14	42.6	Altr	1.85	0.68 0.98	100	100-1500Hz
4	D3BA70B.4	70SPL	B	HFStm	IHS5156_24kH	256/23	42.6	Altr	1.52	2.02 0.47	100	100-1500Hz
5	D3BA65B.4	65SPL	B	HFStm	IHS5156_24kH	256/19	42.6	Altr	1.81	0.24 0.99	100	100-1500Hz
6	D3BA60B.4	60SPL	B	HFStm	IHS5156_24kH	256/22	42.6	Altr	1.03	0.71 0.68	100	100-1500Hz
7	D3BA55B.4	55SPL	B	HFStm	IHS5156_24kH	256/24	42.6	Altr	0.86	1.16 0.48	100	100-1500Hz
8	D3BA50B.4	50SPL	B	HFStm	IHS5156_24kH	256/21	42.6	Altr	1.67	0.44 0.79	100	100-1500Hz
9	D3BA45B.4	45SPL	B	HFStm	IHS5156_24kH	256/22	42.6	Altr	1.25	0.85 0.41	100	100-1500Hz
10	D3BA40B.4	40SPL	B	HFStm	IHS5156_24kH	256/21	42.6	Altr	0.74	0.52 0.76	100	100-1500Hz
11	D3BA35B.5	35SPL	B	HFStm	IHS5156_24kH	256/25	42.6	Altr	0.63	0.38 0.40	100	100-1500Hz
12	D3BA30B.4	30SPL	B	HFStm	IHS5156_24kH	256/23	42.6	Altr	0.82	0.66 0.61	100	100-1500Hz
13	D3BA25B.4	25SPL	B	HFStm	IHS5156_24kH	256/25	42.6	Altr	0.85	0.48 0.51	100	100-1500Hz
14	D3BA20B.4	20SPL	B	HFStm	IHS5156_24kH	256/22	42.6	Altr	0.88	1.07 0.39	100	100-1500Hz
15	D3BA15B.4	15SPL	B	HFStm	IHS5156_24kH	256/21	42.6	Altr	1.85	0.53 0.49	100	100-1500Hz
16	D3BA10B.4	10SPL	B	HFStm	IHS5156_24kH	256/16	42.6	Altr	0.93	0.22 0.88	100	100-1500Hz
17	D3BA5B.4	5SPL	B	HFStm	IHS5156_24kH	256/20	42.6	Altr	0.81	0.20 0.89	100	100-1500Hz
18	D3BA0B.4	0SPL	B	HFStm	IHS5156_24kH	256/21	42.6	Altr	0.84	0.59 0.48	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

D10684-R 32692

ID: 2809019-D10684 Page: 5 Test Date: Jun. 08, 2020 DOB: Feb 19, 2020 Age: 3.6 months Report: Jun. 08, 2020



	0	1	2	3	4	5	6	7	8	9	10	11	12 ms
Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters	
1	D3BA85B.5	85SPL	B	HFStm	IHS5156_30kH	256/19	42.6	Altr	2.19	6.37 0.23	100	100-1500Hz	
2	D3BA80B.5	80SPL	B	HFStm	IHS5156_30kH	256/24	42.6	Altr	2.00	2.04 0.57	100	100-1500Hz	
3	D3BA75B.5	75SPL	B	HFStm	IHS5156_30kH	256/22	42.6	Altr	1.56	1.56 0.43	100	100-1500Hz	
4	D3BA70B.5	70SPL	B	HFStm	IHS5156_30kH	256/21	42.6	Altr	2.36	1.40 0.71	100	100-1500Hz	
5	D3BA65B.5	65SPL	B	HFStm	IHS5156_30kH	256/22	42.6	Altr	1.38	1.13 0.45	100	100-1500Hz	
6	D3BA60B.5	60SPL	B	HFStm	IHS5156_30kH	256/20	42.6	Altr	1.19	1.27 0.37	100	100-1500Hz	
7	D3BA55B.5	55SPL	B	HFStm	IHS5156_30kH	256/21	42.6	Altr	0.80	1.23 0.25	100	100-1500Hz	
8	D3BA50B.5	50SPL	B	HFStm	IHS5156_30kH	256/19	42.6	Altr	1.00	0.89 0.48	100	100-1500Hz	
9	D3BA45B.5	45SPL	B	HFStm	IHS5156_30kH	256/22	42.6	Altr	0.99	1.01 0.26	100	100-1500Hz	
10	D3BA40B.5	40SPL	B	HFStm	IHS5156_30kH	256/23	42.6	Altr	0.96	0.19 0.92	100	100-1500Hz	
11	D3BA35B.6	35SPL	B	HFStm	IHS5156_30kH	256/21	42.6	Altr	0.78	0.69 0.41	100	100-1500Hz	
12	D3BA30B.5	30SPL	B	HFStm	IHS5156_30kH	256/23	42.6	Altr	0.86	1.19 0.30	100	100-1500Hz	
13	D3BA25B.5	25SPL	B	HFStm	IHS5156_30kH	256/23	42.6	Altr	0.66	1.09 0.32	100	100-1500Hz	
14	D3BA20B.5	20SPL	B	HFStm	IHS5156_30kH	256/21	42.6	Altr	1.46	0.65 0.29	100	100-1500Hz	
System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used													

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	