


N0054B7F60 IMPC-84

ID: IMPC_LIFR-TM1B-IC_5_1A Page: 1 Test Date: Jun. 23, 2014 Age: (DOB empty) Report: Jun. 23, 2014



N0054B7F60 IMPC-84

ID: IMPC_LIFR-TM1B-IC_5_1A Page: 1 Test Date: Jun. 23, 2014 Age: (DOB empty) Report: Jun. 23, 2014


Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	NIRA0A.1	0SPL	R	SnFld	Click	512/317	42.6	Rare	0.84	0.65 0.43	100	300-1500Hz
2	NIRA5A.1	5SPL	R	SnFld	Click	512/255	42.6	Rare	0.66	0.57 0.57	100	300-1500Hz
3	NIRA10A.1	10SPL	R	SnFld	Click	512/273	42.6	Rare	0.58	1.30 0.21	100	300-1500Hz
4	NIRA15A.1	15SPL	R	SnFld	Click	512/249	42.6	Rare	0.61	0.35 0.43	100	300-1500Hz
5	NIRA20A.1	20SPL	R	SnFld	Click	512/264	42.6	Rare	0.72	0.34 0.68	100	300-1500Hz
6	NIRA25A.1	25SPL	R	SnFld	Click	512/239	42.6	Rare	0.52	0.47 0.36	100	300-1500Hz
7	NIRA30A.1	30SPL	R	SnFld	Click	512/246	42.6	Rare	0.69	0.35 0.52	100	300-1500Hz
8	NIRA35A.1	35SPL	R	SnFld	Click	512/256	42.6	Rare	0.85	1.11 0.36	100	300-1500Hz
9	NIRA40A.1	40SPL	R	SnFld	Click	512/245	42.6	Rare	0.97	1.53 0.25	100	300-1500Hz
10	NIRA45A.1	45SPL	R	SnFld	Click	512/90	42.6	Rare	1.33	1.49 0.37	100	300-1500Hz
11	NIRA50A.1	50SPL	R	SnFld	Click	512/159	42.6	Rare	1.74	2.06 0.34	100	300-1500Hz
12	NIRA55A.1	55SPL	R	SnFld	Click	512/133	42.6	Rare	2.22	1.25 0.70	100	300-1500Hz
13	NIRA60A.1	60SPL	R	SnFld	Click	512/127	42.6	Rare	2.72	1.46 0.56	100	300-1500Hz
14	NIRA65A.1	65SPL	R	SnFld	Click	512/146	42.6	Rare	3.11	1.90 0.50	100	300-1500Hz
15	NIRA70A.1	70SPL	R	SnFld	Click	512/157	42.6	Rare	3.21	2.70 0.39	100	300-1500Hz
16	NIRA75A.1	75SPL	R	SnFld	Click	512/194	42.6	Rare	3.30	2.00 0.59	100	300-1500Hz
17	NIRA80A.1	80SPL	R	SnFld	Click	512/185	42.6	Rare	3.09	2.13 0.50	100	300-1500Hz
18	NIRA85A.1	85SPL	R	SnFld	Click	512/167	42.6	Rare	3.66	2.49 0.40	100	300-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms (*)-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	0	R	
2	5	R	
3	10	R	
4	15	R	
5	20	R	
6	25	R	
7	30	R	
8	35	R	
9	40	R	
10	45	R	
11	50	R	
12	55	R	
13	60	R	
14	65	R	
15	70	R	
16	75	R	
17	80	R	
18	85	R	

N0054B7F60 IMPC-84

ID: IMPC_LIFR-TM1B-IC_5_1A Page: 2 Test Date: Jun. 23, 2014 Age: (DOB empty) Report: Jun. 23, 2014



N0054B7F60 IMPC-84

ID: IMPC_LIFR-TM1B-IC_5_1A Page: 2 Test Date: Jun. 23, 2014 Age: (DOB empty) Report: Jun. 23, 2014


Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	NIRA0A.2	0SPL	R	SnFld 6000Hz(9)	512/279	42.6	Rare	0.59	0.50 0.51	100	300-1500Hz
2	NIRA5A.2	5SPL	R	SnFld 6000Hz(9)	512/252	42.6	Rare	0.53	0.35 0.71	100	300-1500Hz
3	NIRA10A.2	10SPL	R	SnFld 6000Hz(9)	512/262	42.6	Rare	0.56	0.53 0.45	100	300-1500Hz
4	NIRA15A.2	15SPL	R	SnFld 6000Hz(9)	512/278	42.6	Rare	0.79	0.64 0.46	100	300-1500Hz
5	NIRA20A.2	20SPL	R	SnFld 6000Hz(9)	512/256	42.6	Rare	0.53	0.37 0.54	100	300-1500Hz
6	NIRA25A.2	25SPL	R	SnFld 6000Hz(9)	512/242	42.6	Rare	0.88	0.52 0.58	100	300-1500Hz
7	NIRA30A.2	30SPL	R	SnFld 6000Hz(9)	512/236	42.6	Rare	1.03	0.48 0.40	100	300-1500Hz
8	NIRA35A.2	35SPL	R	SnFld 6000Hz(9)	512/243	42.6	Rare	0.90	0.59 0.64	100	300-1500Hz
9	NIRA40A.2	40SPL	R	SnFld 6000Hz(9)	512/250	42.6	Rare	0.98	0.88 0.32	100	300-1500Hz
10	NIRA45A.2	45SPL	R	SnFld 6000Hz(9)	512/124	42.6	Rare	0.77	0.30 0.70	100	300-1500Hz
11	NIRA50A.2	50SPL	R	SnFld 6000Hz(9)	512/165	42.6	Rare	0.87	0.98 0.39	100	300-1500Hz
12	NIRA55A.2	55SPL	R	SnFld 6000Hz(9)	512/126	42.6	Rare	0.95	0.55 0.60	100	300-1500Hz
13	NIRA60A.2	60SPL	R	SnFld 6000Hz(9)	512/124	42.6	Rare	1.23	0.62 0.49	100	300-1500Hz
14	NIRA65A.2	65SPL	R	SnFld 6000Hz(9)	512/169	42.6	Rare	1.02	0.63 0.52	100	300-1500Hz
15	NIRA70A.2	70SPL	R	SnFld 6000Hz(9)	512/179	42.6	Rare	1.25	0.68 0.49	100	300-1500Hz
16	NIRA75A.2	75SPL	R	SnFld 6000Hz(9)	512/182	42.6	Rare	1.44	1.84 0.36	100	300-1500Hz
17	NIRA80A.2	80SPL	R	SnFld 6000Hz(9)	512/178	42.6	Rare	1.62	1.51 0.42	100	300-1500Hz
18	NIRA85A.2	85SPL	R	SnFld 6000Hz(9)	512/204	42.6	Rare	1.43	1.20 0.46	100	300-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms (*)-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	0	R	
2	5	R	
3	10	R	
4	15	R	
5	20	R	
6	25	R	
7	30	R	
8	35	R	
9	40	R	
10	45	R	
11	50	R	
12	55	R	
13	60	R	
14	65	R	
15	70	R	
16	75	R	
17	80	R	
18	85	R	

N0054B7F60 IMPC-84

ID: IMPC_LIFR-TM1B-IC_5_1A Page: 3 Test Date: Jun. 23, 2014 Age: (DOB empty) Report: Jun. 23, 2014



N0054B7F60 IMPC-84

ID: IMPC_LIFR-TM1B-IC_5_1A Page: 3 Test Date: Jun. 23, 2014 Age: (DOB empty) Report: Jun. 23, 2014


Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	NIRA0A.3	0SPL	R	SnFld 12000Hz(9)	512/270	42.6	Rare	0.77	0.51 0.62	100	300-1500Hz
2	NIRA5A.3	5SPL	R	SnFld 12000Hz(9)	512/278	42.6	Rare	0.61	0.28 0.71	100	300-1500Hz
3	NIRA10A.3	10SPL	R	SnFld 12000Hz(9)	512/245	42.6	Rare	0.78	0.65 0.51	100	300-1500Hz
4	NIRA15A.3	15SPL	R	SnFld 12000Hz(9)	512/264	42.6	Rare	0.92	0.77 0.45	100	300-1500Hz
5	NIRA20A.3	20SPL	R	SnFld 12000Hz(9)	512/246	42.6	Rare	0.91	1.08 0.35	100	300-1500Hz
6	NIRA25A.3	25SPL	R	SnFld 12000Hz(9)	512/241	42.6	Rare	0.68	0.55 0.64	100	300-1500Hz
7	NIRA30A.3	30SPL	R	SnFld 12000Hz(9)	512/241	42.6	Rare	0.88	0.80 0.41	100	300-1500Hz
8	NIRA35A.3	35SPL	R	SnFld 12000Hz(9)	512/242	42.6	Rare	0.68	0.84 0.44	100	300-1500Hz
9	NIRA40A.3	40SPL	R	SnFld 12000Hz(9)	512/242	42.6	Rare	0.98	1.11 0.40	100	300-1500Hz
10	NIRA45A.3	45SPL	R	SnFld 12000Hz(9)	512/143	42.6	Rare	0.77	0.57 0.73	100	300-1500Hz
11	NIRA50A.3	50SPL	R	SnFld 12000Hz(9)	512/149	42.6	Rare	1.05	1.86 0.28	100	300-1500Hz
12	NIRA55A.3	55SPL	R	SnFld 12000Hz(9)	512/121	42.6	Rare	1.29	1.31 0.48	100	300-1500Hz
13	NIRA60A.3	60SPL	R	SnFld 12000Hz(9)	512/139	42.6	Rare	1.37	1.94 0.37	100	300-1500Hz
14	NIRA65A.3	65SPL	R	SnFld 12000Hz(9)	512/182	42.6	Rare	1.26	1.46 0.38	100	300-1500Hz
15	NIRA70A.3	70SPL	R	SnFld 12000Hz(9)	512/190	42.6	Rare	1.55	1.98 0.31	100	300-1500Hz
16	NIRA75A.3	75SPL	R	SnFld 12000Hz(9)	512/178	42.6	Rare	1.55	1.33 0.48	100	300-1500Hz
17	NIRA80A.3	80SPL	R	SnFld 12000Hz(9)	512/178	42.6	Rare	1.90	1.16 0.56	100	300-1500Hz
18	NIRA85A.3	85SPL	R	SnFld 12000Hz(9)	512/198	42.6	Rare	2.50	2.13 0.30	100	300-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms (*)-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	0	R	
2	5	R	
3	10	R	
4	15	R	
5	20	R	
6	25	R	
7	30	R	
8	35	R	
9	40	R	
10	45	R	
11	50	R	
12	55	R	
13	60	R	
14	65	R	
15	70	R	
16	75	R	
17	80	R	
18	85	R	

N0054B7F60 IMPC-84

ID: IMPC_LIFR-TM1B-IC_5_1A Page: 4 Test Date: Jun. 23, 2014 Age: (DOB empty) Report: Jun. 23, 2014



N0054B7F60 IMPC-84

ID: IMPC_LIFR-TM1B-IC_5_1A Page: 4 Test Date: Jun. 23, 2014 Age: (DOB empty) Report: Jun. 23, 2014


Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	NIRA0A.4	0SPL	R	SnFld 18000Hz(9)	512/262	42.6	Rare	0.59	0.29 0.49	100	300-1500Hz
2	NIRA5A.4	5SPL	R	SnFld 18000Hz(9)	512/264	42.6	Rare	0.65	0.41 0.50	100	300-1500Hz
3	NIRA10A.4	10SPL	R	SnFld 18000Hz(9)	512/282	42.6	Rare	0.46	0.40 0.29	100	300-1500Hz
4	NIRA15A.4	15SPL	R	SnFld 18000Hz(9)	512/259	42.6	Rare	0.73	0.42 0.59	100	300-1500Hz
5	NIRA20A.4	20SPL	R	SnFld 18000Hz(9)	512/276	42.6	Rare	0.88	0.59 0.46	100	300-1500Hz
6	NIRA25A.4	25SPL	R	SnFld 18000Hz(9)	512/244	42.6	Rare	0.64	0.51 0.57	100	300-1500Hz
7	NIRA30A.4	30SPL	R	SnFld 18000Hz(9)	512/246	42.6	Rare	1.12	1.01 0.46	100	300-1500Hz
8	NIRA35A.4	35SPL	R	SnFld 18000Hz(9)	512/245	42.6	Rare	0.87	1.01 0.45	100	300-1500Hz
9	NIRA40A.4	40SPL	R	SnFld 18000Hz(9)	512/242	42.6	Rare	1.07	1.20 0.51	100	300-1500Hz
10	NIRA45A.4	45SPL	R	SnFld 18000Hz(9)	512/156	42.6	Rare	1.53	1.56 0.51	100	300-1500Hz
11	NIRA50A.4	50SPL	R	SnFld 18000Hz(9)	512/121	42.6	Rare	1.66	1.07 0.74	100	300-1500Hz
12	NIRA55A.4	55SPL	R	SnFld 18000Hz(9)	512/153	42.6	Rare	1.66	1.90 0.39	100	300-1500Hz
13	NIRA60A.4	60SPL	R	SnFld 18000Hz(9)	512/132	42.6	Rare	1.90	1.45 0.63	100	300-1500Hz
14	NIRA65A.4	65SPL	R	SnFld 18000Hz(9)	512/180	42.6	Rare	1.93	2.05 0.34	100	300-1500Hz
15	NIRA70A.4	70SPL	R	SnFld 18000Hz(9)	512/174	42.6	Rare	2.70	1.71 0.45	100	300-1500Hz
16	NIRA75A.4	75SPL	R	SnFld 18000Hz(9)	512/173	42.6	Rare	3.02	1.64 0.43	100	300-1500Hz
17	NIRA80A.4	80SPL	R	SnFld 18000Hz(9)	512/192	42.6	Rare	3.24	1.70 0.45	100	300-1500Hz
18	NIRA85A.4	85SPL	R	SnFld 18000Hz(9)	512/197	42.6	Rare	3.41	2.79 0.26	100	300-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms (*)-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	0	R	
2	5	R	
3	10	R	
4	15	R	
5	20	R	
6	25	R	
7	30	R	
8	35	R	
9	40	R	
10	45	R	
11	50	R	
12	55	R	
13	60	R	
14	65	R	
15	70	R	
16	75	R	
17	80	R	
18	85	R	

N0054B7F60 IMPC-84

ID: IMPC_LIFR-TM1B-IC_5_1A Page: 5 Test Date: Jun. 23, 2014 Age: (DOB empty) Report: Jun. 23, 2014



N0054B7F60 IMPC-84

ID: IMPC_LIFR-TM1B-IC_5_1A Page: 5 Test Date: Jun. 23, 2014 Age: (DOB empty) Report: Jun. 23, 2014


Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	NIRA0A.5	0SPL	R	SnFld 24000Hz(9)	512/261	42.6	Rare	0.65	0.16 0.78	100	300-1500Hz
2	NIRA5A.5	5SPL	R	SnFld 24000Hz(9)	512/250	42.6	Rare	0.82	0.36 0.46	100	300-1500Hz
3	NIRA10A.5	10SPL	R	SnFld 24000Hz(9)	512/273	42.6	Rare	0.62	0.75 0.29	100	300-1500Hz
4	NIRA15A.5	15SPL	R	SnFld 24000Hz(9)	512/247	42.6	Rare	0.67	0.44 0.50	100	300-1500Hz
5	NIRA20A.5	20SPL	R	SnFld 24000Hz(9)	512/264	42.6	Rare	0.75	0.74 0.45	100	300-1500Hz
6	NIRA25A.5	25SPL	R	SnFld 24000Hz(9)	512/243	42.6	Rare	0.74	0.74 0.48	100	300-1500Hz
7	NIRA30A.5	30SPL	R	SnFld 24000Hz(9)	512/242	42.6	Rare	0.73	0.86 0.42	100	300-1500Hz
8	NIRA35A.5	35SPL	R	SnFld 24000Hz(9)	512/247	42.6	Rare	0.64	0.56 0.69	100	300-1500Hz
9	NIRA40A.5	40SPL	R	SnFld 24000Hz(9)	512/130	42.6	Rare	0.82	0.75 0.50	100	300-1500Hz
10	NIRA45A.5	45SPL	R	SnFld 24000Hz(9)	512/171	42.6	Rare	0.71	0.72 0.57	100	300-1500Hz
11	NIRA50A.5	50SPL	R	SnFld 24000Hz(9)	512/129	42.6	Rare	0.96	1.04 0.43	100	300-1500Hz
12	NIRA55A.5	55SPL	R	SnFld 24000Hz(9)	512/130	42.6	Rare	1.32	1.10 0.50	100	300-1500Hz
13	NIRA60A.5	60SPL	R	SnFld 24000Hz(9)	512/134	42.6	Rare	1.32	1.48 0.41	100	300-1500Hz
14	NIRA65A.5	65SPL	R	SnFld 24000Hz(9)	512/173	42.6	Rare	1.29	1.60 0.36	100	300-1500Hz
15	NIRA70A.5	70SPL	R	SnFld 24000Hz(9)	512/177	42.6	Rare	1.48	2.44 0.27	100	300-1500Hz
16	NIRA75A.5	75SPL	R	SnFld 24000Hz(9)	512/195	42.6	Rare	1.41	2.30 0.24	100	300-1500Hz
17	NIRA80A.5	80SPL	R	SnFld 24000Hz(9)	512/181	42.6	Rare	2.15	2.67 0.25	100	300-1500Hz
18	NIRA85A.5	85SPL	R	SnFld 24000Hz(9)	512/194	42.6	Rare	1.79	0.90 0.64	100	300-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms (*)-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	0	R	
2	5	R	
3	10	R	
4	15	R	
5	20	R	
6	25	R	
7	30	R	
8	35	R	
9	40	R	
10	45	R	
11	50	R	
12	55	R	
13	60	R	
14	65	R	
15	70	R	
16	75	R	
17	80	R	
18	85	R	

N0054B7F60 IMPC-84

ID: IMPC_LIFR-TM1B-IC_5_1A Page: 6 Test Date: Jun. 23, 2014 Age: (DOB empty) Report: Jun. 23, 2014



N0054B7F60 IMPC-84

ID: IMPC_LIFR-TM1B-IC_5_1A Page: 6 Test Date: Jun. 23, 2014 Age: (DOB empty) Report: Jun. 23, 2014

Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	NIRA0A.6	0SPL	R	SnFld 30000Hz(9)	512/255	42.6	Rare	0.69	0.91 0.24	100	300-1500Hz
2	NIRA5A.6	5SPL	R	SnFld 30000Hz(9)	512/280	42.6	Rare	0.57	0.83 0.26	100	300-1500Hz
3	NIRA10A.6	10SPL	R	SnFld 30000Hz(9)	512/262	42.6	Rare	0.84	0.63 0.42	100	300-1500Hz
4	NIRA15A.6	15SPL	R	SnFld 30000Hz(9)	512/283	42.6	Rare	0.50	0.40 0.48	100	300-1500Hz
5	NIRA20A.6	20SPL	R	SnFld 30000Hz(9)	512/255	42.6	Rare	0.92	0.88 0.38	100	300-1500Hz
6	NIRA25A.6	25SPL	R	SnFld 30000Hz(9)	512/237	42.6	Rare	0.64	0.47 0.39	100	300-1500Hz
7	NIRA30A.6	30SPL	R	SnFld 30000Hz(9)	512/243	42.6	Rare	0.73	0.40 0.64	100	300-1500Hz
8	NIRA35A.6	35SPL	R	SnFld 30000Hz(9)	512/243	42.6	Rare	0.73	0.88 0.43	100	300-1500Hz
9	NIRA40A.6	40SPL	R	SnFld 30000Hz(9)	512/84	42.6	Rare	0.68	0.40 0.79	100	300-1500Hz
10	NIRA45A.6	45SPL	R	SnFld 30000Hz(9)	512/168	42.6	Rare	0.90	0.91 0.45	100	300-1500Hz
11	NIRA50A.6	50SPL	R	SnFld 30000Hz(9)	512/142	42.6	Rare	1.27	0.62 0.70	100	300-1500Hz
12	NIRA55A.6	55SPL	R	SnFld 30000Hz(9)	512/138	42.6	Rare	1.13	0.78 0.56	100	300-1500Hz
13	NIRA60A.6	60SPL	R	SnFld 30000Hz(9)	512/145	42.6	Rare	1.41	0.79 0.52	100	300-1500Hz
14	NIRA65A.6	65SPL	R	SnFld 30000Hz(9)	512/173	42.6	Rare	1.08	0.70 0.52	100	300-1500Hz
15	NIRA70A.6	70SPL	R	SnFld 30000Hz(9)	512/195	42.6	Rare	1.15	1.43 0.38	100	300-1500Hz
16	NIRA75A.6	75SPL	R	SnFld 30000Hz(9)	512/201	42.6	Rare	1.41	1.33 0.38	100	300-1500Hz
17	NIRA80A.6	80SPL	R	SnFld 30000Hz(9)	512/176	42.6	Rare	1.39	1.44 0.31	100	300-1500Hz
18	NIRA85A.6	85SPL	R	SnFld 30000Hz(9)	512/179	42.6	Rare	1.81	1.48 0.30	100	300-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms (*)-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	0	R	
2	5	R	
3	10	R	
4	15	R	
5	20	R	
6	25	R	
7	30	R	
8	35	R	
9	40	R	
10	45	R	
11	50	R	
12	55	R	
13	60	R	
14	65	R	
15	70	R	
16	75	R	
17	80	R	
18	85	R	