




6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J81822-L 26289

ID: 1150931-J81822 Page: 1 Test Date: Feb. 16, 2017 DOB: Oct 22, 2016 Age: 3.9 months Report: Feb. 16, 2017





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J81822-L 26289

ID: 1150931-J81822 Page: 1 Test Date: Feb. 16, 2017 DOB: Oct 22, 2016 Age: 3.9 months Report: Feb. 16, 2017


Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.1	85SPL	B	HFStm	IHS5157_6kHz	256/17	42.6	Altr	3.78	3.28 0.61	100	100-3000Hz
2	J2BA80B.1	80SPL	B	HFStm	IHS5157_6kHz	256/20	42.6	Altr	2.95	2.82 0.54	100	100-3000Hz
3	J2BA75B.1	75SPL	B	HFStm	IHS5157_6kHz	256/15	42.6	Altr	2.95	1.92 0.72	100	100-3000Hz
4	J2BA70B.1	70SPL	B	HFStm	IHS5157_6kHz	256/12	42.6	Altr	2.38	2.36 0.58	100	100-3000Hz
5	J2BA65B.1	65SPL	B	HFStm	IHS5157_6kHz	256/16	42.6	Altr	1.95	1.92 0.48	100	100-3000Hz
6	J2BA60B.1	60SPL	B	HFStm	IHS5157_6kHz	256/13	42.6	Altr	1.75	1.91 0.52	100	100-3000Hz
7	J2BA55B.1	55SPL	B	HFStm	IHS5157_6kHz	256/9	42.6	Altr	1.20	1.04 0.64	100	100-3000Hz
8	J2BA50B.1	50SPL	B	HFStm	IHS5157_6kHz	256/15	42.6	Altr	1.26	0.92 0.89	100	100-3000Hz
9	J2BA45B.1	45SPL	B	HFStm	IHS5157_6kHz	256/16	42.6	Altr	1.57	1.51 0.41	100	100-3000Hz
10	J2BA40B.1	40SPL	B	HFStm	IHS5157_6kHz	256/11	42.6	Altr	1.40	0.42 1.04	100	100-3000Hz
11	J2BA35B.1	35SPL	B	HFStm	IHS5157_6kHz	256/11	42.6	Altr	0.63	0.46 0.52	100	100-3000Hz
12	J2BA30B.1	30SPL	B	HFStm	IHS5157_6kHz	256/17	42.6	Altr	0.90	0.81 0.53	100	100-3000Hz
13	J2BA25B.1	25SPL	B	HFStm	IHS5157_6kHz	256/15	42.6	Altr	1.22	0.38 0.68	100	100-3000Hz
14	J2BA20B.1	20SPL	B	HFStm	IHS5157_6kHz	256/16	42.6	Altr	1.26	0.19 1.02	100	100-3000Hz
15	J2BA15B.1	15SPL	B	HFStm	IHS5157_6kHz	256/16	42.6	Altr	0.58	0.36 0.42	100	100-3000Hz
16	J2BA10B.1	10SPL	B	HFStm	IHS5157_6kHz	256/18	42.6	Altr	1.02	0.23 0.63	100	100-3000Hz
17	J2BA5B.1	5SPL	B	HFStm	IHS5157_6kHz	256/21	42.6	Altr	0.99	0.70 0.32	100	100-3000Hz
18	J2BA0B.1	0SPL	B	HFStm	IHS5157_6kHz	256/16	42.6	Altr	1.10	0.99 0.39	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	

J81822-L 26289

ID: 1150931-J81822 Page: 2 Test Date: Feb. 16, 2017 DOB: Oct 22, 2016 Age: 3.9 months Report: Feb. 16, 2017





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J81822-L 26289

ID: 1150931-J81822 Page: 2 Test Date: Feb. 16, 2017 DOB: Oct 22, 2016 Age: 3.9 months Report: Feb. 16, 2017

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.2	85SPL	B	HFStm	IHS5157_12kH	256/20	42.6	Altr	5.30	3.04 0.55	100	100-3000Hz
2	J2BA80B.2	80SPL	B	HFStm	IHS5157_12kH	256/11	42.6	Altr	5.01	4.93 0.31	100	100-3000Hz
3	J2BA75B.2	75SPL	B	HFStm	IHS5157_12kH	256/9	42.6	Altr	4.04	1.55 0.91	100	100-3000Hz
4	J2BA70B.2	70SPL	B	HFStm	IHS5157_12kH	256/9	42.6	Altr	2.92	3.95 0.34	100	100-3000Hz
5	J2BA65B.2	65SPL	B	HFStm	IHS5157_12kH	256/17	42.6	Altr	1.68	1.34 0.58	100	100-3000Hz
6	J2BA60B.2	60SPL	B	HFStm	IHS5157_12kH	256/11	42.6	Altr	2.31	2.31 0.56	100	100-3000Hz
7	J2BA55B.2	55SPL	B	HFStm	IHS5157_12kH	256/18	42.6	Altr	1.20	1.39 0.48	100	100-3000Hz
8	J2BA50B.2	50SPL	B	HFStm	IHS5157_12kH	256/15	42.6	Altr	1.51	1.76 0.44	100	100-3000Hz
9	J2BA45B.2	45SPL	B	HFStm	IHS5157_12kH	256/13	42.6	Altr	1.90	0.89 0.84	100	100-3000Hz
10	J2BA40B.2	40SPL	B	HFStm	IHS5157_12kH	256/22	42.6	Altr	0.78	0.85 0.38	100	100-3000Hz
11	J2BA35B.2	35SPL	B	HFStm	IHS5157_12kH	256/16	42.6	Altr	0.91	0.72 0.65	100	100-3000Hz
12	J2BA30B.2	30SPL	B	HFStm	IHS5157_12kH	256/18	42.6	Altr	0.68	0.43 0.66	100	100-3000Hz
13	J2BA25B.2	25SPL	B	HFStm	IHS5157_12kH	256/14	42.6	Altr	1.06	0.47 0.51	100	100-3000Hz
14	J2BA20B.2	20SPL	B	HFStm	IHS5157_12kH	256/13	42.6	Altr	0.83	0.52 0.76	100	100-3000Hz
15	J2BA15B.2	15SPL	B	HFStm	IHS5157_12kH	256/18	42.6	Altr	1.41	0.54 0.81	100	100-3000Hz
16	J2BA10B.2	10SPL	B	HFStm	IHS5157_12kH	256/13	42.6	Altr	1.10	0.36 0.60	100	100-3000Hz
17	J2BA5B.2	5SPL	B	HFStm	IHS5157_12kH	256/16	42.6	Altr	0.88	0.19 0.82	100	100-3000Hz
18	J2BA0B.2	0SPL	B	HFStm	IHS5157_12kH	256/16	42.6	Altr	1.60	0.65 0.37	100	100-3000Hz


System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J81822-L 26289
ID: 1150931-J81822 Page: 3 Test Date: Feb. 16, 2017 DOB: Oct 22, 2016 Age: 3.9 months Report: Feb. 16, 2017





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J81822-L 26289

ID: 1150931-J81822 Page: 3 Test Date: Feb. 16, 2017 DOB: Oct 22, 2016 Age: 3.9 months Report: Feb. 16, 2017

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.3	85SPL	B	HFStm	IHS5157_18kH	256/18	42.6	Altr	2.29	2.02 0.50	100	100-1500Hz
2	J2BA80B.3	80SPL	B	HFStm	IHS5157_18kH	256/16	42.6	Altr	2.25	2.44 0.42	100	100-1500Hz
3	J2BA75B.3	75SPL	B	HFStm	IHS5157_18kH	256/15	42.6	Altr	2.37	2.62 0.37	100	100-1500Hz
4	J2BA70B.3	70SPL	B	HFStm	IHS5157_18kH	256/15	42.6	Altr	2.11	2.31 0.53	100	100-1500Hz
5	J2BA65B.3	65SPL	B	HFStm	IHS5157_18kH	256/14	42.6	Altr	1.38	3.39 0.23	100	100-1500Hz
6	J2BA60B.3	60SPL	B	HFStm	IHS5157_18kH	256/18	42.6	Altr	1.11	1.37 0.41	100	100-1500Hz
7	J2BA55B.3	55SPL	B	HFStm	IHS5157_18kH	256/20	42.6	Altr	0.96	1.40 0.38	100	100-1500Hz
8	J2BA50B.3	50SPL	B	HFStm	IHS5157_18kH	256/13	42.6	Altr	1.28	1.14 0.51	100	100-1500Hz
9	J2BA45B.3	45SPL	B	HFStm	IHS5157_18kH	256/16	42.6	Altr	0.96	0.30 1.15	100	100-1500Hz
10	J2BA40B.3	40SPL	B	HFStm	IHS5157_18kH	256/19	42.6	Altr	1.30	0.50 0.77	100	100-1500Hz
11	J2BA35B.3	35SPL	B	HFStm	IHS5157_18kH	256/17	42.6	Altr	1.26	0.61 0.35	100	100-1500Hz
12	J2BA30B.3	30SPL	B	HFStm	IHS5157_18kH	256/14	42.6	Altr	0.98	0.42 0.55	100	100-1500Hz
13	J2BA25B.3	25SPL	B	HFStm	IHS5157_18kH	256/20	42.6	Altr	0.57	0.25 0.57	100	100-1500Hz
14	J2BA20B.3	20SPL	B	HFStm	IHS5157_18kH	256/18	42.6	Altr	1.17	0.59 0.99	100	100-1500Hz
15	J2BA15B.3	15SPL	B	HFStm	IHS5157_18kH	256/16	42.6	Altr	0.87	0.47 0.60	100	100-1500Hz
16	J2BA10B.3	10SPL	B	HFStm	IHS5157_18kH	256/20	42.6	Altr	1.20	0.72 0.37	100	100-1500Hz
17	J2BA5B.3	5SPL	B	HFStm	IHS5157_18kH	256/19	42.6	Altr	1.17	0.68 0.56	100	100-1500Hz
18	J2BA0B.3	0SPL	B	HFStm	IHS5157_18kH	256/20	42.6	Altr	0.45	0.21 0.53	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J81822-L 26289

ID: 1150931-J81822 Page: 4 Test Date: Feb. 16, 2017 DOB: Oct 22, 2016 Age: 3.9 months Report: Feb. 16, 2017





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J81822-L 26289

ID: 1150931-J81822 Page: 4 Test Date: Feb. 16, 2017 DOB: Oct 22, 2016 Age: 3.9 months Report: Feb. 16, 2017

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	J2BA85B.4	85SPL	B	HFStm	IHS5157_24kH	256/23	42.6	Altr	2.55	3.15 0.26	100	100-1500Hz
2	J2BA80B.4	80SPL	B	HFStm	IHS5157_24kH	256/13	42.6	Altr	2.72	3.74 0.29	100	100-1500Hz
3	J2BA75B.4	75SPL	B	HFStm	IHS5157_24kH	256/18	42.6	Altr	1.65	1.80 0.50	100	100-1500Hz
4	J2BA70B.4	70SPL	B	HFStm	IHS5157_24kH	256/19	42.6	Altr	1.62	1.98 0.41	100	100-1500Hz
5	J2BA65B.4	65SPL	B	HFStm	IHS5157_24kH	256/20	42.6	Altr	1.48	0.74 0.52	100	100-1500Hz
6	J2BA60B.4	60SPL	B	HFStm	IHS5157_24kH	256/15	42.6	Altr	1.34	1.63 0.37	100	100-1500Hz
7	J2BA55B.4	55SPL	B	HFStm	IHS5157_24kH	256/24	42.6	Altr	1.32	0.89 0.80	100	100-1500Hz
8	J2BA50B.4	50SPL	B	HFStm	IHS5157_24kH	256/12	42.6	Altr	1.73	1.69 0.37	100	100-1500Hz
9	J2BA45B.4	45SPL	B	HFStm	IHS5157_24kH	256/18	42.6	Altr	1.08	1.50 0.33	100	100-1500Hz
10	J2BA40B.4	40SPL	B	HFStm	IHS5157_24kH	256/16	42.6	Altr	1.41	1.43 0.28	100	100-1500Hz
11	J2BA35B.4	35SPL	B	HFStm	IHS5157_24kH	256/23	42.6	Altr	0.95	0.41 0.91	100	100-1500Hz
12	J2BA30B.4	30SPL	B	HFStm	IHS5157_24kH	256/13	42.6	Altr	1.24	0.56 0.40	100	100-1500Hz
13	J2BA25B.4	25SPL	B	HFStm	IHS5157_24kH	256/25	42.6	Altr	0.44	0.35 0.28	100	100-1500Hz
14	J2BA20B.4	20SPL	B	HFStm	IHS5157_24kH	256/20	42.6	Altr	0.72	0.85 0.39	100	100-1500Hz
15	J2BA15B.4	15SPL	B	HFStm	IHS5157_24kH	256/17	42.6	Altr	1.60	0.18 0.94	100	100-1500Hz
16	J2BA10B.4	10SPL	B	HFStm	IHS5157_24kH	256/20	42.6	Altr	0.71	0.85 0.20	100	100-1500Hz
17	J2BA5B.4	5SPL	B	HFStm	IHS5157_24kH	256/18	42.6	Altr	0.65	0.38 0.41	100	100-1500Hz
18	J2BA0B.4	0SPL	B	HFStm	IHS5157_24kH	256/21	42.6	Altr	0.55	0.26 0.42	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

J81822-L 26289

ID: 1150931-J81822 Page: 5 Test Date: Feb. 16, 2017 DOB: Oct 22, 2016 Age: 3.9 months Report: Feb. 16, 2017



		0	1	2	3	4	5	6	7	8	9	10	11	12 ms
Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters		
1	J2BA85B.5	85SPL	B	HFStm	IHS5157_30kH	256/19	42.6	Altr	2.28	1.67 0.66	100	100-1500Hz		
2	J2BA80B.5	80SPL	B	HFStm	IHS5157_30kH	256/14	42.6	Altr	2.20	1.73 0.59	100	100-1500Hz		
3	J2BA75B.5	75SPL	B	HFStm	IHS5157_30kH	256/21	42.6	Altr	1.58	1.41 0.43	100	100-1500Hz		
4	J2BA70B.5	70SPL	B	HFStm	IHS5157_30kH	256/21	42.6	Altr	1.40	1.40 0.39	100	100-1500Hz		
5	J2BA65B.5	65SPL	B	HFStm	IHS5157_30kH	256/21	42.6	Altr	0.97	0.36 0.69	100	100-1500Hz		
6	J2BA60B.5	60SPL	B	HFStm	IHS5157_30kH	256/24	42.6	Altr	1.04	1.47 0.23	100	100-1500Hz		
7	J2BA55B.5	55SPL	B	HFStm	IHS5157_30kH	256/19	42.6	Altr	1.09	0.61 0.36	100	100-1500Hz		
8	J2BA50B.5	50SPL	B	HFStm	IHS5157_30kH	256/15	42.6	Altr	0.90	0.65 0.46	100	100-1500Hz		
9	J2BA45B.5	45SPL	B	HFStm	IHS5157_30kH	256/15	42.6	Altr	0.83	0.54 0.44	100	100-1500Hz		
10	J2BA40B.5	40SPL	B	HFStm	IHS5157_30kH	256/17	42.6	Altr	0.49	0.18 0.61	100	100-1500Hz		
11	J2BA35B.5	35SPL	B	HFStm	IHS5157_30kH	256/16	42.6	Altr	1.23	0.27 0.60	100	100-1500Hz		
12	J2BA30B.5	30SPL	B	HFStm	IHS5157_30kH	256/17	42.6	Altr	1.46	0.34 0.61	100	100-1500Hz		
13	J2BA25B.5	25SPL	B	HFStm	IHS5157_30kH	256/19	42.6	Altr	0.99	0.35 0.66	100	100-1500Hz		
14	J2BA20B.5	20SPL	B	HFStm	IHS5157_30kH	256/22	42.6	Altr	1.52	0.64 0.42	100	100-1500Hz		

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	