




6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R49670-L 32826

ID: 2373702-R49670 Page: 1 Test Date: Sep. 13, 2019 DOB: May 21, 2019 Age: 3.7 months Report: Sep. 13, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R49670-L 32826

ID: 2373702-R49670 Page: 1 Test Date: Sep. 13, 2019 DOB: May 21, 2019 Age: 3.7 months Report: Sep. 13, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.1	85SPL	B	HFStm	IHS5156_6kHz	256/24	42.6	Altr	4.10	7.18 0.37	100	100-3000Hz
2	R3BA80B.1	80SPL	B	HFStm	IHS5156_6kHz	256/25	42.6	Altr	4.07	3.58 0.66	100	100-3000Hz
3	R3BA75B.1	75SPL	B	HFStm	IHS5156_6kHz	256/24	42.6	Altr	3.76	3.72 0.60	100	100-3000Hz
4	R3BA70B.1	70SPL	B	HFStm	IHS5156_6kHz	256/30	42.6	Altr	2.91	2.32 0.74	100	100-3000Hz
5	R3BA65B.1	65SPL	B	HFStm	IHS5156_6kHz	256/28	42.6	Altr	2.44	3.04 0.47	100	100-3000Hz
6	R3BA60B.1	60SPL	B	HFStm	IHS5156_6kHz	256/25	42.6	Altr	1.91	1.46 0.74	100	100-3000Hz
7	R3BA55B.1	55SPL	B	HFStm	IHS5156_6kHz	256/24	42.6	Altr	2.09	1.48 0.56	100	100-3000Hz
8	R3BA50B.1	50SPL	B	HFStm	IHS5156_6kHz	256/24	42.6	Altr	1.63	0.93 0.65	100	100-3000Hz
9	R3BA45B.1	45SPL	B	HFStm	IHS5156_6kHz	256/24	42.6	Altr	1.65	0.81 0.55	100	100-3000Hz
10	R3BA40B.1	40SPL	B	HFStm	IHS5156_6kHz	256/24	42.6	Altr	1.90	0.72 0.51	100	100-3000Hz
11	R3BA35B.1	35SPL	B	HFStm	IHS5156_6kHz	256/21	42.6	Altr	2.13	1.11 0.63	100	100-3000Hz
12	R3BA30B.1	30SPL	B	HFStm	IHS5156_6kHz	256/24	42.6	Altr	1.44	0.36 0.58	100	100-3000Hz
13	R3BA25B.1	25SPL	B	HFStm	IHS5156_6kHz	256/23	42.6	Altr	1.53	0.75 0.59	100	100-3000Hz
14	R3BA20B.1	20SPL	B	HFStm	IHS5156_6kHz	256/23	42.6	Altr	1.25	0.68 0.50	100	100-3000Hz
15	R3BA15B.1	15SPL	B	HFStm	IHS5156_6kHz	256/23	42.6	Altr	1.45	0.30 0.58	100	100-3000Hz
16	R3BA10B.1	10SPL	B	HFStm	IHS5156_6kHz	256/23	42.6	Altr	1.55	1.06 0.38	100	100-3000Hz
17	R3BA5B.1	5SPL	B	HFStm	IHS5156_6kHz	256/24	42.6	Altr	1.04	0.70 0.57	100	100-3000Hz
18	R3BA0B.1	0SPL	B	HFStm	IHS5156_6kHz	256/24	42.6	Altr	1.05	0.66 0.40	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R49670-L 32826

ID: 2373702-R49670 Page: 2 Test Date: Sep. 13, 2019 DOB: May 21, 2019 Age: 3.7 months Report: Sep. 13, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R49670-L 32826

ID: 2373702-R49670 Page: 2 Test Date: Sep. 13, 2019 DOB: May 21, 2019 Age: 3.7 months Report: Sep. 13, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.2	85SPL	B	HFStm	IHS5156_12kH	256/25	42.6	Altr	3.54	2.61 0.77	100	100-3000Hz
2	R3BA80B.2	80SPL	B	HFStm	IHS5156_12kH	256/23	42.6	Altr	2.71	4.33 0.37	100	100-3000Hz
3	R3BA75B.2	75SPL	B	HFStm	IHS5156_12kH	256/24	42.6	Altr	2.66	4.45 0.36	100	100-3000Hz
4	R3BA70B.2	70SPL	B	HFStm	IHS5156_12kH	256/27	42.6	Altr	2.36	2.14 0.50	100	100-3000Hz
5	R3BA65B.2	65SPL	B	HFStm	IHS5156_12kH	256/26	42.6	Altr	2.20	2.45 0.47	100	100-3000Hz
6	R3BA60B.2	60SPL	B	HFStm	IHS5156_12kH	256/21	42.6	Altr	2.40	0.84 0.95	100	100-3000Hz
7	R3BA55B.2	55SPL	B	HFStm	IHS5156_12kH	256/23	42.6	Altr	1.96	1.16 0.69	100	100-3000Hz
8	R3BA50B.2	50SPL	B	HFStm	IHS5156_12kH	256/25	42.6	Altr	1.88	1.25 0.47	100	100-3000Hz
9	R3BA45B.2	45SPL	B	HFStm	IHS5156_12kH	256/26	42.6	Altr	1.61	0.76 0.71	100	100-3000Hz
10	R3BA40B.2	40SPL	B	HFStm	IHS5156_12kH	256/24	42.6	Altr	1.02	0.76 0.35	100	100-3000Hz
11	R3BA35B.2	35SPL	B	HFStm	IHS5156_12kH	256/28	42.6	Altr	0.91	0.69 0.65	100	100-3000Hz
12	R3BA30B.2	30SPL	B	HFStm	IHS5156_12kH	256/23	42.6	Altr	2.13	0.66 0.67	100	100-3000Hz
13	R3BA25B.2	25SPL	B	HFStm	IHS5156_12kH	256/26	42.6	Altr	1.42	1.38 0.39	100	100-3000Hz
14	R3BA20B.2	20SPL	B	HFStm	IHS5156_12kH	256/23	42.6	Altr	1.32	0.60 0.46	100	100-3000Hz
15	R3BA15B.2	15SPL	B	HFStm	IHS5156_12kH	256/26	42.6	Altr	1.70	1.17 0.49	100	100-3000Hz
16	R3BA10B.2	10SPL	B	HFStm	IHS5156_12kH	256/27	42.6	Altr	1.03	0.61 0.54	100	100-3000Hz
17	R3BA5B.2	5SPL	B	HFStm	IHS5156_12kH	256/24	42.6	Altr	1.42	1.17 0.31	100	100-3000Hz
18	R3BA0B.2	0SPL	B	HFStm	IHS5156_12kH	256/25	42.6	Altr	1.84	0.28 0.81	100	100-3000Hz

System SNR & RN Region: 4.00 - 9.00 ms *indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R49670-L 32826

ID: 2373702-R49670 Page: 3 Test Date: Sep. 13, 2019 DOB: May 21, 2019 Age: 3.7 months Report: Sep. 13, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R49670-L 32826

ID: 2373702-R49670 Page: 3 Test Date: Sep. 13, 2019 DOB: May 21, 2019 Age: 3.7 months Report: Sep. 13, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.3	85SPL	B	HFStm	IHS5156_18kH	256/27	42.6	Altr	3.90	1.68 1.26	100	100-1500Hz
2	R3BA80B.3	80SPL	B	HFStm	IHS5156_18kH	256/31	42.6	Altr	3.22	1.70 0.97	100	100-1500Hz
3	R3BA75B.3	75SPL	B	HFStm	IHS5156_18kH	256/28	42.6	Altr	2.75	3.09 0.56	100	100-1500Hz
4	R3BA70B.3	70SPL	B	HFStm	IHS5156_18kH	256/30	42.6	Altr	2.50	1.59 0.96	100	100-1500Hz
5	R3BA65B.3	65SPL	B	HFStm	IHS5156_18kH	256/28	42.6	Altr	2.11	2.91 0.41	100	100-1500Hz
6	R3BA60B.3	60SPL	B	HFStm	IHS5156_18kH	256/30	42.6	Altr	1.36	1.58 0.50	100	100-1500Hz
7	R3BA55B.3	55SPL	B	HFStm	IHS5156_18kH	256/28	42.6	Altr	1.74	1.01 0.87	100	100-1500Hz
8	R3BA50B.3	50SPL	B	HFStm	IHS5156_18kH	256/28	42.6	Altr	1.48	1.13 0.56	100	100-1500Hz
9	R3BA45B.3	45SPL	B	HFStm	IHS5156_18kH	256/32	42.6	Altr	0.89	1.27 0.39	100	100-1500Hz
10	R3BA40B.3	40SPL	B	HFStm	IHS5156_18kH	256/30	42.6	Altr	1.30	1.02 0.40	100	100-1500Hz
11	R3BA35B.3	35SPL	B	HFStm	IHS5156_18kH	256/29	42.6	Altr	0.97	0.96 0.47	100	100-1500Hz
12	R3BA35B.4	35SPL	B	HFStm	IHS5156_18kH	256/28	42.6	Altr	1.16	0.60 0.44	100	100-1500Hz
13	R3BA30B.3	30SPL	B	HFStm	IHS5156_18kH	256/30	42.6	Altr	1.16	0.65 0.70	100	100-1500Hz
14	R3BA25B.3	25SPL	B	HFStm	IHS5156_18kH	256/28	42.6	Altr	0.85	0.21 0.94	100	100-1500Hz
15	R3BA20B.3	20SPL	B	HFStm	IHS5156_18kH	256/27	42.6	Altr	1.48	1.15 0.49	100	100-1500Hz
16	R3BA15B.3	15SPL	B	HFStm	IHS5156_18kH	256/30	42.6	Altr	0.90	0.65 0.43	100	100-1500Hz
17	R3BA10B.3	10SPL	B	HFStm	IHS5156_18kH	256/26	42.6	Altr	1.02	1.28 0.38	100	100-1500Hz
18	R3BA5B.3	5SPL	B	HFStm	IHS5156_18kH	256/28	42.6	Altr	0.73	0.19 0.96	100	100-1500Hz
19	R3BA0B.3	0SPL	B	HFStm	IHS5156_18kH	256/26	42.6	Altr	1.31	0.87 0.66	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	35	B	
13	30	B	
14	25	B	
15	20	B	
16	15	B	
17	10	B	
18	5	B	
19	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R49670-L 32826

ID: 2373702-R49670 Page: 4 Test Date: Sep. 13, 2019 DOB: May 21, 2019 Age: 3.7 months Report: Sep. 13, 2019





6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R49670-L 32826

ID: 2373702-R49670 Page: 4 Test Date: Sep. 13, 2019 DOB: May 21, 2019 Age: 3.7 months Report: Sep. 13, 2019

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	R3BA85B.4	85SPL	B	HFStm	IHS5156_24kH	256/26	42.6	Altr	3.50	7.28 0.36	100	100-1500Hz
2	R3BA80B.4	80SPL	B	HFStm	IHS5156_24kH	256/28	42.6	Altr	3.39	1.19 1.95	100	100-1500Hz
3	R3BA75B.4	75SPL	B	HFStm	IHS5156_24kH	256/28	42.6	Altr	2.97	4.10 0.49	100	100-1500Hz
4	R3BA70B.4	70SPL	B	HFStm	IHS5156_24kH	256/30	42.6	Altr	3.10	2.58 0.74	100	100-1500Hz
5	R3BA65B.4	65SPL	B	HFStm	IHS5156_24kH	256/26	42.6	Altr	2.42	1.44 0.99	100	100-1500Hz
6	R3BA60B.4	60SPL	B	HFStm	IHS5156_24kH	256/29	42.6	Altr	1.91	1.20 1.22	100	100-1500Hz
7	R3BA55B.4	55SPL	B	HFStm	IHS5156_24kH	256/30	42.6	Altr	1.79	1.74 0.72	100	100-1500Hz
8	R3BA50B.4	50SPL	B	HFStm	IHS5156_24kH	256/30	42.6	Altr	2.15	1.82 0.63	100	100-1500Hz
9	R3BA45B.4	45SPL	B	HFStm	IHS5156_24kH	256/27	42.6	Altr	1.53	2.32 0.48	100	100-1500Hz
10	R3BA40B.4	40SPL	B	HFStm	IHS5156_24kH	256/31	42.6	Altr	1.12	1.16 0.32	100	100-1500Hz
11	R3BA35B.5	35SPL	B	HFStm	IHS5156_24kH	256/28	42.6	Altr	1.01	0.91 0.35	100	100-1500Hz
12	R3BA30B.4	30SPL	B	HFStm	IHS5156_24kH	256/27	42.6	Altr	1.36	1.02 0.33	100	100-1500Hz
13	R3BA25B.4	25SPL	B	HFStm	IHS5156_24kH	256/28	42.6	Altr	1.21	0.41 0.83	100	100-1500Hz
14	R3BA20B.4	20SPL	B	HFStm	IHS5156_24kH	256/30	42.6	Altr	1.26	1.18 0.47	100	100-1500Hz
15	R3BA15B.4	15SPL	B	HFStm	IHS5156_24kH	256/32	42.6	Altr	1.11	0.56 0.43	100	100-1500Hz
16	R3BA10B.4	10SPL	B	HFStm	IHS5156_24kH	256/31	42.6	Altr	0.87	0.58 0.43	100	100-1500Hz
17	R3BA5B.4	5SPL	B	HFStm	IHS5156_24kH	256/28	42.6	Altr	1.26	0.69 0.70	100	100-1500Hz
18	R3BA0B.4	0SPL	B	HFStm	IHS5156_24kH	256/25	42.6	Altr	1.36	0.81 0.49	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used


Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	
15	15	B	
16	10	B	
17	5	B	
18	0	B	



6860 SW 81st Street Miami, Florida 33143
305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

R49670-L 32826

ID: 2373702-R49670 Page: 5 Test Date: Sep. 13, 2019 DOB: May 21, 2019 Age: 3.7 months Report: Sep. 13, 2019



	0	1	2	3	4	5	6	7	8	9	10	11	12 ms
Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters	
1	R3BA85B.5	85SPL	B	HFStm	IHS5156_30kH	256/32	42.6	Altr	3.25	4.74 0.45	100	100-1500Hz	
2	R3BA80B.5	80SPL	B	HFStm	IHS5156_30kH	256/33	42.6	Altr	2.60	1.35 1.27	100	100-1500Hz	
3	R3BA75B.5	75SPL	B	HFStm	IHS5156_30kH	256/30	42.6	Altr	2.30	1.63 0.90	100	100-1500Hz	
4	R3BA70B.5	70SPL	B	HFStm	IHS5156_30kH	256/25	42.6	Altr	2.45	2.77 0.48	100	100-1500Hz	
5	R3BA65B.5	65SPL	B	HFStm	IHS5156_30kH	256/32	42.6	Altr	2.46	0.75 1.08	100	100-1500Hz	
6	R3BA60B.5	60SPL	B	HFStm	IHS5156_30kH	256/30	42.6	Altr	1.46	1.27 0.59	100	100-1500Hz	
7	R3BA55B.5	55SPL	B	HFStm	IHS5156_30kH	256/29	42.6	Altr	0.92	1.07 0.42	100	100-1500Hz	
8	R3BA50B.5	50SPL	B	HFStm	IHS5156_30kH	256/31	42.6	Altr	1.03	0.93 0.52	100	100-1500Hz	
9	R3BA45B.5	45SPL	B	HFStm	IHS5156_30kH	256/30	42.6	Altr	1.22	0.14 2.08	100	100-1500Hz	
10	R3BA40B.5	40SPL	B	HFStm	IHS5156_30kH	256/26	42.6	Altr	0.98	0.40 0.55	100	100-1500Hz	
11	R3BA35B.6	35SPL	B	HFStm	IHS5156_30kH	256/27	42.6	Altr	1.20	1.06 0.54	100	100-1500Hz	
12	R3BA30B.5	30SPL	B	HFStm	IHS5156_30kH	256/30	42.6	Altr	0.89	0.81 0.34	100	100-1500Hz	
13	R3BA25B.5	25SPL	B	HFStm	IHS5156_30kH	256/30	42.6	Altr	1.52	1.72 0.30	100	100-1500Hz	
14	R3BA20B.5	20SPL	B	HFStm	IHS5156_30kH	256/31	42.6	Altr	1.23	0.53 0.44	100	100-1500Hz	
System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used													

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	85	B	
2	80	B	
3	75	B	
4	70	B	
5	65	B	
6	60	B	
7	55	B	
8	50	B	
9	45	B	
10	40	B	
11	35	B	
12	30	B	
13	25	B	
14	20	B	